EQUALINE HEARTBURN PREVENTION- famotidine tablet, film coated United Natural Foods, Inc. dba UNFI

SuperValu Inc. Heartburn Prevention Drug Facts

Active ingredient (in each tablet)

Famotidine 10 mg

Purpose

Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
- to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15
 to 60 minutes before eating food or drinking beverages that cause heartburn
- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20°-25°C (68°-77°F)
- · protect from moisture

Inactive ingredients

carnauba wax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

compare to Pepcid® AC active ingredient

original strength

heartburn prevention


famotidine tablets, 10mg (acid reducer)

just one tablet prevents & relieves heartburn due to acid indigestion

SEE NEW WARNINGS

30 tablets

actual size





Drug Facts

Active ingredient (in each tablet) Purpose
Famotidine 10 mg.....Acid reducer

Uses

- relieves heartburn associated with acid indigestion and sour stomach
- pre vents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and be verages

Warnings

Aller gy aler't. Do not use if you are all ergic to famotidine or other acid reducers

Do not u se

OPEN OTHER END

- if you have trouble or pain swall bwing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heart burn with lighthe ade dness, swe ating or dizziness
- che st pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent whe ezing, particularly with heartburn
- unexplained weight loss
- nausea or vo miting
- stomach pain kidney disease

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop us e and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use

Keep out of reach of child ren. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults and children 12 years and over:
- torelieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
- top revent symptoms, swallow 1 tablet with a glass of water at any time from 15 to 60 minutes before eating foo dordrinking beverages that cause heartburn

DO NOT USE IF BLISTER UNIT IS BROKEN OR TOR

CONVENIENT RECLOSING TAB

- do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

Otherinformation

- read the directions and warnings before use
- keep the carton. It contains important information.
- storeat 20°-25°C (68°-77°F) protect from moisture

Inactive ingredients camaubawax, hypromellose, iron oxide red, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, pregelatinized starch, talc, titanium dioxide, triacetin



Drug Facts (continued)

Questions or comments? 1-855-423-2630

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Pepcid®.

Distributed by UNFI, Providence, RI 02908 USA
Like it or let us make it right. That's our quality promise.
855-423-2630

GLUTEN FREE



EQUALINE HEARTBURN PREVENTION

famotidine tablet, film coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41163-313

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

FAMOTIDINE (UNII: 50Z015|2Z8) (FAMOTIDINE - UNII:50Z015|2Z8) FAMOTIDINE 10 mg

Ingredient Name CARNAUBA WAX (UNII: R12CBM0EIZ) HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) MAGNESIUM STEARATE (UNII: 70097M6I30) MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) POLYDEXTROSE (UNII: VH2XOU12IE)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

FERRIC OXIDE RED (UNII: 1K09F3G675)

FERRIC OXIDE YELLOW (UNII: EX43802MRT)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIACETIN (UNII: XHX3C3X673)

Product Characteristics						
Color	PINK	Score	no score			
Shape	ROUND	Size	8mm			
Flavor		Imprint Code	L141			
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:41163-313- 65	30 in 1 CARTON	10/28/2009				
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product					
2	NDC:41163-313- 72	60 in 1 CARTON	09/18/2009				
2		1 in 1 BOTTLE; Type 0: Not a Combination Product					

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA075400	09/18/2009			

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Revised: 8/2023 United Natural Foods, Inc. dba UNFI