

WAL SOM NIGHTTIME SLEEP AID NIGHTTIME- diphenhydramine hcl capsule Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

- store between 15-30°C (59-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol, sorbitan, white ink

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Unisom® SleepGels® ††

NIGHTTIME

Sleep Aid

DIPHENHYDRAMINE HCl 50 mg/

NIGHTTIME SLEEP AID

Maximum Strength

Nighttime

- Fall asleep fast

SOFTGELS**

(**liquid-filled capsules)

one liquid-filled softgel per dose

††This product is not manufactured or distributed by Chattem, Inc., distributor of Unisom® SleepGels®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT

INFORMATION.

DISTRIBUTED BY: WALGREEN CO.

DEERFIELD, IL 60015

walgreens.com

Product Label

Drug Facts (continued)

Directions
 ■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information
 ■ store between 15-30°C (59-86°F)

Inactive ingredients FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Questions or comments?
 Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
 *This product is not manufactured or distributed by Chatterm, Inc., distributor of Unisom® SleepGels®.

DISTRIBUTED BY: WALGREEN CO. DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co.

W3ORG0222-F REV-0623

Walgreens
 Compare to the active ingredient in Unisom® SleepGels™

NIGHTTIME Sleep Aid
 DIPHENHYDRAMINE HCl 50 mg / NIGHTTIME SLEEP AID

Maximum Strength
Nighttime
 • Fall asleep fast

60 SOFTGELS**
 ACTUAL SIZE
 (**liquid-filled capsules) one liquid-filled softgel per dose

Walgreens
 Compare to the active ingredient in Unisom® SleepGels™

NIGHTTIME Sleep Aid
 DIPHENHYDRAMINE HCl 50 mg / NIGHTTIME SLEEP AID

Maximum Strength
Nighttime
 • Fall asleep fast

60 SOFTGELS**
 (**liquid-filled capsules) one liquid-filled softgel per dose

Drug Facts

Active ingredient (in each softgel)	Purpose
Diphenhydramine HCl 50 mg.....	Nighttime sleep-aid

Use For relief of occasional sleeplessness.

Warnings
Do not use
 ■ for children under 12 years of age
 ■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ glaucoma
 ■ trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product, avoid alcoholic drinks.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

ITEM 353259 W11042-0723-L

3 11917 16764 0

PRODUCT OF CHINA

PLD-J633A
 FC007856

Lot No.:
 Exp. Date:

WALGREENS Nighttime Sleep Aid

WAL SOM NIGHTTIME SLEEP AID NIGHTTIME

diphenhydramine hcl capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0860
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	50 mg	
Inactive Ingredients				
Ingredient Name			Strength	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0KO0R)				
SORBITAN (UNII: 6O92ICV9RU)				
SORBITOL (UNII: 506T60A25R)				
Product Characteristics				
Color	blue	Score	no score	
Shape	CAPSULE	Size	13mm	
Flavor		Imprint Code	P50	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0860-32	1 in 1 BOX	10/30/2019	
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0860-60	1 in 1 BOX	10/30/2019	
2		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:0363-0860-16	160 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/30/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part338	10/30/2019		

Labeler - Walgreens (008965063)