CORNEX- corn and callus liquid remover liquid Premier Brands of America Inc.

Premier Brands Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poort blood circulation, excpet under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

- store between 20°C to 30°C (68°F to 86°F)
- clsoe tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Premier


Liquid Corn & Callus Remover

Salicylic Acid

Safely removes corn & calluses

Soft foam cushions and protects

3 CUSHIONS 0.33 FL OZ (9.8 mL)







Drug Facts

Active ingredient Salicylic acid 17% w/w.

Purpose

MPORTANT: CLOSE

CAP TIGHTLY AFTER

..Corn and callus remove

for the removal of corns and callusesrelieves pain by removing corns and calluses

Warnings

For external use only

Flammable

keep away from fire or flame
 cap bottle tightly and store at room temperature away from heat

Do not use

on irritated skin

on any area that is infected or reddened

of you have poor blood circulation, except under the advice
and supervision of a doctor or podiatrist

When using this product
■ avoid contact with eyes
■ avoid inhaling vapors
■ if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away

■ wash the affected area and dry thoroughly
■ apply one drop at a time with applicator to sufficiently cover each com/callus; let dry
■ apply one drop at a time with applicator to sufficiently cover each com/callus; let dry
■ use cushion with hole contered over corn or callus to relieve pressure
(additional cushions may be purchased separately)
■ repeat this procedure orice or twice daily as needed for up to 14 days
(until corn/callus is removed)

Other information

■ store between 20° – 25°C (68° – 77°F)
■ close tightly to prevent solidification
■ store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

Care
■ Wipe top of bottle clean after each use

Distributed by:

©2019 Premier Brands of America Inc. White Plains, New York 10601

www.premier-brands.com

Questions? Call 1-866-964-0939

MADE IN USA WITH U.S. AND IMPORTED PARTS

41-030PB-02



removing corns and calluses. *Warnings*: For external use only. Rammable: Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat. Do not use this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

NDC 56104-026-09 remier

LIQUID CORN & CALLUS **REMOVER**

Salicylic Acid

Safely removes corns & calluses

CLOSE CAP TIGHTLY **AFTER USE**

0.33 FL OZ (9.8 mL)

Do not use this product on irritated skin, on any area that is infected or reddened. When using this product avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors. Jse cushions with hole centered over com or callus to away. *Directions:* Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. elieve pressure. Repeat this procedure once or twice Store in a cóol place. *Inactive ingredients:* camphol castor oil, ethanol, ethyl ether, nitrocellulose **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center righ daily as needed for up to 14 days (until corn/callus is removed) *Other Information:* Store at 20° – 25° C (68° – 77° F). Close tightly to prevent solidification.

Keep packaging for complete drug facts information *Questions?* Call 1-866-964-0939

©2018 Premier Brands of America Inc. Mount Vernon, New York 10550 MADE

MADE IN USA WITH U.S. AND IMPORTED PARTS

50-030PB-01

CORNEX

Active Ingredient: Salicylic acid (17% w/w) Purpose: Corn and callus remover Uses: For the removal of corns and calluses. Relieves pain by

corn and callus liquid remover liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-009	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	0.17 g in 1 g	

Inactive Ingredients			
Ingredient Name	Strength		
PYROXYLIN (UNII: KYR8BR2X6O)			
CAMPHOR (NATURAL) (UNII: N20HL7Q941)			
CASTOR OIL (UNII: D5340Y2I9G)			

Packaging					
# Item Co	ode	Package Description	Marketing Start Date	Marketing End Date	
NDC:5610 009-15		g in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a nbination Product	01/01/2013	10/10/2015	
NDC:5610		in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a nbination Product	10/10/2015		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M030	01/01/2013		

Labeler - Premier Brands of America Inc. (117557458)

Revised: 2/2024 Premier Brands of America Inc.