

ANTI ITCH- diphenhydramine hydrochloride, zinc acetate cream
Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Anti-Itch Cream Drug Facts

Active ingredients

Diphenhydramine hydrochloride 2%

Zinc acetate 0.1%

Purpose

Topical analgesic

Skin protectant

Uses

- temporarily relieves pain and itching associated with:
- insect bites
- minor burns
- sunburn
- minor skin irritations
- minor cuts
- scrapes
- rashes due to poison ivy, poison oak and poison sumac
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product

- avoid contact with the eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

EXTRA STRENGTH

anti-itch cream

Topical Analgesic | Skin Protectant

Relieves Pain and Itching Due to Minor Skin Irritations

Fast Relief for Most Outdoor Itches

Compare to Extra Strength Benadryl[®] Cream active ingredients

EXTRA STRENGTH

anti-itch cream

Topical Analgesic | Skin Protectant

Relieves Pain and Itching Due to Minor Skin Irritations

INSECT BITES | POISON IVY, OAK, SUMAC | SUNBURN

MOSQUITO BITES | MINOR CUTS & SCRAPES

NET WT 1 OZ (28 g)

EXTRA STRENGTH
anti-itch cream

Topical Analgesic | Skin Protectant

Relieves Pain and Itching Due to Minor Skin Irritations

Fast Relief for Most Outdoor Itches

Relieves Itches from
Insect Bites & Skin Irritations

meijer

EXTRA STRENGTH

anti-itch cream

Topical Analgesic | Skin Protectant

Relieves Pain and Itching Due to Minor Skin Irritations

NET WT 1 OZ (28 g)

INSECT BITES | POISON IVY, OAK, SUMAC | SUNBURN
MOSQUITO BITES | MINOR CUTS & SCRAPES

NDC 41250-622-64
Compare to Extra Strength
Benadryl® Cream
active ingredients*

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com



Drug Facts		Drug Facts (continued)	
Active ingredients Diphenhydramine hydrochloride 2%..... Topical analgesic Zinc acetate 0.1%..... Skin protectant	Purpose	Stop use and ask a doctor if ■ condition worsens or does not improve within 7 days ■ symptoms persist for more than 7 days or clear up and occur again within a few days	
Uses ■ temporarily relieves pain and itching associated with: ■ insect bites ■ minor burns ■ sunburn ■ minor skin irritations ■ minor cuts ■ scrapes ■ rashes due to poison ivy, poison oak and poison sumac ■ dries the oozing and weeping of poison ivy, poison oak and poison sumac		Directions ■ do not use more than directed ■ adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily ■ children under 2 years of age: ask a doctor	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
Warnings For external use only Do not use ■ on large areas of the body ■ with any other product containing diphenhydramine, even one taken by mouth Ask a doctor before use ■ on chicken pox ■ on measles When using this product ■ avoid contact with the eyes ▶		Other information ■ store at 20°-25°C (68°-77°F)	
		Inactive ingredients cetyl alcohol, diazolidnyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water	
		Questions or comments? 1-800-719-9260	

*This product is not manufactured or distributed by Johnson & Johnson, owner of the registered trademark Benadryl®.

ANTI ITCH

diphenhydramine hydrochloride, zinc acetate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-622	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	2 g in 100 g	
	ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	0.1 g in 100 g	
Inactive Ingredients				
	Ingredient Name		Strength	
	CETYL ALCOHOL (UNII: 936JST6JCN)			
	DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)			
	METHYLPARABEN (UNII: A2I8C7HI9T)			
	PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
	PROPYLPARABEN (UNII: Z8IX2SC1OH)			
	WATER (UNII: 059QF0K00R)			
	PEG-2 STEARATE (UNII: 94YQ11Y95F)			
	PEG-20 STEARATE (UNII: NBX892EA57)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-622-16	2 in 1 CARTON	04/20/2010	06/01/2018
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:41250-622-64	1 in 1 CARTON	03/17/2010	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part348	03/17/2010		

Labeler - Meijer Distribution Inc (006959555)

Revised: 11/2018

Meijer Distribution Inc