

MEIJER MENTHOL COUGH DROPS- menthol lozenge

Meijer Distribution, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Menthol Cough Drops

Meijer Menthol Cough Drops

Active ingredient (in each drop)

Menthol 5.4 mg

Purpose

Cough suppressant/Oral anesthetic

Uses

temporarily relieves:

- cough as may occur with a cold
- occasional minor irritation and sore throat

Warnings Sore throat warning:

if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious.

Ask a doctor before use if you have:

- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough accompanied by excessive phlegm (mucus)

When using this product

- do not exceed recommended dosage

Stop use and consult doctor if

- cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.
- sore throat is severe, or irritation, pain or redness lasts or worsens
- sore mouth does not improve in 7 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep this and all drugs out of the reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 5 years and over	allow 1 drop to dissolve slowly in mouth. May be replaced every two hours as necessary or as directed by a doctor.
children under 5 years	ask a doctor

Other information:

- 10 calories per drop

Inactive ingredients:

Blue fakes (FD&C blue no.1, glycerin, gum arabic, potassium sorbate), eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glucose syrup, natural favoring, sucrose and water. Soybean oil and corn starch used as processing aids.

Questions?

Or to report an adverse event call 1-800-245-2898. Monday - Friday, 9AM to 4PM EST

MADE IN THE U.S.A.

DIST. BY: MEIJER DISTRIBUTION, INC.

2929 WALKER AVE., NW

GRAND RAPPIDS, MI 49544

www.meijer.com

UD GF Gluten-Free

*This product is not manufactured or distributed by Mondelez Global LLC, owner of the registered trademark Halls®, or by any of its affiliates.

Meijer Menthol Cough Drops 200 Count (41250-078-00)

Do not use if bag
is torn or open

<<<Tear Here To Open

Resealable Bag >>>

NDC 00000-000-00

VALUE SIZE

meijerTM

Compare to Halls
active ingredient*

Menthol

Cough Drops

Cough Suppressant / Oral Anesthetic

Menthol

- Soothes sore throat pain
- Temporarily relieves cough



200 Drops

① TEAR ALONG STRIP

② SEPARATE TO OPEN

③ PRESS TO RESEAL

meijer

Menthol

Cough Drops

Menthol • Cough Suppressant / Oral Anesthetic

Drug Facts	
Active ingredient (in each drop) Menthol 5.4 mg	Purpose Cough suppressant/Oral anesthetic
Uses temporarily relieves: <ul style="list-style-type: none"> cough as may occur with a cold occasional minor irritation and sore throat 	
Warnings Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, see your dentist or doctor promptly. These symptoms may be serious. Ask a doctor before use if you have: <ul style="list-style-type: none"> persistent or chronic cough such as occurs with smoking, asthma, or emphysema cough accompanied by excessive phlegm (mucus) 	
When using this product <ul style="list-style-type: none"> do not exceed recommended dosage 	
Stop use and consult doctor if <ul style="list-style-type: none"> cough persists for more than 7 days, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. sore throat is severe, or irritation, pain or redness lasts or worsens sore mouth does not improve in 7 days 	
If pregnant or breast-feeding, ask a health professional before use. Keep this and all drugs out of the reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.	
Directions adults and children 5 years and over	allow 1 drop to dissolve slowly in mouth. May be repeated every two hours as necessary or as directed by a doctor.
children under 5 years	ask a doctor
Other information ■ 10 calories per drop	
Inactive ingredients: Blue flakes (FD&C blue no.1, glycerin, gum arabic, potassium sorbate), eucalyptus oil, FD&C blue no. 1, FD&C red no. 40, glucose syrup, natural flavoring, sucrose and water. Soybean oil and corn starch used as processing aids.	
Questions? Or to report an adverse event call 1-800-245-2898, Monday through Friday, 9AM to 4PM EST.	

* This product is not manufactured or distributed by Mondelez Global LLC, owner of the registered trademark Halls®, or by any of its affiliates.



MADE IN THE U.S.A.
 DIST. BY: MEIJER DISTRIBUTION, INC.
 2929 WALKER AVE., NW
 GRAND RAPIDS, MI 49544
 www.meijer.com



MEIJER MENTHOL COUGH DROPS

menthol lozenge

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-078
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.4 mg
--	---------	--------

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCERIN (UNII: PDC6A3C0OX)	
ACACIA (UNII: 5C5403N26O)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CORN SYRUP (UNII: 9G5L16BK6N)	
SUCROSE (UNII: C151H8M554)	
WATER (UNII: 059QF0KO0R)	
SOYBEAN OIL (UNII: 241ATL177A)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL (Oval)	Size	22mm
Flavor		Imprint Code	B
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-078-00	200 in 1 BAG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/06/2014	

Labeler - Meijer Distribution, Inc (006959555)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco, Inc.		002149136	manufacture(41250-078)

Revised: 5/2014

Meijer Distribution, Inc