

ZELLULISAN- horse chestnut, arnica montana, betula pendula leaf, heder helix flowering twig, ledum palustre twig, melilotus officinalis top, toxicodendron pubescens leaf, and sulfur ointment
Pekana-Naturheilmittel GmbH

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ZELLULISAN™
spag.
Homeopathic
Ointment

Drug facts

Active ingredients

Aesculus hippocastanum	4X
Arnica montana	8X
Betula pendula e foliis (Betula folium)	8X
Hedera helix	6X
Ledum palustre	3X
Melilotus officinalis	4X
Toxicodendron quercifolium (Rhus toxicodendron)	8X
Sulfur	15X

Selected ingredients prepared by spagyric processes.

Uses¹

For relief of minor tendinitis and inflammation

¹ Application of this homeopathic remedy for the designated usage is exclusively based on homeopathic experience. These "Uses" have not been evaluated by the Food and Drug Administration. With severe forms of this disease, a clinically proven therapy is indicated.

Warnings

For external use only. Do not use on open wounds! If symptoms persist, contact a licensed practitioner. If you have known sensitivity to any of the ingredients, please consult your licensed practitioner before use. If you are pregnant or nursing a baby, seek the advice of a health care professional before use.

Keep out of the reach of children.

Directions

Unless otherwise prescribed, apply a moderate amount of ointment 2 to 3 times per day by rubbing gently into the affected area.

Other information

Protect from light and heat.

Tamper Evident

Do not use this product if tamper evident strip is broken or removed from base of cap.

Inactive ingredients

Purified water, cetylstearyl alcohol, glycerol, synthetic cetaceum, triglycerides.

Manufactured by:

PEKANA® GmbH
D-88353 Kisslegg

Distributed by:

BioResource Inc.
Cotati, CA 94931

PRINCIPAL DISPLAY PANEL - 35 g Tube Carton

PEKANA®

ZELLULISAN™
Homeopathic Ointment

For relief of minor tendinitis and inflammation

1.2 OZ
35 g

NDC-Code: 59469-038-35



PEKANA®

ZELLULISAN™

Homeopathic Ointment

For relief of minor tendinitis and inflammation

1.2 OZ
35 g

Drug facts continued

Other information

Protect from light and heat.
Tamper Evident: Do not use this product if tamper evident strip is broken or removed from base of cap.

Inactive ingredients

Purified water, cetylstearyl alcohol, glycerol, synthetic cellulose, triglycerides.

* Application of this homeopathic remedy for the designated usage is exclusively based on homeopathic experience. These "Uses" have not been evaluated by the Food and Drug Administration. With severe forms of this disease, a clinically proven therapy is indicated.

Manufactured by:

PEKANA® GmbH
D-88353 Kisllegg

Distributed by:

BioResource Inc.
Cotati, CA 94931
Made in Germany

To report adverse events, contact BioResource at
321B Blodgett Street,
Cotati, CA 94931

Drug facts

Active ingredients

Aesculus hippocastanum 4X
Arnica montana 8X
Betula pendula e foliis
(Betula folium) 8X
Hedera helix 6X
Ledum palustre 3X
Mellilotus officinalis 4X
Toxicodendron quercifolium
(Rhus toxicodendron) 8X
Sulfur 15X
Selected ingredients prepared by spagyric processes.

Uses*

For relief of minor tendinitis and inflammation

Warnings

For external use only. Do not use on open wounds! If symptoms persist, contact a licensed practitioner. If you have known sensitivity to any of the ingredients, please consult your licensed practitioner before use. If you are pregnant or nursing a baby, seek the advice of a health care professional before use. Keep out of the reach of children.

Directions

Unless otherwise prescribed, apply a moderate amount of ointment 2 to 3 times per day by rubbing gently into the affected area.


PEKANA®

ZELLULISAN™

1.2 OZ
35 g



109



ZELLULISAN

horse chestnut, arnica montana, betula pendula leaf, hedera helix flowering twig, ledum palustre twig, melilotus officinalis top, toxicodendron pubescens leaf, and sulfur ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59469-038
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
horse chestnut (UNII: 3C18L6RJAZ) (horse chestnut - UNII:3C18L6RJAZ)	horse chestnut	4 [hp_X] in 35 g
ARNICA MONTANA WHOLE (UNII: O80TY208ZW) (ARNICA MONTANA WHOLE - UNII:O80TY208ZW)	ARNICA MONTANA WHOLE	8 [hp_X] in 35 g
betula pendula leaf (UNII: 5HW39H9KDH) (betula pendula leaf - UNII:5HW39H9KDH)	betula pendula leaf	8 [hp_X] in 35 g
hedera helix flowering twig (UNII: 3D10KUA6BM) (hedera helix flowering twig - UNII:3D10KUA6BM)	hedera helix flowering twig	6 [hp_X] in 35 g
RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (RHODODENDRON TOMENTOSUM LEAFY TWG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWG	3 [hp_X] in 35 g
melilotus officinalis top (UNII: GM6P02J2DX) (melilotus officinalis top - UNII:GM6P02J2DX)	melilotus officinalis top	4 [hp_X] in 35 g
toxicodendron pubescens leaf (UNII: 6IO182RP7A) (toxicodendron pubescens leaf - UNII:6IO182RP7A)	toxicodendron pubescens leaf	8 [hp_X] in 35 g
sulfur (UNII: 70FD1KFU70) (sulfur - UNII:70FD1KFU70)	sulfur	15 [hp_X] in 35 g

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

water (UNII: 059QF0KO0R)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
glycerin (UNII: PDC6A3C0OX)	
medium-chain triglycerides (UNII: C9H2L21V7U)	
cetyl esters wax (UNII: D072FFP9GU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59469-038-35	1 in 1 CARTON	02/20/2011	
1		35 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Unapproved homeopathic		02/20/2011	

Labeler - Pekana-Naturheilmittel GmbH (320344542)

Establishment

Name	Address	ID/FEI	Business Operations
Pekana-Naturheilmittel GmbH		320344542	Manufacture(59469-038)

Revised: 12/2022

Pekana-Naturheilmittel GmbH