

**OXYGEN - oxygen gas**  
**Wilkinson Pharmacy, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Oxygen**

**Principal for Oxygen Product**

<b>OXYGEN, COMPRESSED USP</b> UN 1072																	
C.A.S. NO. 7782-44-7																	
<b>Wilkinson Home Care Equipment</b> Nevada, MO 64772 (417) 667-7802																	
<p><b>⚠ WARNING: HIGH PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY RESULT.</b> Keep oil and grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. <u>Use a back flow preventative device in the piping.</u> Close valve after each use and when empty. Cylinder temperature should not exceed 52°C (125°F). Use in accordance with Material Safety Data Sheet (MSDS). DO NOT REMOVE THIS PRODUCT LABEL.</p> <p><b>⚠ WARNING:</b> For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, <b>Rx only</b>. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.</p> <p>Produced by Air Liquefaction.</p>																	
<table border="1"><thead><tr><th>Size</th><th>Contents</th><th>Size</th><th>Contents</th></tr></thead><tbody><tr><td><input type="checkbox"/> M6</td><td>170 Liters</td><td><input type="checkbox"/> E</td><td>682 Liters</td></tr><tr><td><input type="checkbox"/> C</td><td>248 Liters</td><td><input type="checkbox"/> H</td><td>6910 Liters</td></tr><tr><td><input type="checkbox"/> D</td><td>415 Liters</td><td><input type="checkbox"/> Other</td><td>___ Liters</td></tr></tbody></table>	Size	Contents	Size	Contents	<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters	<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters	<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	___ Liters	
Size	Contents	Size	Contents														
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> E	682 Liters														
<input type="checkbox"/> C	248 Liters	<input type="checkbox"/> H	6910 Liters														
<input type="checkbox"/> D	415 Liters	<input type="checkbox"/> Other	___ Liters														

10220902

LOT

EXPIRATION DATE

10 22 10

OXYGEN,  
REFRIGERATED  
LIQUID  
USP

UN 1073



CONTENTS \_\_\_\_\_ LITERS

• ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. •

**WARNING: DO NOT CHANGE OR FORCE FIT CONNECTIONS.**  
EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER  
PRESSURE  
VIGOROUSLY ACCELERATES COMBUSTION.  
NO SMOKING IN THE PRESENCE OF OXYGEN OR A FIRE MAY REPEAT  
COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY  
EXPLODE ON IGNITION OR IMPACT.  
CAN CAUSE SEVERE FROSTBITE.  
Keep oil, grease, and combustibles away.  
Use only with equipment cleaned for oxygen service.  
Store and use with adequate ventilation.  
Do not get liquid in eyes, on skin or clothing.  
For liquid withdrawal, wear face shield and gloves.  
Do not drop. Use suitable hand truck for container movement.  
Avoid spills. Do not walk on or roll equipment over spills.  
Container temperature should not exceed 50°C (125°F).  
Close valve after each use and when empty.  
Use a back flow preventive device in the piping.  
Use in accordance with the Material Safety Data Sheet (MSDS).

**FIRST AID:** IN CASE OF FROSTBITE, obtain medical treatment immediately.

**WARNING:** For emergency use only when administered by properly trained  
personnel for oxygen deficiency and resuscitation. For all other  
medical applications, Rx Only.

Uninterrupted use of high concentrations of oxygen over a long  
duration, without monitoring its effect on oxygen content of  
arterial blood, may be harmful. Use only with pressure reducing  
equipment and apparatus designed for oxygen. Do not attempt  
to use on patients who have stopped breathing, unless used in  
conjunction with resuscitative equipment.

Produced by Air Liquidation

DO NOT REMOVE THIS PRODUCT LABEL.

Wilkinson  
Home Care Equipment  
Nevada, MO 64772  
417-687-7802

QAS NO: 7782-44-7

**OXYGEN**

oxygen gas

**Product Information**

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:24846-0001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	99 L in 100 L

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:24846-0001-1	170 L in 1 CYLINDER		
2	NDC:24846-0001-2	248 L in 1 CYLINDER		
3	NDC:24846-0001-3	415 L in 1 CYLINDER		
4	NDC:24846-0001-4	682 L in 1 CYLINDER		
5	NDC:24846-0001-5	376.19 L in 1 CYLINDER		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved medical gas		09/26/2006	

**Labeler** - Wilkinson Pharmacy, Inc. (057891053)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Wilkinson Pharmacy, Inc.		057891053	manufacture

Revised: 10/2009

Wilkinson Pharmacy, Inc.