

**ASTRAPHARM CHILLI BRAND EXTERNAL MEDICATED- capsaicin plaster**  
**DERSAN PHARMACEUTICAL CO LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

***Active ingredients***

Capsaicin 0.25%

***Purpose***

External analgesic

***Uses*** Temporarily relieves minor aches and pains of muscles and joints due to:

- simple backache
- arthritis
- strains
- bruises
- sprains

***Warnings***

**For external use only**☐

**Allergy alert:** This product contains natural rubber latex which may cause allergic reactions

**Do not use**

- on wounds
- on irritated or damaged skin

**When using this product**

- avoid contact with the eyes or mucous membranes
- do not bandage tightly

**Stop use and ask a doctor if**

- excessive irritation of the skin develops
- ☐condition worsens
- ☐symptoms persist for more than 7 days
- ☐symptoms clear up and occur again within a few days☐
- when using for pain of arthritis:
  - if pain persists for more than 10 days
  - if redness is present
  - in conditions affecting children under 12 years of age

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Peel apart from paper backing and apply directly to the affected area. If needed, cut plaster into small pieces and apply to affected area. It will be more effective when used after a bath.
- Adults and children 2 years and older: Apply to affected area no more than 3 to 4 times daily.
- Children under 2 years: Do not use, consult a doctor.

**Other information**

- Not recommended for people with sensitive skin. May cause rash or festering.
- Not recommended for use when in contact with hot water. Burning sensation may occur.
- Do not apply on extremely hairy surface of skin. Highly adhesive plaster may hurt skin upon removal of product.
- Preserve in tight container after opening. □
- Store at 20-25°C (68-77°F)

**Inactive ingredients** Beta-pinene homopolymer, calcium carbonate, light steam-cracked aromatic naphtha (petroleum), polybutenes, rubber (natural), synthetic iron oxide, and zinc oxide.

**Questions or comments?** (888) 221-3496 M-F 9 am to 5 pm

- you may also report serious side effects to this phone number

**ASTRAPHARM CHILLI BRAND EXTERNAL MEDICATED PLASTER**

NDC 11993-001-01

Simple backache, Arthritis, Strains, Bruises, Sprains

1 Sheet - 4.5 in x 7 in (11.4 cm x 17.8 cm)

**solstice** medicine company NDC 11993-001-01

**Astrapharm**  
"Chilli Brand"  
EXTERNAL MEDICATED PLASTER

德國辣椒標風濕膏藥

**Porous Capsicum Plaster**

德國辣椒標風濕膏藥

強力 Strong

Simple backache 一般腰背痛  
Arthritis 關節炎  
Strains 損傷  
Bruises 瘀傷  
Sprains 扭傷

One SHEET - 4.5 in x 7 in (11.4 cm x 17.8 cm)

Made in Taiwan

德國辣椒標風濕膏藥

專治風濕、腰痛、坐骨神經痛、胸腔及肺部疼痛。

**Drug Facts 藥品資料**

**Active Ingredients 有效成份** Purpose 用途  
Capsaicin 0.25% 辣椒素 0.25% External Analgesic 外用止痛劑

**Uses 作用:** Temporarily relieves minor aches and pains of muscles and joints due to: 暫時緩解由於下列症狀引起的肌肉和關節酸痛  
 ■ simple backache 一般腰背痛 ■ arthritis 關節炎 ■ strains 損傷 ■ bruises 瘀傷 ■ sprains 扭傷

**Warnings 警告:** For external use only. 本品僅供外用  
**Allergy alert:** This product contains natural rubber latex which may cause allergic reactions. 本品含有天然乳膠，可能引起過敏反應。  
**Do not use 不要用於:** ■ on wounds 傷口 ■ on damaged or irritated skin 破損或發炎皮膚

**When using this product 在服用本品時:**  
 ■ avoid contact with the eyes or mucous membranes 勿使藥膏接觸眼睛或黏膜  
 ■ do not bandage tightly. 請勿緊裹患處

**Stop use and ask a doctor 如有下列症狀，停止使用並請教醫師:**  
 ■ excessive irritation of the skin develops 症狀變劇  
 ■ symptoms persist for more than 7 days 症狀持續七天以上  
 ■ symptoms clear up and occur again within a few days 症狀好轉後數天內復發  
 ■ when using for pain of arthritis: 用於關節炎時:  
 ■ if pain persists for more than 10 days 疼痛持續十天以上  
 ■ if redness is present 發紅現象  
 ■ in conditions affecting children under 12 years of age 患者是12歲以下兒童

**Keep out of reach of children.** 將本品放在兒童不可接近處。  
 If swallowed, get medical help or contact a Poison Control Center right away. 如不慎服用過量，應立即取得醫務處理或與毒物控制中心(Poison Control Center)聯絡。

**Directions 用法:** Peel apart from paper backing and apply directly to the affected area. If needed, cut plaster into smaller pieces and apply to affected area. It will be more effective when used after a bath. 剝開背膠，直接貼於患處。如需要可把背膠剪成小塊貼於患處。浴後使用效果更佳。  
 Adults and children 2 years and older: Apply to affected area not more than 3 to 4 times daily 每天貼於患處不超過3至4次  
 Children under 2 years: Do not use, consult a doctor. 不得服用。請教醫師。



**Other information 其它注意事項:**  
 ■ Not recommended for people with sensitive skin. May cause rash or festering. 皮膚敏感者不宜使用，因為可能會引起皮膚疹或皮膚潰爛。  
 ■ Not recommended for use when in contact with hot water. Burning sensation may occur. 接觸熱水時不宜使用，因為可能會引起灼傷感。  
 ■ Do not apply on extremely hairy surface of skin. Highly adhesive plaster may hurt skin upon removal of product. 不要用於皮膚特別多毛部位。本品黏性很強，在剝除時可能會傷及皮膚。  
 ■ Preserve in tight container after opening. 容密閉容器內保管。  
 ■ Store at 20-25°C (68-77°F). 請於適宜溫度保持在攝氏20-25度(華氏68-77度)之間。

**Inactive ingredients 輔助成份:** Beta-pinene homopolymer, calcium carbonate, light steam-cracked aromatic naphtha (petroleum), polybutenes, rubber (natural), synthetic iron oxide, and zinc oxide. 倍他松松均聚物、碳酸鈣、蒸汽裂化芳香石腦油(石油)、聚丁烯、橡膠(天然)、合成氧化鐵、氧化鋅。

**Questions or comments? 問題或建議?** (888) 221-3496  
 M-F 9 am to 5 pm 週一至週五上午9時至下午5時  
 ■ you may also report serious side effects to this phone number. 您也可以使用這個電話號碼報告嚴重的副作用

Manufactured by: **Darsan Pharmaceutical Co., Ltd.** 德國蘇氏藥業有限公司  
 Chia-Yi Hsien, Taiwan, R.O.C. 215 W. Ann Street, Los Angeles, CA 90012  
 Sole Agents: **Astrabon (S) Pte Ltd.** Tel Free: 1-888-221-3496  
 Singapore www.astrabon.com www.solstice-med.com

**ASTRAPHARM CHILLI BRAND EXTERNAL MEDICATED PLASTER**  
**NDC 11993-001-02**  
 Simple backache, Arthritis, Strains, Bruises, Sprains  
 5 Sheets - (3.4 x 4.5 in Each)



**ASTRAPHARM CHILLI BRAND EXTERNAL MEDICATED**  
 capsaicin plaster

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11993-001
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)		CAPSAICIN	70 mg
Inactive Ingredients			
Ingredient Name		Strength	
.BETA.-PINENE (UNII: 4MS8 VHZ1HJ)			
CALCIUM CARBONATE (UNII: H0G9379FGK)			

<b>NAPHTHA</b> (UNII: O3L624621X)	
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	
<b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11993-001-01	24 in 1 BOX	05/01/2007	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:11993-001-02	10 in 1 BOX	05/01/2007	
2		5 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/01/2007	

**Labeler** - DERSAN PHARMACEUTICAL CO LTD (657669362)

### Establishment

Name	Address	ID/FEI	Business Operations
DERSAN PHARMACEUTICAL CO LTD		657669362	manufacture(11993-001)

Revised: 6/2017

DERSAN PHARMACEUTICAL CO LTD