

SALICYLIC ACID- liquid corn and callus remover liquid
Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Dollar General Liquid Corn & Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly

- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-888-423-0139


Principal Display Panel**DG health****Liquid Corn & Callus Remover**

Salicylic Acid

- Removes corn and calluses safely
- Cushions against shoe friction

3 Cushions

1/3 FL OZ (9.8 mL)



Liquid Corn & Callus Remover Salicylic Acid

- Removes corns and calluses safely
- Cushions against shoe friction

Drug Facts	
Active ingredient Salicylic acid 17% w/w.	Purpose Corn and callus remover
Uses <ul style="list-style-type: none">• for the removal of corns and calluses• relieves pain by removing corns and calluses	
Warnings <p>For external use only.</p> <p>Flammable</p> <ul style="list-style-type: none">• keep away from fire or flame• cap bottle tightly and store at room temperature away from heat <p>Do not use</p> <ul style="list-style-type: none">• on irritated skin• on any area that is infected or reddened• if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist <p>When using this product</p> <ul style="list-style-type: none">• avoid contact with eyes• avoid inhaling vapors• if product gets into the eye, flush with water for 15 minutes <p>Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	
Directions <ul style="list-style-type: none">• wash the affected area and dry thoroughly• apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry• use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)• repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)	
Other information store between 20° to 30°C (68° to 86°F)	
Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose	
Questions? Call 1-888-309-4030	

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

*This product is a prescription drug or controlled substance. Use only as directed.

A0273

DISTRIBUTED BY
DOLGENCORP. LLC
100 MISSION RIDGE
GOODETTSVILLE, TN 37072
MADE IN U.S.A.
4L-030DC



SALICYLIC ACID

liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-312
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPBOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-312-13	9.8 mL in 1 PACKAGE; Type 0: Not a Combination Product	05/13/2015	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M030	05/13/2015	

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 1/2024

Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)