EUCERIN Q10 ANTI-WRINKLE SENSITIVE SKIN - octinoxate, octisalate and oxybenzone lotion Beiers dorf Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Eucerin Q10 Anti-Wrinkle Sensitive Skin

Active ingredients

Octinoxate 7.5% Octisalate 3.0% Oxybenzone 3.0%

Purpose

Sunscreen

Warnings

Skin Cancer/Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

For external use only

Do not use on damaged or broken skin.

Stop use and ask a doctor if irritation occurs.

When using this product keep out of eyes. Rinse with water to remove.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Uses • helps prevent sunburn

Directions

For sunscreen use: • apply liberally 15 minutes before sun exposure

- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- Children under 6 months of age: Ask a doctor

Inactive ingredients

Water, Glycerin, Stearic Acid, Cetyl Alcohol, Cetearyl Isononanoate, Cyclopentasiloxane, Glyceryl Stearate SE, Alcohol Denat., Cyclohexasiloxane, Caprylic/Capric Triglyceride, Octyldodecanol, Ubiquinone, Tocopheryl Acetate, Panthenol, Carbomer, EDTA, Sodium Hydroxide, Phenoxyethanol, Methylparaben, Ethylparaben, Propylparaben, Butylparaben, Isobutylparaben.

Questions or comments? 1-800-227-4703

Eucerin

Q10 Anti-Wrinkle Sensitive Skin Lotion

SPF 15 Sunscreen

Visibly Reduces Fine Lines



octinoxate, octisalate, oxybenzone lotion

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:10356-340	
Route of Administration	TOPICAL	DEA Schedule		

Active Ingredient/Active Moiety	ve Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength			
OCTINOXATE (OCTINOXATE)	OCTINOXATE	7.5 g in 100 mL			
OCTISALATE (OCTISALATE)	OCTISALATE	3 g in 100 mL			
OXYBENZONE (OXYBENZONE)	OXYBENZONE	3 g in 100 mL			

Inactive Ingredients		
Ingredient Name	Strength	
WATER		
GLYCERIN		
STEARIC ACID		
CETYL ALCOHOL		
CETEARYL ISONONANOATE		
CYCLOMETHICONE 5		
GLYCERYL MONOSTEARATE		
ALCOHOL		
CYCLOMETHICONE 6		
MEDIUM-CHAIN TRIGLYCERIDES		
O CTYLDO DECANO L		
UBIDECARENO NE		
.ALPHATO COPHEROL ACETATE, D-		
PANTHENOL		
EDETIC ACID		
SO DIUM HYDRO XIDE		
PHENOXYETHANOL		
METHYLPARABEN		
ETHYLPARABEN		
PROPYLPARABEN		
BUTYLPARABEN		
ISOBUTYLPARABEN		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:10356-340-11	118 mL in 1 BOTTLE			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	

OTC monograph not final part352 01/02/2001

Labeler - Beiersdorf Inc (001177906)

Revised: 6/2012 Beiersdorf Inc