HOME CARE FLUORIDE- stannous fluoride gel Dental Technologies, Inc.

DTI Stannous - Bubble Gum

Active ingredient

Stannous Fluoride 0.4% (0.12% w/v fluoride ion)

Purpose

Anticavity

Uses

Helps aid in the prevention of dental cavities.

Warnings

This is an anticavity fluoride preventive treatment gel, not a toothpaste.

Read directions carefully before using.

When using this product

it may produce surface staining of the teeth. Adequate tooth brushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.

Keep out of reach of children.

If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older: Use once a day after brushing your teeth with a toothpaste. Apply the gel to your teeth and brush thoroughly. Allow the gel to remain on your teeth for 1 minute and then spit out. Do not swallow the gel. Do not eat or drink for 30 minutes after brushing.
- Instruct children under 12 years of age in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: Consult a dentist or doctor.

Other information

Do not use if the foil seal under the cap is torn, cut or missing.

Inactive ingredients

Ascorbic Acid, Carbomer, Citric Acid, Flavor, Glycerin, Triethanolamine

Questions or comments?

1.800.835.0885 or 847.677.5500

Principal Display Panel

alpha-dent®

HOME CARE

FLUORIDE GEL

0.4% STANNOUS FLUORIDE

AIDS IN THE

PREVENTION

OF DENTAL CAVITIES

BUBBLE GUM

REF 004.0202.001

NET WEIGHT - 4.3 oz. (121.9g)

DENTAL

TECHNOLOGIES

6901 N HAMLIN AVENUE

LINCOLNWOOD, ILLINOIS 60712 USA

www.dentaltech.com



0.4% STANNOUS FLUORIDE
AIDS IN THE
PREVENTION
OF DENTAL CAVITIES



NET WEIGHT - 4.3 oz. (121.9 g)



Drug Facts

Active ingredient Stannous Fluoride 0.4%.... (0.12% w/v fluoride ion) Purpose Anticavity

Uses Helps aid in the prevention of dental cavities.

Warnings

This is an anticavity fluoride preventive treatment gel, not a toothpaste.
Read directions carefully before using.
When using this product it may produce surface staining of the teeth. Adequate tooth brushing may prevent these stains which are not harmful or permanent and may be removed by your dentist.
Keep out of reach of children. If more

Keep out of reach of children. If more than used for brushing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 6 years of age and older: Use once a day after brushing your teeth with a toothpaste. Apply the gel to your teeth and brush thoroughly. Allow the gel to remain on your teeth for 1 minute and then spit out. Do not swallow the gel. Do not eat or drink for 30 minutes after brushing.
- Instruct children under 12 years of age in the use of this product (to minimize swallowing). Supervise children as necessary until capable of using without supervision.
- Children under 6 years of age: Consult a dentist or doctor.

Other information

Do not use if the foil seal under the cap is torn, cut or missing.

Inactive ingredients

Ascorbic Acid, Carbomer, Citric Acid, Flavor, Glycerin, Triethanolamine

Questions or comments?

1.800.835.0885 or 847.677.5500

PM-2301/REV004

HOME CARE FLUORIDE

stannous fluoride gel

Dro	$\boldsymbol{\alpha}$	Into	rmation
PIU			IIIIaliuli

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55346-0402

Route of Administration DENTAL, ORAL

Active Ingredient/Active Moiety

Ingradiant Name Basis of Strongth

ingrealent Name	Strength	Strength
STANNOUS FLUORIDE (UNII: 3FTR44B32Q) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.969 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
ASCORBIC ACID (UNII: PQ6CK8PD0R)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
TROLAMINE (UNII: 903K93S3TK)				
CARBOMER HOMOPOLYMER TYPE B (ALLYL SUCROSE CROSSLINKED) (UNII: Z 135WT9208)				

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BUBBLE GUM (Bubble Gum)	Imprint Code	
Contains			

l	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:55346- 0402-1	121.9 g in 1 TUBE; Type 0: Not a Combination Product	12/31/1999	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	12/31/1999	

Labeler - Dental Technologies, Inc. (148312838)

Registrant - Dental Technologies, Inc. (148312838)

Establishment			
Name	Address	ID/FEI	Business Operations
Dental Technologies. Inc.		148312838	manufacture(55346-0402) . label(55346-0402) . pack(55346-0402)

Revised: 2/2024 Dental Technologies, Inc.