CHILDRENS ALLERGY RELIEF- diphenhydramine hydrochloride tablet, orally disintegrating Wal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate 44-599

Active ingredient (in each tablet)

Diphenhydramine HCl 12.5mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other products containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- dissolve in mouth or chew before swallowing
- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

children under 2 years of age	do not use
children 2 to under 6 years of age	do not use unless directed by a doctor
children under 6 to 12 years of age	1 to 2 tablets
adults and children 12 years of age	2 to 4 tablets

Other information

- store between 20°-25°C (68°-86°F). Avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients

cherry flavor, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates, ethylcellulose polymers, magnesium stearate, mannitol, polytheylene and polypropylene polymers, stearic acid, sucralose

Questions?

1-888-287-1915

Principal Display Panel

NDC 49035-599-44

equate®

Compare to Children's Benadryl® Allergy FastMelt® Active Ingredient*

Ages 6+

Children's

Allergy Relief

Diphenhydramine HCl 12.5 mg/Antihis tamine

For the relief of:

SneezingItchy throat

• Runny Nose • Itchy, watery eyes

Cherry Flavor 18 Rapid Melts

Distributed by: Wal-Mart Stores, Inc.,

Bentonville, AR 72716 ©Wal-Mart Stores, Inc.

**This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Benadryl® Allergy FastMelt®.

50844 ORG011159944

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

6

0

\$\$66911105/HO \$\$809 "This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Benadry'® Allergy FastMelt®. Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716 @ Wal-Mart Stores, Inc.

comments or to report an undesired reaction or side effect, please call 1-888-287-1915. Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or

Questions? 1-888-287-1915

Drug Facts (continued)

boj/etp/jene and poj/propylene poj/mers, stearic acid, ethylcellulose polymers, magnesium stearate, mannitol, aluminum lake, D&C red #30 aluminum lake, dextrates, Inactive ingredients cherry flavor, D&C red #27

- see end flap for expiration date and lot number
- store between 20"-25"C (68"-77"F). Avoid high humidity.

Other information

2 to 4 tablets	adults and children 12 years of age
to 2 tablets	children 6 to under 12 years of age
do not use unless directed by a doctor	
esu fon ob	children under 2 years of age

- a do not take more than 6 doses in 24 hours
- take every 4 to 6 hours
- dissolve in mouth or chew before swallowing

Directions

help or contact a Poison Control Center (1-800-222-1222) right Keep out of reach of children. In case of overdose, get medical

If pregnant or breast-feeding, ask a health professional before

Drug Facts (continued)

excitability may occur, especially in children

- be careful when driving a motor vehicle or operating ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 - avoid alcoholic drinks
 - marked drowsiness may occur

Muen using this product

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

- trouble urinating due to an enlarged prostate gland DIOUCUIDS
- a breathing problem such as emphysema or chronic Ask a doctor before use if you have m glaucoma

one used on skin

Warnings

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

- with any other product containing diphenhydramine, even Do not use I to make a child sleepy
 - Eching of the nose or throat
 - Buizaaus asou Auuru m

■ itchy, watery eyes fever or other upper respiratory allergies:

USBS In temporarily relieves these symptoms due to hay

Diphenhydramine HCl 12.5 mg. Antinistamine Purpose Active ingredient (in each tablet)

Drug Facts

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

GN 2874.80596



Ages 6+

Diphenhydramine HCI 12.5 mg/Antihistamine

NDC 49035-599-44



Compare to Children's Benadryl® Allergy FastMelt® Active Ingredient

Childrenis rav Relief

Diphenhydramine HCl 12.5 mg/Antihistamine

For the relief of:

- Sneezing
- Runny nose

Itchy throat

Itchy, watery eyes

Cherry Flavor

18 Rapid Melts



CHILDRENS ALLERGY RELIEF

diphenhydramine tablet, orally disintegrating

Product Information			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:49035-599
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
DIPHENHYDRAMINE HYDRO CHLO RIDE (DIPHENHYDRAMINE)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg		

Inactive Ingredients				
Ingredient Name	Strength			
D&C RED NO. 27				
D&C RED NO. 30				
CHERRY				
DEXTRATES				
MAGNESIUM STEARATE				
MANNITOL				
SUCRALOSE				
STEARIC ACID				

Product Characteristics			
Color	PINK	Score	no score
Shape	ROUND	Size	10 mm
Flavor	CHERRY	Imprint Code	44;599
Contains			

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-599-44	1 in 1 CARTON		
1		18 in 1 BLISTER PACK		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH FINAL	part341	05/01/2011		

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(49035-599)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(49035-599)

Revised: 11/2012 Wal-Mart Stores Inc