

ALLERGY RELIEF-D- cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, extended release
CVS PHARMACY

Allergy Relief-D

Drug Facts

Active ingredients (in each extended-release tablet)	Purpose
Cetirizine HCl, USP 5 mg	Antihistamine
Pseudoephedrine HCl, USP 120 mg	Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of nose or throat
 - nasal congestion
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- diabetes
- glaucoma
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or

sedatives.

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- you get nervous, dizzy, or sleepless
- symptoms do not improve within 7 days or are accompanied by fever

If pregnant or breast-feeding

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at **1-800-222-1222**.

Directions

- do not break or chew tablet; swallow tablet whole

adults and children 12 years and over	take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
adults 65 years and over	ask a doctor
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

Inactive ingredients

hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

Imprinting Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

Questions?

call toll free **1-800-818-4555** weekdays

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895

PRINCIPAL DISPLAY PANEL - 12 Tablet Blister Pack Carton

CVSHealth®

Compare to the active ingredients in Zyrtec-D® 12Hr Tablets*

Indoor & Outdoor Allergies

Original Prescription Strength

NDC 69842-994-12

Allergy & Congestion

Allergy Relief-D

CETIRIZINE HYDROCHLORIDE &
PSEUDOEPHEDRINE HYDROCHLORIDE
EXTENDED-RELEASE TABLETS, USP

12
HOUR

5 mg/120 mg

Antihistamine; Nasal decongestant

12 Hour Relief of:
Sneezing; Itchy, watery eyes; Sinus
pressure; Runny nose; Itchy throat
or nose; Nasal congestion

12 EXTENDED-
RELEASE TABLETS

Actual Size

NO COATING

NO COATING

Drug Facts (continued)

Warnings

- Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.
- If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- Ask a doctor before use if you have:
 - heart disease
 - thyroid disease
 - diabetes
 - glaucoma
 - high blood pressure
 - trouble urinating due to an enlarged prostate gland
 - liver or kidney disease. Your doctor should determine if you need a different dose.
- Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product:

- do not use more than directed
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Other Information

- store between 20° to 25° C (68° to 77° F)
- do not use if carton is opened or if the blister unit is broken
- see side panel for batch number and expiration date

Directions

- do not break or chew tablet; swallow tablet whole
- adults and children: take 1 tablet every 12 hours; do not take more than 2 tablets in 24 hours.
- adults 65 years and over: ask a doctor
- children under 12 years of age: ask a doctor
- consumers with liver or kidney disease: ask a doctor

Drug Facts (continued)

Stop use and ask a doctor if:

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by fever.
- if pregnant or breast-feeding: not recommended before use. If pregnant, ask a health professional before use.
- if breast-feeding: not recommended before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-232-1222.

Drug Facts

Active ingredients (in each extended-release tablet)

Cetirizine HCl, USP 5 mg, Antihistamine
Pseudoephedrine HCl, USP 120 mg, Nasal Decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose, sneezing, itchy, watery eyes, itchy throat or nose, or throat
- nasal congestion

2x6 Tablets

9 5 2 6 9 7 2 5

CVS Health

Compare to the active ingredients in Zyrtec-D® 12Hr Tablets*

Indoor & Outdoor Allergies

NDC 69842-994-12

Original Prescription Strength
Allergy & Congestion

Allergy Relief-D

CETIRIZINE HYDROCHLORIDE & PSEUDOEPHEDRINE HYDROCHLORIDE EXTENDED-RELEASE TABLETS, USP

5 mg/120 mg

Antihistamine; Nasal decongestant

12 Hour Relief of:

Sneezing; Itchy, watery eyes; Sinus pressure; Runny nose; Itchy throat or nose; Nasal congestion

12 EXTENDED-RELEASE TABLETS

Actual Size

NON VARNISH
NO INK AREA

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Zyrtec-D® 12Hr.

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895

© 2024 CVS/pharmacy

Made in India W-13977

DO NOT USE IF INDIVIDUAL BUSTER UNIT IS OPEN OR TORN.

R1123 DNH/DRUGS/NH/138

#444385

Questions? call toll free 1-800-818-4555 weekdays

Inactive ingredients: hydroxyethyl cellulose, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, stearic acid, titanium dioxide

Printing Ink Contents: ammonium hydroxide, iron oxide black, isopropyl alcohol, N-butyl alcohol, propylene glycol, shellac glaze

ALLERGY RELIEF-D

cetirizine hydrochloride and pseudoephedrine hydrochloride tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-994
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	120 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL CELLULOSE (160000 WAMW) (UNII: RFW2ET671P)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
AMMONIA (UNII: 5138Q19F1X)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
BUTYL ALCOHOL (UNII: 8PJ61P6TS3)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND (Circular)	Size	9mm
Flavor		Imprint Code	915
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-994-12	2 in 1 CARTON	06/30/2019	

1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:69842-994-24	4 in 1 CARTON	06/30/2019	
2		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090922	06/30/2019	

Labeler - CVS PHARMACY (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		650445203	ANALYSIS(69842-994) , MANUFACTURE(69842-994)

Revised: 1/2024

CVS PHARMACY