# ICEQUAKE ANALGESTIC WHITE- methyl salicylate, menthol cream Southern Sales & Service, Inc.

-----

#### IceQuake Analgestic White

#### **Drug Facts**

# Active ingredients

Menthyl Salicylate 10%
Menthol 2%

#### **Purpose**

**Topical Analgesic** 

**Topical Analgesic** 

#### Uses

For temporary relief of minor aches and pains of muscles and joints associated with

- Arthritis
- Simple backache
- Strains
- Sprains
- Bruises

# Warnings

# For external use only

Discontinue use if excessive irritation of the skin develops. Caution:

- avoid contact with eyes and mucous membranes
- do not use otherwise than as directed

# When using this products

- do not bandage tightly
- do not apply to wounds or damaged skin.

# Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days.

# If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

#### **Directions**

apply to affected area not more than 3 to 4 times daily. **Audits and children 12 years of age and older:** 

: consult a doctor. Children under 12 years of age

#### Other Information

store at room temperature 15° - 30°C (59° - 86°F) close cap tightly after use.

# Inactive Ingredients

mineral oil, propylene gylcol, cetyl stearyl alcohol, purified water, ceteareth-6, stearyl alcohol, PEG-20 cetyl/stearyl ether, methylparaben, propylparaben.

# IceQuake Topical Analgestic Cream White 60g



# icequakeontine.com

DISTRIBUTED BY: Southern Sales Services Inc. Pembroke Pines, FL 33332 Questions or Comments? Čall 1800,213,9370







Net Wt. 2 oz (60 a)

# **Drug Facts**

# Active ingredients Methyl Salicylate 10% Menthol 2% Topical Analgesic Topical Analgesic

#### Uses

For the temporary relief of minor aches and pains of muscles and joints associated with

■ Arthritis ■ Simple backache ■ Strains ■ Sprains ■ Bruises

#### Warnings

For external use only avoid contact with eyes and mucous membranes do not use otherwise than as directed Caution: Discontinue use if excessive irritation of the skin develops.

When using this products = do not bandage tightly = do not apply to wounds or damaged skin.

Stop use and ask a doctor if = condition worsens = symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

### **Directions**

Adults and children 12 years of age and older: apply to affected area not more than 3 to 4 times daily. Children under 12 years of age: consult a doctor.

#### Other Information

■ store at room temperature 15° - 30°C (59° - 86°F) ■ close cap tightly after use.

**Inactive Ingredients:** mineral oil, propylene glycol, cetyl stearyl alcohol, purified water, ceteareth-6, stearyl alcohol, PEG-20 cetyl/stearyl ether, methylparaben, propylparaben.

# **ICEQUAKE ANALGESTIC WHITE**

methyl salicylate, menthol cream

#### **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69822-310
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 100 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	2 g in 100 g

Inactive Ingredients			
Ingredient Name	Strength		
MINERAL OIL (UNII: T5L8T28FGP)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)			
WATER (UNII: 059QF0KO0R)			

CETEARETH-6 (UNII: 2RJS3559D3)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: 78IX2SC10H)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging					
# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1 NDC:69822-310- 02	60 g in 1 TUBE; Type 0: Not a Combination Product	08/01/2022			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	08/01/2022		

Labeler - Southern Sales & Service, Inc. (013114906)

Registrant - Southern Sales & Service, Inc. (013114906)

Revised: 11/2023 Southern Sales & Service, Inc.