

ANTACID FLAVOR CHEW- calcium carbonate tablet, chewable
BestCo Inc.

Calcium carbonate 750 mg

Active ingredient (in each chewable tablet)

Calcium carbonate 750 mg

Purpose

Antacid

Uses Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach due to these symptoms

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chews in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2 - 4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** calcium 300mg, magnesium 1mg
- Contains Soy
- Contains FD&C yellow no. 5 (tartrazine) as a color additive
- Store between 20 to 25°C (68° to 77°F) in a dry place

Inactive ingredients

Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben,

modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

Questions? Or to report an adverse event call **1-800-245-2898**. Monday - Friday, 9AM - 4PM EST

Drug Facts (continued)

Inactive ingredients
Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

Questions? Or to report an adverse event call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

*This product is not manufactured or distributed by the owner of the registered trademark Alka-Seltzer®.

†Flavor Chews® and Chewy not Chalky® are registered trademarks of BestCo Inc.

©2017
Manufactured by:
BestCo Inc.,
Mooresville, NC 28115
Made in U.S.A. of U.S. and
Imported Ingredients

SOUND HEALTH®

EXTRA STRENGTH

ANTACID FLAVOR CHEWS®

750 mg Calcium Carbonate

RELIEVES:

- ☑ Heartburn
- ☑ Sour Stomach
- ☑ Acid Indigestion

90 CHEWABLE TABLETS

ASSORTED FRUIT

CHEWY NOT CHALKY™

Compare to the active ingredient in ALKA-SELTZER® RELIEFCHews®

Drug Facts

Active ingredient (in each chewable tablet)	Purpose
Calcium carbonate 750 mg.....	Antacid

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Directions
Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Other information

- Each chewable tablet contains: calcium 300mg, magnesium 1mg
- Contains soy
- Contains FD&C yellow No.5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

PN-218002 Gluten-Free

ANTACID FLAVOR CHEW

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52642-034
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink, orange, yellow	Score	score with uneven pieces
Shape	ROUND	Size	14mm
Flavor	STRAWBERRY, LEMON, ORANGE	Imprint Code	FC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52642-034-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	07/26/2017	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	07/26/2017	

Labeler - BestCo Inc. (002149136)

Registrant - BestCo Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
BestCo Inc.		002149136	manufacture(52642-034)

Revised: 11/2023

BestCo Inc.