

## **HEALTH MART DAYTIME- acetaminophen, dextromethorphan hydrobromide and phenylephrine hydrochloride liquid**

**McKesson**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **McKesson Daytime Drug Facts**

#### **Active ingredients (in each 15 ml tablespoon)**

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

#### **Purpose**

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

#### **Uses**

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

#### **Warnings**

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 4 doses (adult: 2,600 mg acetaminophen; child: 1,300 mg acetaminophen) in 24 hours. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

Sore throat warning: If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not

sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- thyroid disease
- diabetes
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

### **Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

### **When using this product**

do not use more than directed

### **Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed – see Liver warning
  - use dose cup
  - do not exceed 4 doses per 24 hrs
-

adults & children 12 yrs & over	30 ml (2 TBSP) every 4 hrs
children 6 to under 12 yrs	15 ml (1 TBSP) every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use

- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

### **Other information**

- each tablespoon contains: sodium 7 mg
- store at 20°-25°C (68°-77°F)

### **Inactive ingredients**

butylated hydroxyanisole, edetate disodium, FD&C yellow no. 6, flavor, glycerin, menthol, monobasic sodium phosphate, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sucrose, xanthan gum

### **Questions or comments?**

1-800-719-9260

### **Principal Display Panel**

compare to Vicks® DayQuil® Cold & Flu active ingredients

daytime

cold & flu

pain reliever/fever reducer, acetaminophen

cough suppressant, dextromethorphan HBr

nasal decongestant, phenylephrine HCl

relieves major cold & flu-like symptoms

so you can cope/

alcohol & antihistamine free

non-drowsy - gluten free

Do not use if printed neckband is broken or missing

NDC 62011-0065-2



compare to Vicks® DayQuil®  
Cold & Flu active ingredients\*

# daytime cold & flu

pain reliever/fever reducer, **acetaminophen**  
cough suppressant, dextromethorphan HBr  
nasal decongestant, phenylephrine HCl

relieves major cold & flu-like symptoms  
so you can cope/  
alcohol & antihistamine free

non-drowsy • gluten free

8 fl oz (236 ml)



\*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® DayQuil® Cold & Flu.

**MCKESSON**

Another Quality Product  
Distributed by McKesson  
One Post Street, San Francisco, CA 94104  
Money Back Guarantee  
www.healthmart.com/healthmartbrand

: 65634 W6 F3

### Drug Facts

Active Ingredients (in each 15 ml tablespoon)	Purpose
Acetaminophen 325 mg.....	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg.....	Cough suppressant
Phenylephrine HCl 5 mg.....	Nasal decongestant

**Uses** temporarily relieves common cold/flu symptoms:  
■ headache ■ sore throat ■ minor aches and pains  
■ fever ■ nasal congestion  
■ cough due to minor throat and bronchial irritation

### Warnings

**Liver warning:** This product contains acetaminophen. The maximum daily dose of this product is 4 doses (adult: 2,600 mg acetaminophen; child: 1,300 mg acetaminophen) in 24 hours. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, occurs with or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

PEEL BACK AT CORNER FOR MORE INFORMATION →

### Drug Facts (continued)

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. ■ if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have** ■ liver disease ■ diabetes  
■ thyroid disease ■ high blood pressure ■ heart disease  
■ trouble urinating due to an enlarged prostate gland  
■ cough that occurs with too much phlegm (mucus)  
■ persistent or chronic cough as occurs with smoking, asthma, or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**When using this product do not use more than directed**

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless  
■ pain, nasal congestion or cough gets worse or lasts more than 5 days (children) or 7 days (adults) ■ redness or swelling is present  
■ fever gets worse or lasts more than 3 days ■ new symptoms occur  
■ cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Drug Facts (continued)

**Directions** ■ take only as directed – see Liver warning  
■ use dose cup ■ do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 ml (2 TBSP) every 4 hrs
children 6 to under 12 yrs	15 ml (1 TBSP) every 4 hrs
children 4 to under 6 yrs	ask a doctor
children under 4 yrs	do not use

■ when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

**Other information** ■ each tablespoon contains: sodium 7 mg  
■ store at 20°-25°C (68°-77°F)

**Inactive Ingredients** butylated hydroxyanisole, edetate disodium, FD&C yellow no. 6, flavor, glycerin, menthol, monobasic sodium phosphate, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sucrose, xanthan gum

Questions or comments? 1-800-719-9260

## HEALTH MART DAYTIME

acetaminophen, dextromethorphan hbr, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG LABEL	<b>Item Code (Source)</b>	NDC:62011-0065
<b>Route of Administration</b>	ORAL	<b>DEA Schedule</b>	

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (ACETAMINOPHEN)	ACETAMINOPHEN	325 mg in 15 mL
DEXTROMETHORPHAN HYDROBROMIDE (DEXTROMETHORPHAN)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 15 mL
PHENYLEPHRINE HYDROCHLORIDE (PHENYLEPHRINE)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 15 mL

**Inactive Ingredients**

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE	
EDETATE DISODIUM	
FD&C YELLOW NO. 6	
GLYCERIN	
SODIUM PHOSPHATE, MONOBASIC	
POLYETHYLENE GLYCOLS	
PROPYLENE GLYCOL	
WATER	
SACCHARIN SODIUM	
SUCROSE	
XANTHAN GUM	
MENTHOL	

**Product Characteristics**

<b>Color</b>	ORANGE (clear)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MENTHOL (with fruit)	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0065-1	177 mL in 1 BOTTLE		
2	NDC:62011-0065-2	236 mL in 1 BOTTLE		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	01/11/2012	

**Labeler** - Mckesson (177667227)