CHILDRENS LORATADINE SUGAR FREE- loratadine solution Pharmacy Value Alliance LLC

Children's Loratadine Oral Solution Sugar Free

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

use only with enclosed dosing cup

	2 teaspoonfuls (tsp) daily;
adults and children 6	do not take more than 2
years and over	teaspoonfuls (tsp) in 24
	hours
	1 teaspoonful (tsp) daily; do
children 2 to under 6	not take more than 1
years of age	teaspoonful (tsp) in 24
•** 	hours
children under 2 years	solve do otom

of age	dSK d UOCIOI
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if bottle wrap imprinted with "SEALED FOR SAFETY" is broken or missing.
- see bottom panel for lot number and expiration date
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

butylated hydroxyanisole, glycerin, grape flavor, maltitol solution, masking agent, phosphoric acid, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium phosphate monobasic dihydrate, sorbitol solution, sucralose powder.

Questions?

Call 1-866-923-4914

Distributed By: Pharmacy Value Alliance, LLC 407 East Lancaster Avenue Wayne, PA 19087

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

COMPARE TO THE ACTIVE INGREDIENT IN CHILDREN'S CLARITIN®*

Premier Value[®]

Ages 2 years

and older

Children's Loratadine Oral Solution USP, 5 mg/5 mL

Antihis tamine

Allergy

Non-Drowsy[†]

SUGAR FREE GRAPE flavor

INDOOR & OUTDOOR ALLERGIES

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

[†]When taken as directed. See Drug Facts Panel.

Dosing Cup Included

4 FL OZ (120 mL)

INDEPENDENTLY TESTED PV SATISFACTION GUARANTEED



Ages 2 years and older

Children's Loratadine Oral Solution USP, 5 mg/5 mL

Antihistamine *Allergy*



COMPARETO THE ACTIVE INGREDIENT IN CHILDREN'S CLARITING!

> Ages 2 years and older

Children's Loratadine Oral Solution USP, 5 mg/5 mL

Antihistamine

Allergy

Non-Drowsy†

SUGAR FREE GRAPE flavor

INDOOR & OUTDOOR ALLERGIES

24 Hour Relief of:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

tWhen taken as directed. See Drug Facts Panel.

Dosing Cup Included





CUMPARETU (HE ACTIVE INGREDIENT MORRINGO CI ARRIDIO

IN CHEDWAY 2 CTAKUIN

Ages 2 years and older

Children's Loratadine Oral Solution USP, 5 mg/5 mL

Antihistamine

Allergy

Non-Drowsy†

SUGAR FREE GRAPE flavor

Alcohol Free
 Dye Free
 Sugar Free

All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Children's Claritin*.

Distributed By: Pharmacy Value Alfiance, LLC 407 East Lancaster Avenue Wayne, PA 19087 Made in Canada



where purchased for a full refund.



NO COPY ON THIS FLAP FOR LOT # AND EXPIRY DATE PRINT

T181C





NO VARNISH ON THIS FLAP



ACTIVE INGREDIBIT IN CHILDREN'S CLARMING

Ages 2 years and older

Children's Loratadine Oral Solution USP, 5 mg/5 mL

Antihistamine

Allergy

Non-Drowsy†

SUGAR FREE GRAPE flavor

INDOOR & OUTDOOR ALLERGIES

24 Hour Relief of:

Sneezina

SEALED WITH PRINTED NECKBAND

Drug Facts

Active ingredient (In each 5 mL teaspoonful)

Loratadine 5 mg.....Antihistamine

Purpose

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- · runny nose
- sneezing
- itchy, watery eyes
 itching of the nose or throat

WarnIngs

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)


Directions • use only with enclosed dosing cup

adults and children 6 years and over

2 teaspoonfuls (tsp) daily; do not take more than 2 teaspoonfuls (tsp) in

24 hours

1 teaspoonful (tsp) daily; do not take children 2 to under more than 1 teaspoonful (tsp) in 6 years of age



CHILDRENS LORATADINE SUGAR FREE

loratadine solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68016-167

Route of Administration ORAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJO3BO7Q	(N) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL

Strength

Product Characteristics			
Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

	Packaging			
ı	# Item Code	Package Description	Marketing Start Date	Marketing End Date
ı	1 NDC:68016-167-01	1 in 1 CARTON	11/21/2017	
ı	1	120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	03/17/2017	

Labeler - Pharmacy Value Alliance LLC (101668460)

Revised: 12/2017 Pharmacy Value Alliance LLC