PECGEN PSE COUGH SUPPRESSANT EXPECTORANT NASAL DECONGESTANT GRAPE FLAVOR- dextromethorphan hydrobromide, guaifenesin, pseudoephedrine hydrochloride liquid Kramer Novis

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PECGEN® PSE COUGH SUPPRESSANT EXPECTORANT NASAL DECONGESTANT GRAPE FLAVOR

Drug Facts

Active Ingredients (in each 5 mL tsp)

Dextromethorphan HBr, USP 10 mg Guaifenesin, USP 187 mg Pseudoephedrine HCL, USP 30 mg

Purpose

Cough Suppressant Expectorant Nasal Decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold or inhaled irritants
- helps loosen phlegm and thin bronchial secretions to make coughs more productive
- temporarily relieves nasal congestion

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlarged prostate gland • cough that occurs with too much phlegm (mucus) • a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product do not use more than directed.

Stop use and ask a doctor if • nervousness, dizziness, or sleeplessness occur • symptoms do not get better within 7 days or are accompanied by fever • cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

do not take more than 4 doses in any 24-hour period

Adults and	2 teaspoonfuls (10 mL) every
children 12	4 hours, not to exceed 8
years of age	teaspoonfuls in 24 hours or as
and older	directed by a doctor
under 12	1 teaspoonful (5 mL) every 4 hours, not to exceed 4 teaspoonfuls in 24 hours or as directed by a doctor
Children 2 to under 6 years of age	Consult a doctor

Other information

- Store at controlled room temperature 15°C-30°C (59°F-86°F)
- Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing

Inactive ingredients

Citric acid, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

Contains the same active ingredients as Trispec® PSE

- SUGAR FREE ALCOHOL FREE
- DYE FREE GLUTEN FREE

GRAPE FLAVOR

Manufactured in the USA for Kramer Novis. San Juan, PR 00917.

Tel: (787) 767-2072 www.kramernovis.com

* Trispec® PSE is a Registered Trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp.

Packaging

NDC 52083-628-16

PECGEN® PSE

Contains the same active ingredients as Trispec® PSE

COUGH SUPPRESSANT EXPECTORANT NASAL DECONGESTANT

Dextromethorphan HBr	10 mg
Guaifenesin 1	87 mg
Pseudoephedrine HCI	30 mg

SUGAR FREE • ALCOHOL FREE

• DYE FREE • GLUTEN FREE

GRAPE FLAVOR

16 Fl.oz. (473 mL)



Drug Facts

Active Ingredients

Purpose

(in each 5 mL tsp)

Dextromethorphan HBr, USP 10 mg Cough Suppressant

 temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold or inhaled irritants . helps loosen phlegm and thin bronchial secretions to make coughs more productive . temporarily relieves nasal congestion

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know it your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have • heart disease • high blood pressure • thyroid disease • diabetes • difficulty in urination due to enlarged prostate gland . cough that occurs with too much phlegm (mucus) . a cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

When using this product do not use more than directed.

Stop use and ask a doctor if . nervousness, dizziness, or sleeplessness occur • symptoms do not get better within 7 days or are accompanied by fever . cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

than A doese in any 2A-hour period

do not take more than 4 doses in any 24-nour period		
Adults and children 12 years of age and older	2 teaspoonfuls (10 mL) every 4 hours, not to exceed 8 teaspoonfuls in 24 hours or as directed by a doctor	
Children 6 to under 12 years of age	1 teaspoonful (5 mL) every 4 hours, not to exceed 4 teaspoonfuls in 24 hours or as directed by a doctor	
Children 2 to under 6 years of age	Consult a doctor	

Other information

Store at controlled room temperature 15°C-30°C (59°F-86°F)
Tamper evident by foil seal under cap. Do not use if foil seal

is broken or missing

Inactive inaredients Citric acid, grape flavor. methylparaben, monoammonium glycyrrhizinate, potassium citrate, potassium sorbate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

Manufactured in the USA for Kramer Novis. San Juan, PR 00917 Tel: (787) 767-2072 www.kramernovis.com

* Trispec® PSE is a Registered Trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp. Rev 07/18

PECGEN PSE COUGH SUPPRESSANT EXPECTORANT NASAL **DECONGESTANT GRAPE FLAVOR**

dextromethorphan hydrobromide, quaifenesin, pseudoephedrine hydrochloride liquid

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:52083-628 **Route of Administration ORAL**

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	187 mg in 5 mL	
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg in 5 mL	

Inactive Ingredients	
Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
METHYLPARABEN (UNII: A218C7H19T)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics		
Color		Score
Shape		Size
Flavor	GRAPE (Grape Flavor)	Imprint Code
Contains		

l	P	Packaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:52083-628- 16	474 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/08/2014	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/08/2014	

Labeler - Kramer Novis (090158395)

Registrant - Kramer Novis (090158395)

Revised: 10/2022 Kramer Novis