

VAGICAINE MAXIMUM STRENGTH- benzocaine and resorcinol cream

Meijer Distribution Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Distribution, Inc. Vagicine Cream Drug Facts

Active ingredient

Benzocaine 20%

Resorcinol 3%

Purpose

External analgesic

Uses

temporarily relieves itching

Warnings

For external use only

When using this product

avoid contact with the eyes

Stop use and ask a doctor if

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

Do not apply

over large areas of the body

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

| | |
|--|---|
| adults and children 12 years and older | apply a fingertip amount (approximately 1-inch strip) to the affected area not more than 3 to 4 times daily |
| children under 12 years | ask a doctor |

Other information

store at 20°-25°C (68°-77°F)

Inactive ingredients

aloe barbadensis leaf extract, carbomer homopolymer, cetyl alcohol, cholecalciferol, corn oil, fragrance, glyceryl monostearate, isopropyl myristate, isopropyl palmitate, isopropyl stearate, lanolin alcohol, methylparaben, mineral oil, PEG-100 stearate, propylene glycol, purified water, retinyl palmitate, sodium sulfite, tocopheryl acetate, trisodium HEDTA, trolamine

Questions or comments?

1-800-719-9260

Principal Display Panel

Instant Long-Lasting Relief From Extreme Itch

For Painful, Burning Itch

Irritating Vaginal Conditions

Soothes with Vitamins E, A, & D plus Aloe

Compare to Vagisil® active ingredients

Maximum Strength

Vagicine Cream

Pain Relieving Cream

NET WT 1 OZ (28 g)

Medicated – Anti-Itch Cream





Maximum Strength

Vagicaïne Cream

This vitamin enriched formula provides prompt, effective relief from discomforts of minor itching, burning and other irritations of the external area surrounding the vagina. The fast acting anesthetic formula works promptly to help stop itching, and soothe the irritation. Also provides a protective film over irritated tissue to reduce the chance of further irritation.

The non-staining and greaseless cream is lightly scented.

Drug Facts

| Active ingredients | Purpose |
|--------------------|--------------------|
| Benzocaine 20% | External analgesic |
| Resorcinol 3% | External analgesic |

Use temporarily relieves itching

Warnings

For external use only

When using this product avoid contact with the eyes

Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days

Do not apply over large areas of the body

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

| | |
|--|---|
| adults and children 12 years and older | apply a fingertip amount (approximately 1-inch strip) to the affected area not more than 3 to 4 times daily |
| children under 12 years | ask a doctor |

Other information store at 20°-25°C (68°-77°F)

Inactive ingredients aloe barbadensis leaf extract, carbomer homopolymer, cetyl alcohol, cholecalciferol, corn oil, fragrance, glyceryl monostearate, isopropyl myristate, isopropyl palmitate, isopropyl stearate, lanolin alcohol, methylparaben, mineral oil, PEG-100 stearate, propylene glycol, purified water, retinyl palmitate, sodium sulfite, tocopheryl acetate, trisodium HEDTA, triethylamine

Questions or comments? 1-800-719-9260



www.meijer.com
 GRAND RAPIDS, MI 49544
 2929 WALKER AVE NW
 DIST. BY MEIJER DISTRIBUTION, INC.
 trademark Vagisil®.
 *This product is not manufactured or distributed by Corde Incorporated, owner of the registered trademark Vagisil®.



1 4264 92 1



VAGICAINE MAXIMUM STRENGTH

benzocaine, resorcinol cream

Product Information

| | | | |
|-------------------------|----------------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG LABEL | Item Code (Source) | NDC:41250-142 |
| Route of Administration | TOPICAL | DEA Schedule | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|-------------------------|-------------------|---------------|
| BENZOCAINE (BENZOCAINE) | BENZOCAINE | 20 g in 100 g |
| RESORCINOL (RESORCINOL) | RESORCINOL | 3 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------------|----------|
| ALOE VERA LEAF | |
| CETYL ALCOHOL | |
| CHOLECALCIFEROL | |
| CORN OIL | |
| GLYCERYL MONOSTEARATE | |
| ISOPROPYL MYRISTATE | |
| ISOPROPYL PALMITATE | |
| ISOPROPYL STEARATE | |
| LANOLIN ALCOHOLS | |

| |
|----------------------------|
| METHYL PARABEN |
| MINERAL OIL |
| PEG-100 STEARATE |
| WATER |
| VITAMIN A PALMITATE |
| SODIUM SULFITE |
| PROPYLENE GLYCOL |
| TRISODIUM HEDTA |
| TROLAMINE |
| .ALPHA.-TOCOPHEROL ACETATE |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:41250-142-64 | 1 in 1 CARTON | | |
| 1 | | 28 g in 1 TUBE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| OTC mono graph not final | part348 | 05/15/2009 | |

Labeler - Meijer Distribution Inc (006959555)

Revised: 3/2014

Meijer Distribution Inc