

SALICYLIC ACID- medicated corn removers patch
DZA BRANDS LLC

Healthy Accents Medicated Corn Removers

Active ingredient

Salicylic acid 40%

Purpose

Corn Remover

Uses

- for the removal of corns
- relieves pain by removing corns

Warnings

For external use only.

Do not use

- if you are diabetic
- have poor blood circulation
- on irritated skin, or any area that is infected or reddened

Stop Use and Ask a doctor

if discomfort persists

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry area thoroughly
- if necessary, cut medicated patch to fit corn
- apply adhesive side down of medicated patch onto corn
- cover medicated patch with pad
- after 48 hours, remove medicated patch
- repeat procedure every 48 hours as needed for up to 14 days (until corn is removed)
- may soak corn in warm water for 5 minutes to assist in removal

Other information

store between 15°C to 30°C (59°F to 86°F)

Inactive ingredients

acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol

Questions?

call 1-866-964-0939

Principal Display Panel



**healthy accents
medicated**

corn removers

therapeutic corn removal treatment

salicylic acid

9 medicated patches & pads

CLEAR AREA	
CRIMP SEAL AREA (NO TEXT ONLY COLOR)	
<div> <div> Drug Facts Active ingredient Purpose Salicylic acid 40%.....Corn remover Uses <ul style="list-style-type: none"> for the removal of corns relieves pain by removing corns Warnings For external use only. Do not use <ul style="list-style-type: none"> if you are diabetic if you have poor blood circulation on irritated skin, on any area that is infected or reddened Stop use and ask a doctor if discomfort persists Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions <ul style="list-style-type: none"> wash affected area and dry thoroughly if necessary, cut medicated patch to fit corn apply adhesive side of medicated patch onto corn cover medicated patch with pad after 48 hours, remove medicated patch repeat procedure every 48 hours as needed for up to 14 days (until corn is removed) may soak corn in warm water for 5 minutes to assist in removal Other information store between 15° and 30°C (59° and 86°F) Inactive ingredients acrylic adhesive, acrylic polymer, polyethylene, polyvinyl alcohol Questions? Call 1-866-964-0939 <small>*This product is not manufactured or distributed by the Bayer Corporation, owner of the registered trademark Dr. Scholl's®.</small> <small>DISTRIBUTED BY: OZA BRANDS, LLC</small> <small>Salisbury, NC 28147</small> <small>Scarborough, ME 04074</small> <small>For product questions or concerns contact us at 1-866-322-2439.</small>  MADE IN USA </div> <div> 52-003HA </div> </div>	<div> <div>  medicated corn removers therapeutic corn removal treatment salicylic acid </div> <div> CLEAR FILM AREA </div> <div> 9 medicated patches & pads </div> </div> <div> <div> 7 25439-95937 7 </div> <div>  </div> </div>
CRIMP SEAL AREA (no text but must have color)	
CLEAR AREA	

SALICYLIC ACID

medicated corn removers patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55316-123
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)	SALICYLIC ACID	40 mg in 9

Inactive Ingredients

Ingredient Name	Strength
POLYVINYL ALCOHOL (UNII: 532B59J990)	
VINYL ACETATE (UNII: L9MK238N77)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55316-123-09	9 in 1 PACKAGE; Type 0: Not a Combination Product	12/21/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	12/21/2017	

Labeler - DZA BRANDS LLC (090322194)

Revised: 1/2024

DZA BRANDS LLC