

MEMBERS MARK OMEPRAZOLE- omeprazole tablet, orally disintegrating, delayed release
Sam's West Inc

Sam's West, Inc. Omeprazole Delayed Release Orally Disintegrating Tablets
20 mg Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- take 1 tablet before eating in the morning
- **do not crush or chew tablets**
- place the tablet on tongue; tablet disintegrates, with or without water. The tablets can also be swallowed whole with water.
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- do not take this medicine with alcohol

Repeated 14-Day Course (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F); keep product out of high heat and moisture

Inactive ingredients

amino methacrylate copolymer, ascorbic acid, cetyl alcohol, colloidal silicon dioxide,

crospovidone, ferric oxide, flavor, hypromellose, hypromellose phthalate, maize maltodextrin, mannitol, microcrystalline cellulose, propylene glycol, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucralose, sugar spheres, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260: weekdays 7:30 AM to 5:00 PM EST

Package/Label Principal Display Panel

M™ Member's Mark

Melts in your mouth

Dissolves without water

MELTech™ Melts In Your Mouth

Compare to Prilosec OTC®

Omeprazole

Delayed release orally disintegrating tablets 20 mg • Acid reducer

STRAWBERRY FLAVOR

orally disintegrating tablets

Treats FREQUENT Heartburn!

24 HR

actual size

Three 14-day courses of treatment. May take 1 to 4 days for full effect.

42 Tablets



Melts in your mouth
Dissolves without water



Compare to Prilosec OTC*

NDC 68196-303-55

Omeprazole

Delayed release orally disintegrating tablets 20 mg • Acid reducer



STRAWBERRY FLAVOR
orally disintegrating tablets

Treats **FREQUENT** Heartburn!



42 Tablets

Three 14-day courses of treatment. May take 1 to 4 days for full effect.



100% MONEY BACK GUARANTEE
QUALITY AND PERFORMANCE

We would like to hear from you with any comments or suggestions. In the continental U.S. or Canada, you can call us at 1-800-809-0469 from 7:30 a.m. to 5:00 p.m., EST Monday - Friday.

<p>Drug Facts</p> <p>Active ingredient (in each tablet) Omeprazole 20 mg</p> <p>Use Take 1 tablet orally every 24 hours, every day for 14 days.</p> <p>Warnings Do not use if you have: - stomach pain or indigestion, or blood or black stool - stomach pain or indigestion, or blood or black stool - stomach pain or indigestion, or blood or black stool - stomach pain or indigestion, or blood or black stool</p> <p>Directions Take 1 tablet orally every 24 hours, every day for 14 days.</p>	<p>Drug Facts (continued)</p> <p>Directions (continued) Take 1 tablet orally every 24 hours, every day for 14 days.</p> <p>Other information Keep out of reach of children.</p>
--	--

Do not take if you are pregnant or breastfeeding.

Tip for Managing Heartburn
- Do not eat or drink late at night.
- Do not eat or drink spicy, fatty, or fried foods.
- Do not eat or drink citrus fruits and carbonated beverages.
- Do not eat or drink alcohol.
- Do not take if you are pregnant or breastfeeding.

Manufactured by:
SANTAN S.P.A.
BENTONVILLE, AR 72716

*This product is not intended to be used as a substitute for Prilosec OTC.

MEMBERS MARK OMEPRAZOLE

omeprazole tablet, orally disintegrating, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68196-303
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
DIMETHYLAMINOETHYL METHACRYLATE - BUTYL METHACRYLATE - METHYL METHACRYLATE COPOLYMER (UNII: 905HNO1SIH)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSPROVIDONE (15 MPAS AT 5%) (UNII: 68401960MK)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MANNITOL (UNII: 3OWL53L36A)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM STEARATE (UNII: QU7E2XA9TG)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	RED (reddish)	Score	no score
Shape	ROUND	Size	9mm
Flavor	STRAWBERRY	Imprint Code	20
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68196-303-55	3 in 1 CARTON	05/10/2018	
1		14 in 1 CARTON		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA209400	05/10/2018	

