

POVIDONE IODINE- povidone-iodine ointment
Dr Radows

DRUG FACTS

Active ingredient

Povidone Iodine USP10% w/w (available iodine 1%)

Purpose

Antiseptic-germicidal

Uses

for the treatment of:

- minor wounds
- infections
- kills bacteria promptly

Warnings

For external use only.

Do not use

- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor

When using this product

- **Avoid contact with eyes.**

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- redness, irritation or swelling occurs or pain persists

Keep this and all drugs out of the reach of children.

In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.

Directions

- apply directly to affected area
- may be bandaged

Other information

- Store at controlled room temperature 15°-30°C (59°-86°F).
- Close cap tightly after use.
- For control no. and expiration date, see carton and/or crimp of tube.
- Will not stain natural fabrics.
- Protect from freezing.

Inactive ingredients

glycerin, PEG-6, PEG-32, propylene glycol

Questions?

call (386) 414- 1809

Distributed by Dr Radow's PO Box 952 Deland FL, 32721-0952

Principal Display Panel - 1 oz. Tube

Doctor Radow NDC 81584-1102-1

POVIDINE - IODINE 10%

First Aid Antiseptic Ointment

AVAILABLE IODINE 1%

NET WT. 1 OZ (28.35 g)

NDC 81584-1102-1



POVIDONE - IODINE 10%

FIRST AID ANTISEPTIC OINTMENT
AVAILABLE IODINE 1%

NET WT. 1 OZ (28.35 g)

Active ingredient: Povidone iodine USP 10% w/w (available iodine 1%). **Purpose:** Antiseptic-germicidal
Uses: for the treatment of: • minor wounds • infections • kills bacteria promptly
Warnings: For external use only. Do not use • over large areas of the body • if you are allergic to any of the ingredients • longer than 1 week unless directed by a doctor. **When using this product**
• Avoid contact with eyes. Ask a doctor before use if you have • deep or puncture wounds
• serious burns. Stop use and ask a doctor if • redness, irritation or swelling occurs or pain persists. Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. **Directions:**
• apply directly to affected area • may be bandaged • Questions? - Call (386) 414-1809
Distributed by Doctor Radow's PO Box 952 Deland, FL 32721-0952 www.doctorradow.com 262048



NDC 81584-1102-1



POVIDONE - IODINE 10%

FIRST AID ANTISEPTIC OINTMENT
AVAILABLE IODINE 1%

NET WT. 1 OZ (28.35 g)

Active ingredient: Povidone iodine USP 10% w/w (available iodine 1%). **Purpose:** Antiseptic-germicidal
Uses: for the treatment of: • minor wounds • infections • kills bacteria promptly
Warnings: For external use only. Do not use • over large areas of the body • if you are allergic to any of the ingredients • longer than 1 week unless directed by a doctor. **When using this product**
• Avoid contact with eyes. Ask a doctor before use if you have • deep or puncture wounds
• serious burns. Stop use and ask a doctor if • redness, irritation or swelling occurs or pain persists. Keep this and all drugs out of the reach of children. In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately. **Directions:**
• apply directly to affected area • may be bandaged • Questions? - Call (386) 414-1809
Distributed by Doctor Radow's PO Box 952 Deland, FL 32721-0952 www.doctorradow.com 262048



Principal Display Panel - 1 oz. Carton

Doctor Radow


NDC 81584-1102-1

Povidone Iodine 10%

First Aid Antiseptic Ointment

Available Iodine 1%

NET WT 1 OZ (28.35g)



POVIDONE IODINE

povidone-iodine ointment

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:81584-1102

Route of Administration	TOPICAL
-------------------------	---------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
POLYETHYLENE GLYCOL 1500 (UNII: 1212Z7S33A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81584-1102-1	1 in 1 CARTON	06/30/2021	
1		28.35 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	06/30/2021	

Labeler - Dr Radows (117615035)

Revised: 10/2023

Dr Radows