

**LIDOCAINE PATCH- lidocaine patch**  
**Foshan Aqua Gel Biotech Co., Ltd.,**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Maximum Strength Lidocaine Patch- bulk label**

**undefined**

Lidocaine 4%

**Purpose**

Topical Anesthetic

**Uses**

Temporarily relieves minor pain

**Warnings**

**For external use only**

**Do Not Use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When Using This Product**

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop Use and Ask a Doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If Pregnant or Breast Feeding**

ask a health professional before use.

## **Keep Out of Reach of Children and Pets**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

#### **Adults and children over 12 years :**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

**children 12 years or younger:** ask a doctor

### **Directions**

#### **Adults and children over 12 years :**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- use 1 patch for up to 12 hours

**children 12 years or younger:** ask a doctor

### **Inactive Ingredients**

Dihydroxyaluminum aminoacetate, Glycerol, Kaolin, Methylparaben, Polyacrylic acid, Propylene glycol, Propylparaben, PVP, Sodium polyacrylate, Tartaric acid, Titanium dioxide, Tween 80, Water

### **Outer Label**

# ODOURLESS LIDOCAINE PAIN RELIEVING PATCH



Active Ingredients:

Lidocaine 4% ..... Topical anesthetic

**FRAGILE**  
HANDLE WITH CARE



Batch No. :	Quantity : <u>300</u> Patches
Mfg. Date :	Shipper No. : _____ of _____
Exp. Date :	Gross Weight :
	Net Weight :
STORE IN A COOL DRY PLACE. PROTECT FROM DIRECT SUNLIGHT/ MOISTURE / FREEZING.	KEEP OUT OF REACH OF CHILDREN AND PETS. FOR EXTERNAL USE ONLY.
NDC No.: 69159-003-01	CONFORMANCE WITH THE F.D. & C ACT AND REGULATIONS THEREUNDER
Manufactured By: Foshan Aqua Gel Biotech <u>Co. Ltd</u>	Velocity Labeler Code: 76168
MADE IN CHINA	
Shipped To: VELOCITY PHARMA LLC 226/B SHERWOOD AVE, FARMINGDALE, NY-11735	

## LIDOCAINE PATCH

lidocaine patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69159-003
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

### Inactive Ingredients

Ingredient Name	Strength
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
POVIDONE (UNII: FZ989GH94E)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	

<b>GLYCEROL (1-(12-HYDROXYSTEARATE))</b> (UNII: X84XWP4TOC)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>TARTARIC ACID</b> (UNII: W4888119H)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69159-003-01	300 in 1 CASE	09/11/2017	
1		1 in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/11/2017	

**Labeler** - Foshan Aqua Gel Biotech Co., Ltd., (529128763)

Revised: 10/2017

Foshan Aqua Gel Biotech Co., Ltd.,