

**CIRCLE K EYE DROPS REDNESS RELIEVER- tetrahydrozoline hydrochloride solution/ drops**  
**Lil Drug Store Products, Inc**

-----  
**Circle K™ Eye Drops**

***Drug Facts***

**Active ingredient**

Tetrahydrozoline HCl 0.05%

**Purpose**

Redness reliever

**Uses**

- relieves redness of the eye due to minor eye irritations

**Warnings**

**For external use only**

**Ask a doctor before use if you have** narrow angle glaucoma

**When using this product**

- pupils may become enlarged temporarily
- to avoid contamination, do not touch tip of container to any surface. Replace cap after using.
- if solution changes color or becomes cloudy, do not use
- overuse may produce increased redness of the eye
- remove contact lens before using

**Stop use and ask a doctor if** you experience

- eye pain
- changes in vision
- continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

Instill 1 or 2 drops in the affected eye(s) up to four times daily.

## **Other information**

Store at 59°-86°F (15°-30°C)

## **Inactive ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride

## **Question or comments?**

call toll-free **1-877-507-6516 (M-F 8AM-4:30PM)**

Proudly distributed by  
Circle K Stores Inc.

## **PRINCIPAL DISPLAY PANEL - 15 mL Bottle Carton**

### **REMOVES REDNESS FAST ACTING FORMULA**

Compare to the active ingredient  
in **Visine® Original\***

**Circle K**

**sterile**

**eye drops**

**Tetrahydrozoline HCl 0.05%**

**Redness Reliever**

**0.5 fl oz (15mL)**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.**  
**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**Drug Facts**

**Active ingredient Purpose**  
 Tetrahydrozoline HCl 0.05% .....Redness reliever

**Uses**

- relieves redness of the eye due to minor eye irritations

**Warnings**

For external use only

Ask a doctor before use if you have narrow angle glaucoma

**When using this product**

- pupils may become enlarged temporarily
- to avoid contamination, do not touch tip of container to any surface. Replace cap after using.
- if solution changes color or becomes cloudy, do not use
- overuse may produce increased redness of the eye
- remove contact lens before using

**Stop use and ask a doctor if you experience**

- eye pain
- changes in vision
- continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts (continued)**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

**Other information**

Store at 15°-30°C (59°-86°F)

**Inactive ingredients**

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate, sodium chloride

**Question or comments?**

call toll-free  
 1-877-507-6516  
 (M-F 8AM-4:30PM CST)

**REMOVES REDNESS  
 FAST ACTING FORMULA**  
 Compare to the active ingredient in Visine® Original\*



**0.5 fl oz (15mL)**

\*This product is not manufactured or distributed by Johnson & Johnson Consumer, Inc., distributor of Visine® Original.

Product manufactured for: Lil' Drug Store Products, Inc. 9300 Earhart Lane SW Cedar Rapids, IA 52404

Proudly distributed by Circle K Stores Inc. Made in the USA



55294C-US-01-20-3

**CIRCLE K EYE DROPS REDNESS RELIEVER**

tetrahydrozoline hydrochloride solution/ drops

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-5729
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>TETRAHYDROZOLINE HYDROCHLORIDE</b> (UNII: 0YZT43HS7D) (TETRAHYDROZOLINE - UNII:S9U025Y077)	TETRAHYDROZOLINE HYDROCHLORIDE	0.5 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	

**Packaging**

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:66715-5729-4	1 in 1 CARTON	05/04/2016	11/16/2024
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	05/04/2016	11/16/2024

**Labeler** - Lil Drug Store Products, Inc (093103646)

Revised: 12/2023

Lil Drug Store Products, Inc