

SALICYLIC ACID- liquid wart remover liquid
AmerisourceBergen Drug Corporation

GNP Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. Plantar wart is recognized by the location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists.

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20° to 30°C (68° to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

GOOD NEIGHBOR PHARMACY

MAXIMUM STRENGTH

Liquid Wart Remover

salicylic acid


Removes Common & Plantar Warts

Includes:

- Convenient applicator

Safe and Effective

0.31FL OZ (9 mL)



Removes Common & Plantar Warts

Includes:

- Convenient applicator

Safe and Effective

0.31 FL OZ (9 mL)



Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

Liquid Wart Remover

salicylic acid

Removes Common & Plantar Warts

0.31 FL OZ (9 mL)

MAXIMUM STRENGTH



10-NG10-55

NO
VARNISH
AREA



ABC# 10164020

Made in USA
Distributed By: AmeriSourceBergen
1300 Morris Drive, Chesterbrook, PA 19087
Question or concern? Visit us at www.mygp.com

This product is not manufactured or distributed by Mediatech Products Inc., Irvington, NY 10533 owner of the registered trademark Compound W®.

Questions? Call 1-866-964-0939

Inactive Ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Other Information store between 20° to 30°C (68° to 86°F)

Directions ■ wash affected area, may soak wart in warm water for 5 minutes ■ dry area thoroughly ■ apply small amount of wart remover with applicator to sufficiently cover each wart ■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if discomfort persists. ■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors


When using this product ■ on mucous membranes ■ on irritated, infected or reddened skin ■ on genital warts and warts on the face ■ on moles, birthmarks and warts with hair growing from them

Do not use ■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

Warnings ■ keep away from fire or flame ■ cap bottle tightly and store at room temperature away from heat

For external use only. ■ Flammable ■ If you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

IMPORTANT: CLOSE CAP TIGHTLY AFTER EACH USE



SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-362
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-362-29	9 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	07/01/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	07/01/2016	

Labeler - AmerisourceBergen Drug Corporation (007914906)