

QUARTERMATE CONCENTRATE- iodine solution, concentrate

WestAgro, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

WESTAGRO

QuarterMate Concentrate with Glycerin

DIRECTIONS FOR USE:

GENERAL INSTRUCTIONS

- Dilute before using. See "Directions for Dilution".
- Consult your veterinarian before using teat dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh teat dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used teat dip back into original container.
- Do not use Quarter Mate Concentrate for cleaning or sanitizing equipment.

DIRECTIONS FOR DILUTION

Automatic blending

- Dilute Quarter Mate Concentrate through a West Agro blending system. Follow operating instructions. When diluted, Quarter Mate Concentrate will yield a ready-to-use 0.1% iodine teat dip with glycerin.
- NOTE: When diluting automatically, use only the West Agro blending delivery system. Use of any other product may cause injury or damage to animals or equipment. Finished product could result which may not be effective as a teat dip.

Manual Blending

- Quarter Mate Concentrate must be diluted before use. Failure to follow the following instructions may result in a product which may not be effective as a teat dip or which may cause injury to animal.
- Thoroughly clean a five gallon blending container available through your West Agro dealer.
- Add three (3) gallons of potable water in the blending container followed by one (1) gallon of Quarter Mate Concentrate.
- Mix thoroughly by shaking closed blending container.
- When properly diluted, one gallon of Quarter Mate Concentrate will yield four (4) gallons of a ready-to-use 0.1% iodine teat dip with glycerin.

PRE-DIPPING

- Make sure udder and teats are clean and dry.
- Check milk and udder for mastitis.
- Dip or spray cow's teats with properly diluted Quarter Mate Concentrate.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single service paper towel before milking.
- Attach milker unit.

POST-DIPPING

- Immediately after removing inflations, dip or spray cow's teats with properly diluted Quarter Mate Dip Concentrate. Do not wipe.
- If outside temperature is below freezing, allow teat dip to air-dry on cow's teats before cow leaves the parlor; or allow teat dip to remain on cow's teats before cow leaves the parlor then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Color added to indicate contact with the animal.

Made in U.S.A.

0116-E0405

Copyright 2005, West Agro, Inc.

WestAgro

QuarterMate Concentrate

With Glycerin

Sellador De Pezones Desinfectante Con Glicerina

Este producto esta concentrado, por lo tanto diluya antes de usar.

ACTIVE INGREDIENT:

Iodine 0.42% w/v

After dilution according to directions

Iodine 0.1%

**From polyethoxy polypropoxy polyethoxy ethanol-iodine complex
pH 5 mininum**

I-tech

PATENTED FREE IODINE TECHNOLOGY

U.S. Patent No 4,271,149

NPE FREE Formula

ACT

ADVANCED CONDITIONING TECHNOLOGY

U.S. Patent No.

5,368,868

Manufactured by:

WESTAGRO

11100 N. Congress Ave. Kansas City, MO

63153-1296

0116

NDC 33392-116

- Pre-dip, post-dip, the only dip you need.
- Elevated free iodine for fast kill of mastitis causing organisms.
- Unique pH balance formula has glycerin plus cosmetic grade complexors for

excellent skin conditioning.

- University tested using National Mastitis Council protocols. Proven effective in reducing the incidence of mastitis.
- Contains food grade ingredients to eliminate residue concerns.

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

! CUIDADO

SI USTED NO PUDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MÁS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

FIRST AID

Contact with product can cause irritation to eyes.

Avoid contact with eyes.

Eye Contact: Flush with water.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep from freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container.

Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro dealer.

CHEMTREC EMERGENCY No. 1-800-424-9300

NET

CONTENTS:

LOT NO:

EXPIRATION DATE:

DIRECTIONS FOR USE

GENERAL INSTRUCTIONS:

- Dilute before using. See "Directions for Dilution".
- Consult your veterinarian before using test dip on a cow with sore or chapped teats.
- Thoroughly clean and sanitize teat dip cup before each milking. Use fresh test dip for each milking. Dip solution should be changed if it becomes visibly dirty or if sediment is introduced. Do not pour used test dip back into original container.
- Do not use Quarter Mate Concentrate® for cleaning or sanitizing equipment.



Sellador

DIRECTIONS FOR DILUTION:

Automatic Blending

- Dilute Quarter Mate Concentrate® through West Agro blending system. Follow operating instructions. When diluted, Quarter Mate Concentrate® will yield a ready-to-use 0.1% test dip with glycerin.
- NOTE: When diluting automatically, use only the West Agro blending system. Use of any other product may cause injury or damage to animals or equipment. Finished product could result which may not be effective as a test dip.

Manual Blending

- Quarter Mate Concentrate® must be diluted before use. Failure to follow the following instructions may result in a product which may not be effective as a test dip or which may cause injury to animal.
- Thoroughly clean a five gallon blending container available through your West Agro dealer.
- Add three (3) gallons of potable water in the blending container followed by one (1) gallon of Quarter Mate Concentrate®.
- Mix thoroughly by shaking closed blending container.
- When properly diluted, one gallon of Quarter Mate Concentrate® will yield four (4) gallons of a ready-to-use 0.1% iodine test dip with glycerin.

PRE-DIPPING

- Make sure udder and teats are clean and dry.
- Check foremilk and udder for mastitis.
- Dip or spray cow's teats with properly diluted Quarter Mate Concentrate®.
- Allow 15 to 30 seconds contact time.
- Dry cow's teats with a single-service paper towel before milking.
- Attach milker unit.

POST DIPPING

- Immediately after removing inflations, dip or spray cow's teats with properly diluted Quarter Mate Concentrate®. Do not wipe.
- If outside temperature is below freezing, allow test dip to air-dry on cow's teats before the cow leaves the parlor, or allow test dip to remain on cow's teats before cow leaves the parlor then dry teats with a single service paper towel. Failure to follow these directions may result in frozen teats and injured animals.

Color added to indicate contact with the animal.

CHEMTREC EMERGENCY # :
1-800-424-9300

Made in USA
0116-H1215



WESTAGRO® QuarterMate® Concentrate With Glycerin

**Sellador De Pezones Desinfectante
Con Glicerina**

**Este producto esta concentrado, por
lo tanto diluya antes de usar.**

ACTIVE INGREDIENT:

Iodine * 0.42% w/v
After dilution according to directions

Iodine * 0.1%

* From Polyethoxy polypropoxy polyethoxy ethanol-Iodine Complex
pH 5 minimum



U.S. Patent No. 4,271,149



U.S. Patent No. 5,368,868

Manufactured by:

WESTAGRO®
11100 N. Congress Avenue
Kansas City, MO 64153

Phone: 816-891-7700

© Copyright 2015, Made in USA

0116

NDC# 33392-116

- Pre-dip, post-dip. The only dip you need.
- Elevated free iodine for fast kill of mastitis-causing organisms.
- Unique pH balance formula has glycerin plus cosmetic grade complexors for excellent skin conditioning.
- University tested using National Mastitis Council protocols.
- Proven effective in reducing the incidence of mastitis.
- Contains food grade ingredients to eliminate residue concerns.

**KEEP OUT OF
REACH OF CHILDREN**



**MANTENER FUERA DEL
ALCANCE DE LOS NIÑOS**



**SI USTED NO PUEDE LEER ESTA ETIQUETA,
POR FAVOR PIDA A ALGUIEN MAS QUE SE LA
LEA ANTES DE USAR ESTE PRODUCTO**

NOT FOR HUMAN USE

FIRST AID:

Contact with product can cause irritation to eyes. Avoid contact with eyes.

Eye Contact: Flush with water.

If Swallowed: Drink large quantities of water and induce vomiting.

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep from freezing. If product is frozen, thaw in a warm room and mix well before using. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Safety Data Sheet (SDS) available from your West Agro dealer.

NET CONTENTS: 55 US GAL. (208.20 LITERS)

LOT NO.:

EXP. DATE:



7 320461 021578 >

QUARTERMATE CONCENTRATE

iodine solution, concentrate

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-116
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	4.38 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GLYCERIN (UNII: PDC6A3C0OX)	
XANTHAN GUM (UNII: TTV12P4NEE)	
POLOXAMER 335 (UNII: G6DQL26D50)	

POLOXAMER 403 (UNII: 2E9U4Y94DB)				
DOCUSATE SODIUM (UNII: F05Q2T2JA0)				
SODIUM IODIDE (UNII: F5WR8N145C)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-116-27	1042.2 L in 1 TANK		
2	NDC:33392-116-23	7571 L in 1 TANK		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			01/01/2012	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		095906480	analysis, api manufacture, label, manufacture, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		069288728	api manufacture, manufacture, label, pack