

# CLINPRO TOOTH CREME- sodium fluoride paste, dentifrice Solventum US OpCo LLC

## Principal Display Panel - 24g Carton Label

3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

24g

Vanilla Mint



## Principal Display Panel - 24g Tube Label


3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

24g

Vanilla Mint



### Principal Display Panel - 90 mL Carton Label


3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-)

90 ml

# Vanilla Mint



## Principal Display Panel - 90 mL Tube Label


3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-)

90 ml

Vanilla Mint



**3M ESPE**

# Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride • Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-)

90 ml



**(en)** 0.21% w/w Sodium Fluoride. Anti-Cavity Paste with Tri-Calcium Phosphate (950 ppm F-). Apply twice daily, brush 2 minutes and spit. DO NOT SWALLOW. Keep out of reach of children under 6 years. To minimize swallowing in children under 6 years, use a pea-sized amount (0.3 g or 0.24 ml), supervise brushing. In case of fluoride intake from other sources, consult a dentist. For children under 2 years, ask a dentist.

**(de)** 0,21% (Gew.-%) Natriumfluorid. Zahnpasta mit Tri-Calcium Phosphat (950 ppm F-) Zweimal täglich anwenden, dazu 2 Minuten lang einbürsten und anschließend ausspucken. NICHT VERSCHLUCKEN Außerhalb der Reichweite von Kindern unter 6 Jahren aufbewahren. Um zu vermeiden, dass Kinder unter 6 Jahren das Produkt verschlucken, sollte eine erbsengroße Menge (0,3 g oder 0,24 ml) verwendet und das Zähneputzen und Ausspucken überwacht werden. Falls durch die Anwendung weiterer fluoridhaltiger Produkte eine zusätzliche Fluoridaufnahme erfolgt, wenden Sie sich an einen Zahnarzt. Fragen Sie Ihren Zahnarzt bezüglich einer Anwendung bei Kindern unter 2 Jahren.

**(fr)** Fluorure de sodium à 0,21 % p/p. Pâte anti-cavité avec du phosphate tricalcique (950 ppm F-) Appliquer deux fois par jour, brosser pendant 2 minutes et recracher. NE PAS AVALER. Tenir hors de portée des enfants de moins de 6 ans. Afin de minimiser l'ingestion chez les enfants de moins de 6 ans, utiliser une quantité de dentifrice de la taille d'un petit pois (0,3 g ou 0,24 ml) et contrôler le brossage. En cas d'apport de fluorure provenant d'autres sources, consulter un chirurgien-dentiste. Pour les enfants de moins de 2 ans, consulter un chirurgien-dentiste.

**(it)** Pasta dentifricia anticarie a base di sodio fluoruro allo 0,21% p/p con fosfato tricalcico (950 ppm F-) Applicare due volte al giorno, spazzolare per due minuti e sputare. NON INGERIRE. Tenere lontano dalla portata dei bambini di età inferiore a 6 anni. Per ridurre la possibilità di ingestione in bambini di età inferiore a 6 anni, utilizzare una quantità delle dimensioni di un pisello (0,3 g o 0,24 ml) e supervisionare lo spazzolamento. In caso di assunzione di fluoro da altre fonti, rivolgersi a un dentista. Per i bambini di età inferiore a 2 anni, rivolgersi a un dentista. Verificare le disposizioni del proprio Comune per la gestione dei rifiuti.

**(es)** 0,21 % en peso de fluoruro de sodio. Pasta anticaries con fosfato tricálcico (950 ppm F-) Aplique dos veces al día, cepíllese durante dos minutos y escupa. NO INGERIR. Mantenga fuera del alcance de los niños menores de 6 años. Para minimizar la ingesta en niños menores de 6 años, utilice una cantidad pequeña (0,3 g o 0,24 ml) y supervise el cepillado. En caso de ingestión de fluoruro de otras fuentes, consulte a su dentista. Para niños menores de 2 años, consulte a su dentista.

**(pt)** 0,21% p/p de fluoreto de sódio. Pasta anti-cáries com fosfato tricálcico (950 ppm F-). Aplicar duas vezes ao dia, escovar durante 2 minutos e cuspir. NÃO ENGOLIR. Manter longe do alcance das crianças com menos de 6 anos. Para minimizar que as crianças com menos de 6 anos engolem, coloque o equivalente a uma ervilha (0,3 g ou 0,24 ml) na escova e supervisão a escovagem. Caso ocorra a ingestão de fluoreto, consulte o dentista. Para crianças com menos de 2 anos, consulte o dentista.

## Principal Display Panel - 113g Carton Label

3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

113g

Vanilla Mint



## Principal Display Panel - 113g Tube Label

3M ESPE

Clinpro™ Tooth Crème

0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

113g

Vanilla Mint

# 3M ESPE Clinpro™ Tooth Crème


0.21% w/w Sodium Fluoride Anti-Cavity Paste with Tri-Calcium Phosphate

113 g

클린프로치약 (바닐라민트향)

의약외품

Vanilla  
Mint



**INGREDIENTS:** Water (Aqua), Sorbitol, Hydrated Silica, Glycerin, Poloxamer 407, Aroma, PEG-12, Sodium Lauryl Sulfate, Titanium Dioxide, Cellulose Gum, Sodium Saccharin, Sodium Fluoride (950 ppm F-, 0.21% w/w, 0.12% w/v-fluoride ion), Tri-Calcium Phosphate.

**WARNINGS: DO NOT SWALLOW. Keep out of reach of children under 6 years of age. Do not freeze or expose to extreme heat.**

Made in USA for  
**3M ESPE**  
Dental Products  
2510 Conway Avenue  
St. Paul, MN  
55144-1000 USA

Sponsors/Importers:  
**Australia**  
3M Australia Pty Limited  
Building A, 1 Rivett Road  
North Ryde NSW,  
2113, Australia  
Product Info: 136 136  
Emergency: 1800 097 146

**New Zealand**  
3M New Zealand Limited  
94 Apollo Drive, Rosedale  
Auckland, 0632, New Zealand  
3M NZ LTD Ph (09) 4774040  
24 Hour Emergency: NZ National  
Poison Centre: 0800 764 766

**Korea**  
3M Korea  
수입업자:  
한국쓰리엠(주)  
3M, ESPE and Clinpro are trademarks of 3M or  
3M Deutschland GmbH.  
© 3M 2020. All rights reserved. 34-8725-6475-1-A

**Taiwan**  
3M Taiwan  
3F, No. 198, Jingmao 2nd Rd.  
Nangang District  
Taipei City, Taiwan, 11568

## DIRECTIONS FOR USE



Use pea-size amount



Brush 2 minutes



Spit

## CLINPRO TOOTH CREME

sodium fluoride paste, dentifrice

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:48878-3150
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>sodium fluoride</b> (UNII: 8ZYQ1474W7) (Fluoride Ion - UNII:Q80VPU408O)	Fluoride Ion	0.950 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Sorbitol</b> (UNII: 506T60A25R)	

**Silicon Dioxide** (UNII: ETJ7Z6XBU4)

**Glycerin** (UNII: PDC6A3C0OX)

**Polyethylene Glycol, Unspecified** (UNII: 3WJQ0SDW1A)

**Sodium Lauryl Sulfate** (UNII: 368GB5141J)

**Titanium Dioxide** (UNII: 15FIX9V2JP)

**Carboxymethylcellulose Sodium** (UNII: K679OBS311)

**Saccharin Sodium** (UNII: SB8ZUX40TY)

**Tricalcium Phosphate** (UNII: K4C08XP666)

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (MINT)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48878-3150-1	1 in 1 BOX	12/20/2010	
1		113 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:48878-3150-2	1 in 1 BOX	12/20/2010	
2		24 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:48878-3150-5	1 in 1 BOX	12/20/2010	01/31/2022
3		90 g in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		12/20/2010	

**Labeler** - Solventum US OpCo LLC (801390852)

## Establishment

Name	Address	ID/FEI	Business Operations
Sheffield Pharmaceuticals LLC		151177797	MANUFACTURE(48878-3150)