EQUALINE TUSSIN ADULT- dextromethorphan hydrobromide and guaifenes in liquid Supervalu Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SuperValu Inc. Adult Tussin Drug Facts

Active ingredients (in each 5 mL tsp)

Dextromethorphan HBr, USP 10 mg Guaifenesin, USP 100 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if

cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than 6 doses in any 24-hour period
- use only with enclosed measuring cup. Do not use any other device.
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	2 teaspoons (tsp) every 4 hours	
children under 12 years	do not use	

Other information

- each teaspoon contains: sodium 3 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients

anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

Questions or comments?

1-877-932-7948

Principal Display Panel

compare to Robitussin® Cough + Chest Congestion DM active ingredients adult tussin

cough & chest congestion

dextromethorphan HBr (cough suppressant)

guaifenesin (expectorant)

DM

non-drowsy

relieves:

coughs

chest congestion

mucus

for ages 12 & over

alcohol free



equaline°

compare to Robitussin® Cough + Chest Congestion DM active ingredients*

NDC 41163-359-26

tussin cough & chest congestion

dextromethorphan HBr (cough suppressant)
guaifenesin (expectorant)

DM non-drowsy

relieves:

coughs

chest congestion
 mucus

for ages 12 & over
alcohol free

equaline°

compare to Robitussin® Cough + Chest Congestion DM active ingredients*

NDC 41163-359-26

tussin cough & chest congestion

dextromethorphan HBr (cough suppressant) guaifenesin (expectorant)

> DM non-drowsy

> > relieves:

coughs

chest congestion

mucus

for ages 12 & over
alcohol free



4 FL. OZ. (118 ml)

4 FL. OZ. (118 ml)



LOT NO.

EXP.

: 35926 EL CL







tussin cough & chest congestion

dextromethorphan HBr (cough suppressant) gualfenesin (expectorant)



Drug Facts

Active ingredients (in each 5 mL tsp) Purposes

Dextromethorphan HBr.

USP 10 mg......Cough suppressant Guaifenesin, USP 100 mg.....Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

can out of reach of children in case of

Drug Facts (continued)

Directions

- do not take more than 6 doses in any 24-hour period
- use only with enclosed measuring cup. Do not use any other device.
- this adult product is not intended for use in children under 12 years of age

age	dose	
adults and children 12 years and over	2 teaspoons (tsp) every 4 hours	
children under 12 years	do not use	

Other information

- each teaspoon contains: sodium 3 mg
- store at 20°-25°C (68°-77°F)

Inactive ingredients anhydrous citric acid, FD&C red no. 40, flavor, glycerin, high fructose corn syrup, menthol, propylene glycol, purified water, sodium benzoate, sodium citrate, sucralose

CQuestions or comments? 1-877-932-7948

GLUTEN FREE

*This product is not manufactured or distributed by Pfizer, distributor of Robitussin® Cough + Chest Congestion DM.

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING




Distributed by SUPERVALU INC., Eden Prairie, MN 55344 USA We're committed to your

satisfaction and guarantee the quality of this product. Contact us at 1.877.932.7948, or ww.supervalu-ourownbrands.com Please have package available.

Dosage Cup Included



PARENTS:
Learn about teen medicine abuse



EQUALINE TUSSIN ADULT

dextromethorphan hbr, guaifenesin liquid

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:41163-359	
Route of Administration	ORAL	DEA Schedule		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (DEXTROMETHORPHAN)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL	
GUAIFENESIN (GUAIFENESIN)	GUAIFENESIN	100 mg in 5 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDRO US CITRIC ACID			
FD&C RED NO. 40			
GLYCERIN			
HIGH FRUCTO SE CORN SYRUP			
PROPYLENE GLYCOL			
WATER			
SO DIUM BENZO ATE			
MENTHO L			
SO DIUM CITRATE			
SUCRALOSE			

Product Characteristics

Color	RED (Orange-Red)	Score
Shape		Size
Flavor	CHERRY	Imprint Code
Contains		

Pa	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 1	NDC:41163-359-26	1 in 1 CARTON			
1		118 mL in 1 BOTTLE			
2 1	NDC:41163-359-34	1 in 1 CARTON			
2		237 mL in 1 BOTTLE			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/24/2004	

Labeler - Supervalu Inc (006961411)

Revised: 10/2012 Supervalu Inc