ALLERGY RELIEF CHILDRENS- diphenhydramine hcl tablet, chewable Meijer Distribution Inc

Meijer 44-599

Active ingredient (in each chewable tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- avoid alcoholic beverages
- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- find right dose on chart below
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 times in 24 hours

Age (yr)	Dose (chewable tablets)
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	1 to 2 chewable tablets (12.5 mg to 25 mg)
adults and children 12 years and over	2 to 4 chewable tablets (25 mg to 50 mg)

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients

D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, hydroxypropyl cellulose, magnesium stearate, mannitol, stearic acid, sucralose, sucrose

Questions or comments?

1-800-426-9391

Principal Display Panel

meijer_®

NDC 41250-599-44

Compare to Children's Benadryl® Chewables active ingredient*

CHILDREN'S

allergy relief

Diphenhydramine HCl | 12.5 mg Chewable Tablets Antihistamine

Relieves: Sneezing, Itchy Throat, Runny Nose & Itchy, Watery Eyes

Cherry Flavored

18 Chewable Tablets Actual Size

Chew or crush tablets completely before swallowing.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544

www.meijer.com

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Benadryl $^{(8)}$ Chewables. 50844 REV1218B59944

C Questions or comments? 1-800-426-9391

acid, sucralose, sucrose

hydroxypropyl cellulose, magnesium stearate, mannifol, stearic red #30aluminum lake, dextrates hydrated, ethylcellulose, flavor, Inactive ingredients D&C red #27 aluminum lake, D&C

Drug Facts (continued)

REV1218B59944 20844 Benadryl®Chewables.

Johnson Corporation, owner of the registered trademark Children's *This product is not manufactured or distributed by Johnson &

> ■ see end flap for expiration date and lot number Vibimud Agid biovs ■

(£98-86°F)

■ store at 25°C (77°F); excursions permitted between 15°-30°C OPENED OR BLISTER IS TORN OR BROKEN

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS Other information

2 to 4 chewable tablets (25 mg to 02 mg)	adults and children 12 years and over
t to 2 chewable tablets (tr.5 mg to 25 mg)	children 6 to 11 years
do not use unless directed by a doctor	children 2 to 5 years
esu fon ob	children under 2 years
Dose (chewable tablets)	(1y) 9gA

■ do not take more than 6 times in 24 hours ■ take every 4 to 6 hours, or as directed by a doctor swallow tablets whole

■ chew or crush tablets completely before swallowing; do not ■ find right dose on chart below UIYections

help or contact a Poison Control Center (1-800-222-1222) right Keep out of reach of children. In case of overdose, get medical

(pənuituos) **stərə finu**

If pregnant or breast-feeding, ask a health professional before

- excitability may occur, especially in children machinery ■ avoid alcoholic beverages
- use caution when driving a motor vehicle or operating
- alcohol, sedatives, and tranquilizers may increase drowsiness When using this product marked drowsiness may occur

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

- difficulty in urination due to enlargement of the prostate gland a breathing problem such as emphysema or chronic bronchitis Ask a doctor before use if you have

 glaucoma

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com

■ with any other product containing diphenhydramine, even one Do not use
To make a child sleepy Marnings

> ■ itching of the nose or throat ดิแ∉ลอแร∎ ■ itchy, watery eyes ■ runny nose

fever or other upper respiratory allergies:

səsn

■ temporarily relieves these symptoms due to hay

Antihistamine

Purpose

Diphenhydramine HCl 12.5 mg (in each chewable tablet)

Active ingredient

COMPLETE PRODUCT INFORMATION

Drug Facts

PID 3335585

No Print/No Varnish Lot and Expiration No

meijer

CHILDREN'S allergy relief

Diphenhydramine HCl | 12.5 mg Chewable Tablets

Antihistamine

18 Chewable Tablets

NDC 41250-599-44

Compare to Children's Benadryl® Chewables active ingredient*

meijer

CHILDREN'S allergy relief

Diphenhydramine HCl | 12.5 mg Chewable Tablets **Antihistamine**

Relieves: Sneezing, Itchy Throat, Runny Nose & Itchy, Watery Eyes



Cherry

Chew or crush tablets completely before swallowing.

18 Chewable Tablets



Actual

Meijer 44-599

B-1214-599-44-R REV1218B59944

ALLERGY RELIEF CHILDRENS

diphenhydramine hcl tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-599
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg

Inactive Ingredients	
Ingredient Name	Strength
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 30WL53L36A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	pink	Score	no score
Shape	ROUND	Size	12mm
Flavor	CHERRY	Imprint Code	44;599
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:41250-599- 44	3 in 1 CARTON	04/25/2011		
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing In	nformation		
Marketing	Application Number or Monograph Citation	Marketing Start	Marketing End
Category		Date	Date

OTC Monograph Drug	M012	04/25/2011	

Labeler - Meijer Distribution Inc (006959555)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41250-599) , pack(41250-599)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41250-599)

Revised: 5/2023 Meijer Distribution Inc