

ACETAMINOPHEN FOR CHILDREN- acetaminophen suppository
NuCare Pharmaceutiacals,Inc.

Perrigo Acetaminophen Suppositories USP, 120 mg Drug Facts

Active ingredient (in each rectal suppository)

Acetaminophen 120 mg

Purposes

Pain reliever/fever reducer

Uses

temporarily

- reduces fever
- relieves minor aches, pains, and headache

Warnings

Liver warning:

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

For rectal use only

Do not use

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if

- your child has liver disease
- your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- fever lasts more than 3 days (72 hours), or recurs.

- pain lasts more than 5 days or gets worse.
- new symptoms occur.
- redness or swelling is present in the painful area.

These may be signs of a serious condition.

Keep out of reach of children.

If swallowed or in case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical in case of overdose for adults and for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or warnings for adult use
- do not use more than directed
- remove wrapper
- carefully insert suppository well up into the rectum

Dosing Chart	
Age	Dose
under 3 years	Do not use unless directed by a doctor
3 to 6 years	Use 1 suppository every 4 to 6 hours (maximum of 5 doses in 24 hours)

Other information

- store at 20-25 °C (68-77 °F) or in a cool place
- tamper-evident: suppositories are individually wrapped. Do not use if printed wrapper is opened or damaged.

Inactive ingredient

hydrogenated vegetable oil

Questions or comments?

1-800-719-9260

Principal Display Panel

NuCare Pharmaceuticals, Inc.

Packaged By:
 NuCare Pharmaceuticals, Inc.
 Orange, CA 92867
 Patent Instructions:
 Use as directed by
 your doctor.
 680714151012*000000*000000

Distributed by:
 Perrigo Allegan, MI 49010

NDC: 68071-4151-1
Acetaminophen 120mg

#12 Supp.

See manufacturer's label
for full list of ingredients

Product #: R0382012

Acetaminophen 120mg
 Lot: 000000 NDC: 68071-4151-01
 MFR NDC: 45802-732-30 Exp.: 00-00

Acetaminophen 120mg
 Lot: 000000 NDC: 68071-4151-01
 MFR NDC: 45802-732-30 Exp.: 00-00



GTIN 00368071415117
 Serial# 000000000002
 Exp. Date 00-00
 LOT#: 000000

Call your doctor for medical advice about side
 effects. You may report side effects to FDA at
 1-800-FDA-1088.

WARNING: KEEP OUT OF REACH OF CHILDREN

STORE AT CONTROLLED TEMPERATURE 68-77°F.

ACETAMINOPHEN FOR CHILDREN

acetaminophen suppository

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4151(NDC:45802-732)
Route of Administration	RECTAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	120 mg

Inactive Ingredients

Ingredient Name	Strength
COTTONSEED OIL (UNII: H3E878020N)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-4151-1	12 in 1 BOX; Type 0: Not a Combination Product	11/08/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA070607	12/14/2010	

Labeler - NuCare Pharmaceuticals, Inc. (010632300)

Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	relabel(68071-4151)

Revised: 2/2021

NuCare Pharmaceuticals, Inc.