MILK OF MAGNESIA CHERRY- magnesium hydroxide liquid AMERISOURCEBERGEN DRUG CORPORATION

GNP mom cherry

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or failure to have bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor

• drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg, sodium 6 mg
- avoid freezing
- store at room temperature tightly closed

Inactive ingredients

carboxymethylcellulose sodium, citric acid, D & C red no. 28, flavor (contains alcohol), glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments?

1-800-540-3765

package Label



Compare to Phillips's Milk of Magnesia Wild Cherry active ingredient*

NDC 46122-435-40

Milk of Magnesia

saline laxative

Magnesium Hydroxide

Stimulant Free

297-19312-1 REV0618

Cramp Free
 Wild Cherry Flavor

12 fl oz (355 mL)



Active ingredient (in each 15 mL)

Purpose Saline laxative

Magnesium hydroxide 1200 mg.

relieves occasional constipation (irregularity)
 generally produces bowel movement in ½ to 6 hours

Warnings

- Ask a doctor before use if you have kidney disease
- a magnesium-restricted diet
- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product.
 These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose			
adults and children 12 years and over	30 mL to 60 mL			
children 6 to 11 years	15 mL to 30 mL			
children under 6 years	ask a doctor			

Other information • avoid freezing

- each 15 mL contains: magnesium 500 mg, sodium 6 mg
 store at magnetium tightiy elected.
- store at room temperature tightly closed



Inactive ingredients carboxymethylcellulose sodium, citric acid, D&C red no. 28, flavor, glycerin, microcrystalline cellulose, purified water, sodium citrate, sodium hypochlorite, sucrose, xanthan gum

Questions or comments? 1-800-540-3765



Distributed By Americource Bergen

1 West First Avenue, Conshohocken, PA 19428
Questions or Concerns? www.mygnp.com

*This product is not manufactured or distributed by Bayer Healthcare LLC., distributors of Phillips®

997-19312-2 REV0921 brand of Milk of Magnesia.

MILK OF MAGNESIA CHERRY

magnesium hydroxide liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:46122-435

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION -	MAGNESIUM	1200 mg
UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	HYDROXIDE	in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)			
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)			
D&C RED NO. 28 (UNII: 767IP0Y5NH)			
GLYCERIN (UNII: PDC6A3C0OX)			
SODIUM CITRATE (UNII: 1Q73Q2JULR)			
XANTHAN GUM (UNII: TTV12P4NEE)			
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

l	Packaging				
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
		NDC:46122-435- 40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/31/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	09/01/2017	

Labeler - AMERISOURCEBERGEN DRUG CORPORATION (007914906)

Registrant - GCP Laboratories (965480861)

Establishment				
Name	Address	ID/FEI	Business Operations	
GCP Laboratories		965480861	manufacture(46122-435)	

Revised: 11/2023 AMERISOURCEBERGEN DRUG CORPORATION