OXYBLEND 55- hydrogen peroxide solution Empire Repair Services, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OxyBlend 55

HYDROGEN PEROXIDE TEAT DIP OR SPRAY

Helps reduce the spread of organisms which may cause Mastitis.

USE DIRECTIONS

NOT FOR HUMAN USE

FOR EXTERNAL USE ONLY

USE AT FULL STRENGTH

PRE-DIPPING: Before milking, dip or spray entire teat with this product. Wipe teats dry after application using single-service towels to avoid contamination of milk.

POST-DIPPING: After milking, spray or dip entire teat with this product. Allow to air dry. Note: If solution in cup becomes visibly dirty, replenish with a fresh mixture of this product. Do not return unused product to the original container.

CAUTION

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

FIRST AID: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have a person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician. Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS or a poison control center.

PRECAUTION: Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

STORAGE: Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

SEE MATERIAL SAFETY DATA SHEET

Emergency No. Only/No. d'urgence Seulement/No. de Emergencia Solo: (ChemTel, Inc) (1-800-255-3924) or (+01-813-248-0585) International



PEROXIDE TEAT DIP HYDROGEN OR SPRAY

Helps reduce the spread of organisms which may cause Maetitie

BASE DE PÉROXYDE

D'HYDROGENE

USE AT FULL STRENGTH FOR EXTERNAL USE ONLY USE DIRECTIONS

or spray entire teat with this product. Wipe tests dry after application using single-service towels to avoid contamination of milk.

pez ou vaporisez entièrement le trayon avec le produit. Essuyez les trayons après l'application, à l'aide d'éviter la contamination du lait. d'une serviette à usage unique, afin PRÉ-TRAITE: Avant la traite, trem

spray or dip entire teat with this prod-uct. Allow to air dry.

Note: If solution in cup becomes vis-

POST-DIPPING:

After milking

UTILISER A POUVOIR MAXIMAL

POUR L'USAGE EXTERNE SEULE-

they dirty, replenish with a tresh mix-ture of this product. Do not return

unused product to original container.

let å trayon devient visiblement sale, rempiscer avec une solution fraktie. Ne returner jamais av récipient ort-POST-TREMPER: Après la traîte, tremper ou pulvériser le trayon au complet avec ce produit. Laisser sé-Note: Si la solution dans le gobe-

contenedores oraginales.

Ingrediénts Actifs(Peroxyde d'hydro-gène actif 0.5%)

Emollients 5%

BeeMask Po Box 8050 Madison, Wisconsin 53708 www.bournatic.com

Emollents 5%

Active Ingredient (Hydrogen Peroxide

Ingredientes Activos(Peróxido de Hidrógeno Activo 0.5%) Emolientes 5%

#1070 P. 003/011

SOLUTION DE TREM-PAGE DES TRAYONS **OU VAPORISATEUR** POUR TRAYONS A

Aide à réduire la prolifération des

organismes peuvant causer la mam-NE PAS EMPLOYER SUR L'HU-MODE D'EMPLOI

visiblemente sucia, reemplância con una oueva mezota de este producto. No regrese el producto sin usar a los nar, spray o selle completamente el pezón con este producto. Deja que seque al aire libre. Nota: Si la solución en la copa se ve POST-SELLADO: Después de ordeducto con una toalla para prevenir le contaminación de le lecte.

SPRAY/SELLADOR PAR PEZONES DE PEROXIDO DE HIDROGENO

Reduce la propagación de organismos que puedan causar la Mastitis

selle o spray completamente si pezón con esta producto. Limple y seque el pezón después de aplicar este pro-DIRECCIONES DE USO NO PARA USO HUMANO PARA USO EXTERNO SOCAMENTE PRE-SELLADO: Antes de ordefiar, UTILICELO SIN DILUIR

01/08/2007

OXYBLEND

hydrogen peroxide solution

Product Information	oduct Information			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:28868-1179	
Route of Administration	TOPICAL			
Route of Manimistration	TOTICIE			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength Hydrogen Peroxide (UNII: BBX060AN9V) (Hydrogen Peroxide - UNII:BBX060AN9V) Hydrogen Peroxide 0.5 L in 100 L

	Inactive Ingredients	
	Ingredient Name	Strength
ı		

Water (UNII: 059QF0KO0R)

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:28868-1179-6	1041 L in 1 CONTAINER					

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		04/19/2009				

Labeler - Empire Repair Services, LLC (830798950)

Revised: 12/2010 Empire Repair Services, LLC