

**GLYCERIN - glycerin suppository**  
**Rite Aid Corporation**

-----  
**Rite Aid Glycerin Supp.**

**Active ingredient (in each suppository)**

Glycerin 2 g

**Purpose**

Hyperosmotic laxative

**Uses**

- for relief of occasional constipation
- this product generally produces a bowel movement in 1/4 to 1 hour

**Warnings**

For rectal use only

May cause rectal discomfort of burning sensation

**Ask a Doctor before using any laxative if you have**

- abdominal pain, nausea or vomiting
- a sudden change in bowel habits lasting more than 2 weeks
- already used a laxative for more than 1 week

**Stop use and consult a doctor if you have**

- rectal bleeding
- no bowel movement after using this product

These symptoms may indicate a serious condition.

**Keep out of reach of children.**

**If swallowed, get medical help or contact a Poison Control Center right away.**

**Directions**

Single daily dosage

adults and children 6 years and over 1 suppository, or as directed by a doctor

children 2 to under 6 years use Child Suppositories

Insert suppository well up into rectum.

Suppository need not melt completely to produce laxative action.

## Other information

- Store container tightly closed.
- Keep away from excessive heat.

## Inactive ingredients

purified water, sodium hydroxide, stearic acid

## Glycerin Suppositories, 50 count

Compare to the active ingredient in  
Fleet® Glycerin Suppositories\*

### LAXATIVE GLYCERIN SUPPOSITORIES

**GLYCERIN 2g**

often works in minutes for  
gentle, effective relief  
of constipation



**50**  
ADULT SIZE  
SUPPOSITORIES

<b>Drug Facts</b>	<b>Purpose</b> (in each suppository) Glycerin 2 g.....Hyperosmotic laxative
<b>Uses</b>	■ for relief of occasional constipation ■ this product generally produces bowel movement in 1/4 to 1 hour
<b>Warnings</b>	For rectal use only May cause rectal discomfort or a burning sensation. Ask a doctor before using any laxative if you have ■ abdominal pain, nausea or vomiting ■ a sudden change in bowel habits lasting more than 2 weeks ■ already used a laxative for more than 1 week Stop use and consult a doctor if you have ■ rectal bleeding ■ no bowel movement after using product These symptoms may indicate a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b>	Single daily dosage adults and children 6 years and over children 2 to under 6 years Insert suppository well up into rectum. Suppository need not melt completely to produce laxative action.
<b>Other information</b>	■ Store container tightly closed. ■ Keep away from excessive heat.
<b>Inactive ingredients</b>	purified water, sodium hydroxide, stearic acid

**MOUTH OF JAR SEALED FOR SAFETY.  
IF FOIL IS BROKEN OR MISSING, DO NOT USE.**

**NO VARNISH AREA**

**SATISFACTION GUARANTEE**  
If you're not satisfied, we'll happily refund your money.



0 11822 33215 6

The product package shown above represents a sample of that currently in use. Additional packaging may also be available.

RAGlycerinSupp50ct

Distributed by

Rite Aid

30 Hunter Lane

Camp Hill, PA 17011

## GLYCERIN

glycerin suppository

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-3312
Route of Administration	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	2 g

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3312-9	100 in 1 JAR; Type 0: Not a Combination Product	10/14/2011	
2	NDC:11822-3312-5	50 in 1 JAR; Type 0: Not a Combination Product	10/14/2011	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	10/14/2011	

**Labeler** - Rite Aid Corporation (014578892)

**Registrant** - DSC Laboratories Inc. (097807374)

## Establishment

Name	Address	ID/FEI	Business Operations
DSC Laboratories, Inc.		097807374	manufacture(11822-3312)

Revised: 12/2023

Rite Aid Corporation