UMCKA ELDERBERRY- umcka elderberry syrup Schwabe North America

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Umcka Elderberry Intensive Cold + Flu Syrup

Active Ingredients

Pelargonium sidoides 1x

Aconitum napellus 4x

Eucalyptus globulus 2x

Sambucus nigra 3x

Bryonia 4x

Eupatorium perfoliatum 6x

Gelsemium sempervirens 4x

Ipecacuanha 3x

Phosphorus 6x

Inactive Ingredients

Citric acid

Elderberry extract

Ethyl Alcohol

Glycerin

Lactose monohydrate

Maltodextrin

Natural flavor

Potassium Sorbate

Purified water

Sorbitol

Indications & Usage

Temporarily relieves flu symptoms. Shortens duration and reduces severity of symptoms associated with common colds and throat/nasal/bronchial irritations: chills/fever, congestion, cough, headache, hoarseness, minor aches/pains, sore throat,

sneezing, stuffy/runny nose.

Purpose

Temporarily relieves flu symptoms. Shortens duration and reduces severity of symptoms associated with common colds and throat/nasal/bronchial irritations: chills/fever, congestion, cough, headache, hoarseness, minor aches/pains, sore throat, sneezing, stuffy/runny nose.

Doage & Administration

For best results, use at first sign of symptoms.

Continue to use for an additional 48 hours after symptoms cease.

Shake well before each use.

Use only with enclosed dosage cup.

Adults & children 12 years of age and older: Take 1 1/2 teaspoons (tsp) (7.5 mL) three times daily.

Children 6 to 11 years of age: Take 1 teaspoon (tsp) (5mL) three times daily.

Children under 6 years of age: Consult a physician.

Warnings

Sore throat warning: severe or persistent sore throat for more than 2 days or if accompanied by high fever, headache, nausea, vomiting, or rash may be serious.

Consult a doctor promptly.

Ask Doctor

Ask a doctor before use if you have a persistent or chronic cough that lasts, is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema, or is accompanied by excessive phlegm (mucus).

Stop Use

Stop use and ask a doctor if new symptoms occur, symptoms worsen or do not get better within 7 days, fever worsens or lasts more than 3 days, cough lasts more then 7 days or occurs with rash or persistent headache.

These could be signs of a serious condition.

Pregnancy or Breast Feeding

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children

Keep out of reach of children

Overdosage

In case of accidental overdose, get medical help or contact a Poison Control Center right away.



UMCKA ELDERBERRY

umcka elderberry syrup

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53499-9845
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
PELARGONIUM SIDOIDES ROOT (UNII: H6J53HEX8E) (PELARGONIUM SIDOIDES ROOT - UNII: H6J53HEX8E)	PELARGONIUM SIDOIDES ROOT	4 [hp_X] in 120 mL		
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	4 [hp_X] in 120 mL		
EUCALYPTUS GLOBULUS LEAF (UNII: S546YLW6E6) (EUCALYPTUS GLOBULUS LEAF - UNII:S546YLW6E6)	EUCALYPTUS GLOBULUS LEAF	2 [hp_X] in 120 mL		
SAMBUCUS NIGRA FLOWERING TOP (UNII: CT03BSA18U) (SAMBUCUS NIGRA FLOWERING TOP - UNII:CT03BSA18U)	SAMBUCUS NIGRA FLOWERING TOP	3 [hp_X] in 120 mL		
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	4 [hp_X] in 120 mL		
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	6 [hp_X] in 120 mL		
GELSEMIUM SEMPERVIRENS ROOT (UNII: 639KR60Q1Q) (GELSEMIUM SEMPERVIRENS ROOT - UNII:639KR60Q1Q)	GELSEMIUM SEMPERVIRENS ROOT	4 [hp_X] in 120 mL		
IPECAC (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	3 [hp_X] in 120 mL		
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_X] in 120 mL		

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
EUROPEAN ELDERBERRY (UNII: BQY1UBX046)			
ALCOHOL (UNII: 3K9958V90M)			
GLYCERIN (UNII: PDC6A3C0OX)			
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
WATER (UNII: 059QF0KO0R)			
SORBITOL (UNII: 506T60A25R)			
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BERRY (RASPBERRY AND ELDERBERRY FLAVOR)	Imprint Code	
Contains			

Packaging				
# 11	tem Code	Package Description	Marketing Start Date	Marketing End Date
	OC:53499- 45-7	1 in 1 BOX	12/18/2018	10/31/2024
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Application Number or Monograph Marketing Start Category Citation Date	Marketing End
	Date
unapproved homeopathic 05/15/2017	10/31/2024

Labeler - Schwabe North America (831153908)

Establishment				
Name	Address	ID/FEI	Business Operations	
Schwabe North America, Inc.		831153908	manufacture(53499-9845)	

Revised: 11/2022 Schwabe North America