

ACETAMINOPHEN REGULAR STRENGTH- acetaminophen tablet, coated
CVS PHARMACY

CVS 44-678-Acetaminophen

Active ingredient (in each gelcap)

Acetaminophen 325 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 gels every 4 to 6 hours while symptoms last
 - do not take more than 10 gels in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- use by expiration date on package

Inactive ingredients

corn starch, croscarmellose sodium, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, povidone, propylene glycol, shellac glaze, stearic acid, titanium dioxide

Questions or comments?

1-800-426-9391

Principal display panel

CVS

Health®

Compare to the active ingredient
in Tylenol® Regular Strength*

Gelcaps

Regular Strength

Acetaminophen

Gelcaps, 325 mg

Pain reliever,
Fever reducer

Aspirin Free

Actual Size

365 GELCAPS

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or
distributed by Johnson & Johnson
Corporation, owner of the registered
trademark Tylenol® Regular Strength.

50844 REV0421A67851

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

© 2023 CVS/pharmacy

CVS.com®

1-800-SHOP CVS V-11112

**100% money back
guaranteed.**

CVS.com/returnpolicy



Compare to the active ingredient in Tylenol® Regular Strength*

Gelcaps

Regular Strength

Acetaminophen

Gelcaps, 325 mg

Pain reliever,
Fever reducer

Aspirin Free



Actual Size

365 GELCAPS



TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each gelcap)
Acetaminophen 325 mg..... Pain reliever/fever reducer

Uses

- Temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - toothache
 - muscular aches
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- Temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions.

Symptoms may include: skin redness, blisters, rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

If you are allergic to acetaminophen or any of the inactive ingredients in this product

Distributed by:

CVS Pharmacy, Inc.
One CVS Drive

Woonsocket, RI 02895

© 2023 CVS/pharmacy

CVS.com®

1-800-SHOP CVS

V-11112

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol® Regular Strength.

50844 REV0421A67851

#213601

FPO 80%
UPC# 050428313695

100% money back guaranteed.
CVS.com/returnpolicy

X XXXXXX XXXXXX X

PEEL HERE FOR MORE DRUG FACTS

Drug Facts (continued)

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over
 - take 2 gelcaps every 4 to 6 hours while symptoms last
 - do not take more than 10 gelcaps in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- use by expiration date on package

Inactive ingredients

corn starch, croscarmellose sodium, FD&C red #40, FD&C yellow #6, gelatin, hydroxypropyl cellulose, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, polyethylene glycol, polypropylene glycol, stibic glaze, stearic acid, titanium dioxide

Questions or comments? 1-800-426-9391

STOP PEELING

CVS 44-678

ACETAMINOPHEN REGULAR STRENGTH

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-876
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

CROSCARMELOSE SODIUM (UNII: M28OL1HH48)
FD&C RED NO. 40 (UNII: WZB9127XOA)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
SHELLAC (UNII: 46N107B710)
STEARIC ACID (UNII: 4ELV7Z65AP)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics			
Color	red, white	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	LB
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-876-51	365 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/24/2015	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/24/2015	

Labeler - CVS PHARMACY (062312574)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(69842-876) , pack(69842-876)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(69842-876)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(69842-876)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(69842-876)

Revised: 11/2023

CVS PHARMACY