MICONAZOLE 7- miconazole nitrate cream CVS Pharmacy

Miconazole 7

Drug Facts

Active ingredient

Miconazole nitrate USP 2%

Purpose

Vaginal antifungal

Uses

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor.

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes, or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

Ask a doctor or pharmacist before use if you are taking the prescription blood thinning medicine warfarin, because bleeding or bruising may occur.

When using this product

- do not use tampons, douches, spermicides or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- symptoms do not get better in 3 days
- symptoms last more than 7 days
- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- before using this product read the enclosed consumer information leaflet for complete directions and information
- adults and children 12 years of age and over:
 - **applicators:** insert 1 applicatorful into the vagina at bedtime for 7 nights in a row. Throw applicator away after use.
 - use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply the cream onto the itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

Other information

- do not use if seal over tube opening has been punctured
- do not purchase if carton is open
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

benzoic acid (0.20%) as a preservative, butylated hydroxytoluene, mineral oil, oleoyl polyoxylglyceride, PEG-6-32 stearate/glycol stearate, and purified water.

Questions?

call **1-866-923-4914**

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

PRINCIPAL DISPLAY PANEL - 45 g Tube Carton

CVSHealth™

Compare to the active ingredient in Monistat® 7 Vaginal Cream*

7-Day Treatment

Miconazole 7

MICONAZOLE NITRATE VAGINAL CREAM USP (2%)

Vaginal antifungal

NET WT 1.5 OZ (45 g) TUBE + 7 DISPOSABLE APPLICATORS



-Day Treatment

- Cures most vaginal yeast infections
- Relieves associated external itching & irritation



1 Tube of cream

TAMPER EVIDENT: DO NOT USE IF
THE SEAL ON THE
TUBE IS PUNCTURED
OR NOT VISIBLE

5193257 0920 33

NO VARNISH/ NO AQ NO COPY / NO COLOR THIS FLAP FOR LOT # AND EXP DATE PRINT



Compare to the active ingredient in Monistat® 7 Vaginal Cream*

Miconazole 7 MICONAZOLE NITRATE VAGINAL

CREAM USP (2%)

/aginal antifungal

7-Day Treatment

◆CVSHeαlth

NET WT 1.5 0Z (45 g) TUBE

MICONAZOLE NITRAT

CREAM USP

ZE

8

NET WT 1.5 OZ (45 g) TUBE + 7 DISPOSABLE APPLICATORS

T241 B233.0 ENG19.106

Distributed by: CVS Pharmacy, Inc. One CVS Drive, Woonsocket, RI 02895 © 2020 CVS/pharmacy CVS.com® 1-800-SHOP CVS





erly of their respective owners. This product is not affilialed with the makers/owners of Monisial[®] 7.

Questions? cal 1-866-923-4914

Inactive ingredients benset acid (0.204) as a preservalive, butylahed hydroxytobuone, mines polyoxytylycarde, PEG-6-32 steasologilycol steasise, and purified water.

 see carlon or fube crimp for lot nur Other information • do not use it seal over tube opening has been punctured
• do not purchase if carlon is open
• state at 20° is 25°C (8° to 7°C)
• state at 20° is 25°C (8° to 7°C)
• state at 20° is 25°C (8°T)
• Transp

- WhereContract means the encioned consumer information leathet for a plate encioned consumer information leathet for a plate and calcium to a plate and calcium to a night see that the encioned and a plate and calcium to a small amount of cenim onto your imparity to the first and calcium to a small amount of cenim onto your imparity to the first and calcium to a small amount of cenim onto your imparity to the first and a small amount of cenim onto your imparity to be a small amount of cenim onto your imparity to the first and a small amount of cenim onto your imparity to the first and the first and

COURON COURTS (1-000-222-1222) USIN SWEY

To be use as that sets have been as a factor if the operation of the property Drug Facts (continued)

- do not lave raginal Infercourse
 mad increase in vaginal burning, liciting or inflation may occur a fit you do not get compile relief ask a doctor betoe using another product

paramiped deceases (210s); and dishipragms may be damaged and fail to prevent pregnancy or sexually When using this product of other special conditions or other vaginal products. Condoms

Ask a doctor or pharmacist before use if you are taking the prescription bio Bilining medicine warfarin, because bieeding or bruising may occur.

sk a doctor before use 1f you have obgenes inching and discondrof or the litest time lower abdomisaal, back or shoulder pain, fewer, chille, nauesea, womiting, or foul-smelling vaginal dischange. You may have a more serious conditions, you could be progrand or have a sentous unbandying moderal sense for your syndromes, lexitating distorte, or as weakword binnium system. Sone spoced to the tumen tummordefulcionsy vitus (HM) that causes ADD boots spoced to the tumen tummordefulcionsy vitus (HM) that causes ADD as a decister or nhumanicst before use if you are taken the needs thool

s yd bozongeib notizatni fasay lenigev s berl rovon averl uay ti azu ton of Warnings For vaginal use only

Uses • treats vaginal yeast infections • relieves external fiching and imitation due to a vaginal yeast infection

Purpose legenthus legenthus

tetive ingredient Active ingredient

Drug Facts

NO COPY / NO COLOR

MICONAZOLE 7

miconazole nitrate cream

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69842-988

Route of Administration VAGINAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

Miconazole Nitrate (UNII: VW4H1CYW1K) (Miconazole - UNII:7NNO0D7S5M) Miconazole Nitrate 20 mg in 100 g

Inactive Ingredients

····································		
Ingredient Name	Strength	
Butylated Hydroxytoluene (UNII: 1P9D0Z171K)		
Mineral Oil (UNII: T5L8T28FGP)		
Water (UNII: 059QF0KO0R)		
Benzoic Acid (UNII: 8SKN0B0MIM)		

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842- 988-07	1 in 1 CARTON	12/15/2016	
1		45 g in 1 TUBE, WTH APPLICATOR; Type 0: Not a Combination Product		

Marketing Information

riar Reting in or mation				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA074444	01/13/1997		

Labeler - CVS Pharmacy (062312574)

Revised: 3/2023 CVS Pharmacy