

**ACETAMINOPHEN 325 MG- acetaminophen tablet**  
**NuCare Pharmaceuticals, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Acetaminophen USP 325 mg Tablets**

***Drug Facts***

***Active ingredient (in each tablet)***

Acetaminophen USP, 325 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
- headache
- muscular aches
- backache
- minor pain of arthritis
- the common cold
- toothache
- premenstrual or menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg in 24 hours, which is the maximum daily amount
- child takes more than 5 tablets in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if the user has** liver disease

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed (see overdose warning)**

---

adults and children 12 years and over	take 2 tablets every 4-6 hours while symptoms last, not more than 12 tablets in 24 hours
children 6 to 11 years	take 1 tablet every 4-6 hours while symptoms last, not more than 5 tablets in 24 hours
children under 6 years	do not use

---

### ***Other information***

- store at 15° to 30°C (59° to 86°F)

### ***Inactive ingredients***

povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid

### ***Questions or comments?***

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark Tylenol®.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

**www.reliable1labs.com**

**NuCare Pharmaceuticals, Inc.**

**NDC: 68071-4166-5**

**Acetaminophen 325mg #50 Tablets**

Each tablet contains Acetaminophen USP, 325mg Pain reliever/fever reducer

**Warnings:** Liver Warning: This product contains acetaminophen. Severe liver damage may occur if adult takes more than 4,000 mg in 24 hours, which is the maximum daily amount, child takes more than 5 tablets in 24 hours, which is the maximum daily amount, taken with other drugs containing acetaminophen; adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening, blisters, rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. Ask a doctor before use if the user has liver disease. Ask a doctor or pharmacist before use if the user is taking the blood thinning drug warfarin. Round White Tablet Debossed: "Logo P012" on one side

**Product #: P0003050**

**Acetaminophen 325mg**  
Lot: 000000 NDC: 68071-4166-05  
MFR NDC: 69618-010-10 Exp.: 00-00

**Acetaminophen 325mg**  
Lot: 000000 NDC: 68071-4166-05  
MFR NDC: 69618-010-10 Exp.: 00-00

GTIN 00368071416657  
Serial# 00000000002  
Exp. Date 00-00  
LOT#: 000000

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Take \_\_\_\_\_ every \_\_\_\_\_ hours \_\_\_\_\_ times a day.

88071416605\*50-000000-000000

Rev 01/01/19

**WARNING: KEEP OUT OF REACH OF CHILDREN**

**STORE AT CONTROLLED TEMPERATURE 59-86°F.**

## ACETAMINOPHEN 325 MG

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68071-4166(NDC:69618-010)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	AP;012
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68071-4166-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	11/28/2017	
2	NDC:68071-4166-3	30 in 1 BOTTLE; Type 0: Not a Combination Product	11/28/2017	
3	NDC:68071-4166-5	25 in 1 BOTTLE; Type 0: Not a Combination Product	11/28/2017	
4	NDC:68071-4166-4	40 in 1 BOTTLE; Type 0: Not a Combination Product	11/28/2017	
5	NDC:68071-4166-8	50 in 1 BOTTLE; Type 0: Not a Combination Product	11/28/2017	



**ACETAMINOPHEN**  
**325mg Tablet**

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	11/01/2015	

**Labeler** - NuCare Pharmaceuticals, Inc. (010632300)

## Establishment

Name	Address	ID/FEI	Business Operations
NuCare Pharmaceuticals, Inc.		010632300	repack(68071-4166)

Revised: 2/2021

NuCare Pharmaceuticals, Inc.