## OXYGEN- oxygen gas General Air Service & Supply Co

-----

## Oxygen

OXYGEN, COMPRESSED USP UN1072 PRODUCED BY AIR LIQUEFACTION DO NOT REMOVE THIS PRODUCT LABEL OXYGEN 2 WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENCIFY FIRE; OXYDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a wellventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.



REFRIGERATED LIQUID OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2 14014 (04/15) FILLED AND INSPECTED BY GENERAL AIR SERVICE And SUPPLY 1105 ZUNI ST. DENVER, CO 80204 303-892-7003 WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.



OXYGEN						
oxygen gas						
Product Information						
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:21220-119			
Route of Administration	RESPIRATORY (INHALATION)					
Active Ingredient/Active Moiety						
Ingredient Name		Basis of Strength	Strength			

OXYGEN

Pa	Packaging					
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:21220- 119-01	8778 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
2	NDC:21220- 119-02	7108 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
3	NDC:21220- 119-03	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
4	NDC:21220- 119-04	2605 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
5	NDC:21220- 119-05	1841 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
6	NDC:21220- 119-06	708 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
7	NDC:21220- 119-07	425 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
8	NDC:21220- 119-08	170 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
9	NDC:21220- 119-09	160 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1972			
10	NDC:21220- 119-10	180 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1972			
11	NDC:21220- 119-11	196 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1972			
12	NDC:21220- 119-12	230 L in 1 DEWAR; Type 0: Not a Combination Product	06/01/1972			
13	NDC:21220- 119-13	549 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/1972			
Μ	Marketing Information					
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ND	4	NDA205849	06/01/1972			

## Labeler - General Air Service & Supply Co (051227338)

Establishment						
Name	Address	ID/FEI	<b>Business Operations</b>			
General Air Service & Supply Co		006686091	manufacture(21220-119)			

## Establishment

Name	Address	ID/FEI	<b>Business Operations</b>
General Air Service & Supply Co		015482032	manufacture(21220-119)