

**ROLAIDS EXTRA STRENGTH MINT- calcium carbonate and magnesium hydroxide tablet, chewable**  
**Chattem, Inc.**

-----  
**Roloids Extra Strength Tablets Mint**

**Extra Strength Antacid Roloids *Mint 10* Chewable Tablets**

**Drug Facts**

***Active ingredient***

**(in each tablet)**

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

***Purpose***

Antacid

***Use***

relieves:

- heartburn
- sour stomach
- acid indigestion

***Warnings***

**Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

***Directions***

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

***Other information***

each tablet contains: **calcium 270 mg, magnesium 55 mg**

### ***Inactive ingredients***

dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)

Dist. by CHATTEM, INC.  
P.O. Box 2219  
Chattanooga, TN 37409

## **Regular Strength Antacid Roloids *Mint* 96 Chewable Tablets**

### **Drug Facts**

#### ***Active ingredient***

##### **(in each tablet)**

Calcium carbonate USP 675 mg  
Magnesium hydroxide USP 135 mg

#### ***Purpose***

Antacid

#### ***Use***

relieves:

- heartburn
- sour stomach
- acid indigestion

#### ***Warnings***

**Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

#### **When using this product**

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

#### ***Directions***

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

#### ***Other information***

each tablet contains: **calcium 270 mg, magnesium 55 mg**

### ***Inactive ingredients***

dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-054)

As a daily source of calcium and magnesium, chew 2 tablets twice daily.

### ***Supplement Facts***

Serving Size: 2 Tablets, Servings Per Container: 48, Amount Per Serving: Calories 8, Total Carb 2 g (<1% DV\*), Sugars 2 g (†DV), Calcium 540 mg (54% DV), Magnesium 110 mg (29% DV). \*Percent Daily Values (DV) are based on a 2,000 calories diet.

†Daily Value not established.

### ***Other ingredients***

sucrose, dextrose, stearic acid, magnesium stearate, silicon dioxide, flavor, sucralose

## **Regular Strength Antacid Roloids *Mint 30* Chewable Tablets**

### **Drug Facts**

#### ***Active ingredient***

#### **(in each tablet)**

Calcium carbonate USP 675 mg

Magnesium hydroxide USP 135 mg

#### ***Purpose***

Antacid

#### ***Use***

relieves:

- heartburn
- sour stomach
- acid indigestion

#### ***Warnings***

**Ask a doctor or pharmacist before use if you are**

now taking a prescription drug. Antacids may interact with certain prescription drugs.

#### **When using this product**

- do not take more than 10 tablets in a 24-hour period
- do not use the maximum dosage for more than 2 weeks

**Keep out of reach of children.**

***Directions***

- chew 2-4 tablets as symptoms occur, or as directed by a doctor

***Other information***

each tablet contains: **calcium 270 mg, magnesium 55 mg**

***Inactive ingredients***

dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)

Dist. by CHATTEM, INC.  
P.O. Box 2219  
Chattanooga, TN 37409

**PRINCIPAL DISPLAY PANEL**

**EXTRA STRENGTH ANTACID**

Roloids®

10 Mint Chewable Tablets

EXTRA STRENGTH ANTACID

©2013 Chattem, Inc. 0083425-01

# Rolaid's®



## 10 Mint Chewable Tablets



**Drug Facts**

0-41167-10015-8

**Drug Facts (continued)**

Active ingredients (in each tablet)	Purpose
Calcium carbonate USP 675 mg	Antacid
Magnesium hydroxide USP 135 mg	Antacid

**Uses** relieves: ■ heartburn ■ sour stomach  
■ acid indigestion

**Warnings** Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. **When using this product** ■ do not take more than 10 tablets in a 24-hour period ■ do not use the maximum dosage for more than 2 weeks

Keep out of reach of children.

**Directions** ■ chew 2-4 tablets as symptoms occur, or as directed by a doctor

**Other information** each tablet contains:  
**calcium 270 mg, magnesium 55 mg**

**Inactive ingredients** dextrose, flavor, magnesium stearate, silicon dioxide, stearic acid, sucralose, sucrose (309-059)

Dist. by Chattem, Inc., P.O. Box 2219, Chattanooga, TN 37409

Safety Sealed - Do not use if foil wrapping is damaged

### PRINCIPAL DISPLAY PANEL

**EXTRA STRENGTH ANTACID**

Rolaid's®

Rapid Relief of:

Heartburn

Acid Indigestion

96 Chewable Tablets

Mint



**PRINCIPAL DISPLAY PANEL**

**EXTRA STRENGTH**

Rolaid's®

ANTACID

Rapid Relief of:

Heartburn

Acid Indigestion

3 Rolls

30 Chewable Tablets

Mint



# ROLAIDS EXTRA STRENGTH MINT

calcium carbonate and magnesium hydroxide tablet, chewable

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-1001
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	675 mg
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	135 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	MINT	<b>Imprint Code</b>	R;X
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1001-6	3 in 1 CELLO PACK	09/01/2013	03/31/2016
1	NDC:41167-1001-5	10 in 1 PACKAGE; Type 0: Not a Combination Product		
2	NDC:41167-1001-1	96 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	
3	NDC:41167-1001-3	116 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	03/31/2019
4	NDC:41167-1001-0	120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	09/01/2013	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	09/01/2013	

**Labeler** - Chattem, Inc. (003336013)

Revised: 10/2023

Chattem, Inc.