HARRIS TEETER STOOL SOFTENER- docusate sodium capsule, liquid filled Harris Teeter, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Harris Teeter, LLC Stool Softener Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg

Purpose

Stool softener laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use if you are

taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

• Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 - 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 6 mg
- very low sodium
- store at 20-25°C (68-77°F)

Inactive ingredients

D&C red no. 33, edible ink, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

Stool Softener

Stool Softener Laxative

Docusate Sodium 100 mg


Gentle Dependable Effect

Stimulant-Free

Compare to the active ingredient in Colace[®] Capsules

ACTUAL SIZE

60 SOFTGELS





Docusate Sodium 100 mg

Drug Facts (continued)

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a

Poison Control Center right away (1-800-222-1222).

Directions

■ Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1 - 3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 vears	ask a doctor

Other information

■ each softgel contains: sodium 6 mg ■ very low sodium

■ store at 20-25°C (68-77°F)

Drug Facts (continued)

Inactive ingredients

D&C red no. 33, edible ink, FD&C blue no. 1 FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitol sorbitan solution, titanium dioxide

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Capsules.

RETAIN THIS CARTON FOR COMPLETE INFORMATION

Do not use if printed seal under cap is broken or missing

PROUDLY DISTRIBUTED BY: HARRIS TEETER, LLC MATTHEWS, NC 28105

Syour*plus*guarantee.

If you are not 100% satisfied with this product, symply return it with your VIC card for a full return.

Plus we will replace it with a like item of your choice.

For full details: 1-800-432-6111 or harristeeter.com.



Stool Softener

Docusate Sodium 100 mg Gentle Dependable Effect Stimulant-Free

mpare to the active ingred Colace[®] Capsules*



60 SOFTGELS

Drug Facts

Active ingredient (in each softgel)

Docusate sodium 100 mg... Stool softener laxative

Purpose

Uses

(irregularity)

generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have ■ stomach pain

- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Ask a doctor or pharmacist before use it you are taking any other drug. Take this product two or more hours before or after other drugs. Laxatives may affect how other drugs work.





48672 HT C2

HARRIS TEETER STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69256-486

ORAL Route of Administration

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients Ingredient Name Strength D&C RED NO.33 (UNII: 9DBA0SBB0L)

FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	

Product Characteristics			
Color	RED, WHITE (to off beige)	Score	no score
Shape	OVAL (softgel)	Size	13mm
Flavor		Imprint Code	L486
Contains			

F	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69256-486-72	1 in 1 CARTON	10/24/2017	
1		60 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part334	10/24/2017		

Labeler - Harris Teeter, LLC (048463103)

Revised: 4/2019 Harris Teeter, LLC