EXTRA STRENGTH NUMBIFY ANORECTAL- lidocaine hcl gel ridge properties

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredient: Lidocaine HCL 5%

Directions:

Test skin for sensitivity prior to use. Apply thick layers every 3 minutes until desired level of pain relief is reached. Discontinue use if sensitivity occurs. Not for use near the eyes, or on the face.

Inactive Ingredients: Alcohol, Water, Kava Kava, Acrylates C10-30 Alkyl Acrylate Crosspolymer, Benzyl Alcohol

Uses: For Temporary Pain Relief

Warning: Keep out of reach of children. For external use only. Not for use around the eyes

Purpose: Topical Anesthetic

Warning: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. NOT FOR USE AROUND THE EYES. IF INGESTED SEEK MEDICAL HELP OR CALL A POISON CONTROL CENTER IMMEDIATELY. Stop use and ask a doctor if skin becomes irritated, condition worsens, symptoms last longer than 7 days or if symptoms clear up and then return within a few days.

FDA REGISTERED: NDC# 69804-078-03

Drug Facts: For Professional Use Only

Active Ingredients: Lidocaine HCL 5%

Inactive Ingredients: Alcohol, Water, Kava Kava, Mica Powder, Acrylates C10-30 Alkyl Acrylate Crosspolymer, Benzyl Alcohol

4 Ounce Cream

Do Not Use If you have any known allergy to any of the ingredients in this product. Discontinue use and seek medical attention should any reaction occur

Directions: Test skin for sensitivity prior to use. Apply thick layers every 3-5 minutes until desired level of pain relief is reached. Discontinue use if sensitivity occurs. Not for use on or near the





Professional Anesthetic Power

Warning: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. NOT FOR USE AROUND THE EYES. IF INGESTED SEEK MEDICAL HELP OR CALL A POISON CONTROL CENTER IMMEDIATELY. Stop use and ask a doctor if skin becomes irritated, condition worsens, symptoms last longer than 7 days or if symptoms clear up and then return within a few days.

Other Information: Product manufactured, packed & distributed by Pai Relief Naturally. In event of a serious adverse reaction please call 1 (877) 906-4806 Or write us at 4995 Ridge DR NF Salem OR 97301

Purpose: Topical anesthetic Uses: For temporary relief of topical pain

WWW.NUMBIFY.COM

EXTRA STRENGTH NUMBIFY ANORECTAL

lidocaine hcl gel

Product Information

Product TypeHUMAN OTC DRUGItem Code (Source)NDC:69804-080

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name
Basis of Strength
LIDO CAINE HYDRO CHLO RIDE (UNII: V13007Z41A) (LIDO CAINE UNII:98 PI200987)
LIDO CAINE HYDRO CHLO RIDE
ANHYDRO US
50 mg
in 1000 mg

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	500 mg in 1000 mg
PIPER METHYSTICUM ROOT (UNII: BOW48C81XP)	14 mg in 1000 mg
WATER (UNII: 059QF0KO0R)	396 mg in 1000 mg
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	30 mg in 1000 mg
BENZYL ALCOHOL (UNII: LKG8494WBH)	10 mg in 1000 mg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69804-080-10	28500 mg in 1 JAR; Type 0: Not a Combination Product	12/31/2017	
2	NDC:69804-080-11	56700 mg in 1 JAR; Type 0: Not a Combination Product	12/31/2017	
3	NDC:69804-080-12	113400 mg in 1 JAR; Type 0: Not a Combination Product	12/31/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/31/2017	

Labeler - ridge properties (029478762)

Establishment

Name	Address	ID/FEI	Business Operations
ridge properties		029478762	manufacture(69804-080)

Revised: 6/2020 ridge properties