

**HELIUM OXYGEN NITROGEN MIXTURE- helium oxygen nitrogen mixture gas
Praxair Distribution, Inc.**

Helium Oxygen Nitrogen Mixture

Oxygen, Helium, Nitrogen Mix

UN1956

GASES,

N.O.S.

(OXYGEN,

HELIUM, NITROGEN)

% OXYGEN USP CAS: 7782-44-7

% HELIUM USP CAS: 7740-59-7

% NITROGEN NF CAS: 7727-37-9

NET CONTENTS

LOT NUMBER

CAUTION! HIGH-PRESSURE GAS. MAY ACCELERATE COMBUSTION. CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE RAPID ASPHYXIATION MAY CAUSE DIZZINESS AND DROWSINESS.

Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Store and use with adequate ventilation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

RX ONLY

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and

frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633

Copyright @ 1997-1998, 2003, 2006, Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL MMG-7 (07/06)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



**UN1956
COMPRESSED
GASES,
N.O.S.
(OXYGEN,
HELIUM, NITROGEN)**



_____ % OXYGEN USP CAS: 7782-44-7

_____ % HELIUM USP CAS: 7440-59-7

_____ % NITROGEN NF CAS: 7727-37-9

LOT NUMBER _____

NET CONTENTS _____

CAUTION! HIGH-PRESSURE GAS. MAY ACCELERATE COMBUSTION. CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE RAPID ASPHYXIATION. MAY CAUSE DIZZINESS AND DROWSINESS.

Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Store and use with adequate ventilation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any

pressure and created for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

Rx ONLY.

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

IN CASE OF EMERGENCY: CALL 1-800-645-4633

Copyright © 1997-1998, 2003, 2006, Praxair Technology, Inc.
All rights reserved.

Praxair, the Flowing Airstream design, and Medipure
are trademarks of Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL



DISTRIBUTED BY
PRAXAIR, INC.
DANBURY, CT 06810-5113
MMG-7 (07/06)

MADE IN USA

UN3156

COMPRESSED GAS,

OXIDIZING N.O.S.

(OXYGEN, HELIUM, NITROGEN)

% OXYGEN USP CAS: 7782-44-7

% HELIUM USP CAS: 7740-59-7

% NITROGEN NF CAS: 7727-37-9

NET CONTENTS

LOT NUMBER

WARNING! HIGH-PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES
COMBUSTION

Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

RX ONLY

WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed

practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and





frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633

Copyright © 1997-1998, 2003, 2005, Praxair Technology, Inc.

DO NOT REMOVE THIS LABEL MMG-7-0 (10/05)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc. DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113

	
UN3156 COMPRESSED GAS, OXIDIZING, N.O.S. (OXYGEN, HELIUM, NITROGEN)	
 	
Components:	WARNING! HIGH-PRESSURE, OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.
_____ % OXYGEN USP CAS: 7782-44-7	Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and Praxair safety booklets P-3499 and P-14-153. Obtain from your local supplier.
_____ % HELIUM USP CAS: 7440-59-7	FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.
_____ % NITROGEN NF CAS: 7727-37-9	Rx ONLY.
LOT NUMBER _____	WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.
NET CONTENTS _____	Rx ONLY.
IN CASE OF EMERGENCY: CALL 1-800-645-4633	DO NOT REMOVE THIS LABEL
MMG-7-0 (10/05) MADE IN USA	
Copyright © 1997-1998, 2003, 2005, Praxair Technology, Inc. All rights reserved.	
Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc.	
PRAXAIR, INC. DANBURY, CT 06810-5113	

HELIUM OXYGEN NITROGEN MIXTURE

helium oxygen nitrogen mixture gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:59579-010
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HELIUM (UNII: 206GF3GB41) (HELIUM - UNII:206GF3GB41)	HELIUM	200 mL in 1 L
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	500 mL in 1 L
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	300 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59579-010-01	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
2	NDC:59579-010-02	5975 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
3	NDC:59579-010-03	2010 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
4	NDC:59579-010-04	963 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
5	NDC:59579-010-05	595 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	
6	NDC:59579-010-06	368 L in 1 CYLINDER; Type 0: Not a Combination Product	10/01/2005	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA authorized generic	NDA205851	10/01/2005	

Labeler - Praxair Distribution, Inc. (042845636)

Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution, Inc		161317490	manufacture(59579-010)