ACNE TREATMENT DAYTIME- salicylic acid cream Malin and Goetz Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acne Treatment Daytime

Active ingredient Purpose

Salicylic Acid (2%) Acne Treatment

Uses

for the treatment of acne

Using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. If this occurs, only one drug should be used, unless directed by a doctor

Using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. If this occurs, only one drug should be used, unless directed by a doctor

Warnings For external use only

Directions

- Cleanse face thoroughly before applying
- apply directly on acne pimples

Water (Aqua), Alcohol, Butylene Glycol, Hamamelis Virginiana (Witch Hazel) water, Lactic Acid, Salicylic Acid, PEG-40 Hydrogenated Castor Oil, PPG-26-Buteth-26, Hydroxyethylcellulose, Sodium C8-16 Isoalkylsuccinyl Soy Sulfonate, Ammonium hydroxide, Farnesol, Fragrance (parfum), Glycerin, Tetra-sodium EDTA, Niacinamide, Panthenol, Lavandula Angustifolia (Lavender) Flower Extract, Camellia Oleifera Leaf Extract, Ascorbic Acid, Echinacea Purpurea Extract, Cymbopogon Schoenanthus Extract, Sodium Hyaluronate, Limonene, Propylene Glycol, Hexyl Cinnamal Epilobium Angustifolium Flower/Leaf/Stem Extract, Hypnea Musciformis Extract, Citronellol, Betaine, Saccharomyces Lysate Extract, Sargassum Filipendula Extract, Butylphenyl Methylpropional, Sorbitol, Saccharomyces/copper ferment, Saccharomyces/Zinc Ferment, Sodium PCA, Saccharomyces/Iron Ferment, Saccharomyces/magnesium Ferment, Glycyrrhiza (Licorice) Root Extract, Saccharomyces/Silicon Ferment, Linalool, Citral, Coumarin, Gellidiela Acerosa Extract, Tocopheryl Acetate, Yucca Schidigera Root Extract, Retinyl Palmitate, Phenoxyethanol, Cinnamomum Cassia Bark Extract, Proline, Poterium Officinale Root Extract, Zingiber Officiale (Ginger) Root Extract, Serine, Blue 1 (CI 42090), Glycine, Glutamic Acid, Lysine, Alanine, Arginine, Lecithin, Bisabolol, Threonine, Silica, Pyrus Malus (Apple) Fruit Extract, Cola Acuminata Seed Extract

(Malin+Goetz)

acne treatment daytime

0.5fl. oz. 15 ml

(MALIN+GOETZ)

2.0% SALICYLIC ACID. DAYTIME TREATMENT. ADVANCED TECHNOLOGY—AT-115-1/2.

OUR EFFECTIVE ACNE TREATMENT DAYTIME SYNTHESIZES SALICYLIC AND LACTIC ACIDS WITH NATURAL WITCH HA-ZEL TO ADDRESS BLEMISHES AND OILY SKIN. BALANCED WITH PANTHENOL AND ANTI-OXIDANT VITAMINS A, C, AND E, THIS FORMULA AIDS HEALING AND REPAIR TO HELP MINIMIZE BREAKOUTS AND IMPROVE CLARITY WITHOUT OVERDRYING OR IRRITATING THE SKIN. USE THIS DAY-TIME FORMULA AS A SUPPLEMENT TO OUR BEST-SELLING **NIGHTTIME TREATMENT. DIRECTIONS: AFTER CLEANSING,** APPLY TREATMENT GEL DIRECTLY TO BLEMISH. DUE TO EXCE-SSIVE DRYING, LIMIT ONE APPLICATION DAILY. CAUTION: FOR EXTERNAL, ADULT USE ONLY. AVOID CONTACT WITH EYES. IF CONTACT OCCURS, IMMEDIATELY FLUSH WITH WATER. IF SKIN IRRITATION OCCURS, DISCONTINUE USE AND CONSULT A DOC-TOR. USING ACNE MEDICATION IN CONJUNCTION WITH THIS PRODUCT MAY INCREASE DRYING AND IRRITATION TO THE SKIN. ONLY ONE TOPICAL ACNE MEDICATION SHOULD BE USED AT A TIME UNLESS DIRECTED BY A DOCTOR. FORMULATED AND DIST-RIBUTED BY: MALIN+GOETZ INC., 210 WEST 29TH STREET, NEW YORK, NY 10001, TEL +1 212 244 7771. WWW.MALINANDGOETZ.COM. MALIN+GOETZ DOES NOT TEST ON ANIMALS. MADE IN USA.

0.5fl.oz.@15ml

Drug Facts

Active Ingredient Salicylic Acid (2%)..... Purpose Acne Treatment

Uses

for the treatment of acne

Warnings For external use only.

using other topical acne drugs at the same time or right after use of this product may increase dryness or irritation of the skin. If this occurs, only one drug should be used unless directed by a doctor

When using this product

avoid contact with eyes. If contact occurs, immediately flush with water.

Directions

- cleanse face thoroughly before applying
- apply directly on acne pimples

Inactive Ingredients

Water (Aqua), Alcohol, Butylene Glycol, Hamamelis Virginiana (Witch Hazel) Water, Lactic Acid, Salicylic Acid, PEG-40 Hydrogenated Castor Oil, PPG-26-Buteth-26, Hydroxyethylcellulose, Sodium C8-16 Isoalkylsuccinyl Soy Sulfonate, Ammonium Hydroxide, Farnesol, Fragrance (Parfum), Glycerin, Tetrasodium EDTA, Niacinamide, Panthenol, Lavandula Angustifolia (Lavender) Flower Extract, Camellia Oleifera Leaf Extract, Ascorbic Acid, Echinacea Purpurea Extract, Cymbopogon Schoenanthus Extract, Sodium Hyaluronate, Limonene, Propylene Glycol, Hexyl Cinnamal, Epilobium

Drug Facts (continued)

Inactive Ingredients

Angustifolium Flower/Leaf/Stem Extract. Hypnea Musciformis Extract. Citronellol, Betaine, Saccharomyces Lysate Extract, Sargassum Filipendula Extract, Butylphenyl Methylpropional, Sorbitol, Saccharomyces/Copper Ferment, Saccharomyces/Zinc Ferment, Sodium PCA, Saccharomyces/Iron Ferment, Saccharomyces/Magnesium Ferment, Glycyrrhiza Glabra (Licorice) Root Extract, Saccharomyces/Silicon Ferment, Linalool, Citral, Coumarin, Gellidiela Acerosa Extract, Tocopheryl Acetate, Yucca Schidigera Root Extract, Retinyl Palmitate, Phenoxyethanol, Cinnamomum Cassia Bark Extract, Proline, Poterium Officinale Root Extract, Zingiber Officinale (Ginger) Root Extract, Serine, Blue 1 (CI 42090), Glycine, Glutamic Acid, Lysine, Alanine, Arginine, Lecithin, Bisabolol, Threonine, Silica, Pyrus Malus (Apple) Fruit Extract, Cola Acuminata Seed Extract.

(MALIN+GOETZ)®





(MALIN+GOETZ) acne treatment daytime.

2.0% SALICYLIC ACID. DAYTIME TREATMENT. ADVANCED TECHNOLOGY—AT-115-1/2.

0.5fl.oz.@15ml





(MALIN+GOETZ)®

OUR EFFECTIVE ACNE TREATMENT DAYTIME SYNTHESIZES SALICYLIC AND LACTIC ACIDS WITH NATURAL WITCH HAZEL TO ADDRESS BLEMISHES AND OILY SKIN. BALANCED WITH PANTHENOL AND ANTIOXIDANT VITAMINS A, C, AND E, THIS FORMULA AIDS HEALING AND REPAIR TO HELP MINIMIZE BREAKOUTS AND IMPROVE CLARITY WITHOUT OVERDRYING OR IRRITATING THE SKIN. USE THIS DAYTIME FORMULA AS A SUPPLEMENT TO OUR BEST-SELLING NIGHTTIME TREATMENT. DIRECTIONS: AFTER CLEANSING, APPLY TREATMENT GEL DIRECTLY TO BLEMISH. DUE TO EXCESSIVE DRYING, LIMIT ONE APPLICATION DAILY. CAUTION: FOR EXTERNAL, ADULT USE ONLY. AVOID CONTACT WITH EYES. IF CONTACT OCCURS, IMMEDIATELY FLUSH WITH WATER. IF SKIN IRRITATION OCCURS, DISCONTINUE USE AND CONSULT A DOCTOR. USING ACNE MEDICATION IN CONJUNCTION WITH THIS PRODUCT MAY INCREASE DRYING AND IRRITATION TO THE SKIN. ONLY ONE TOPICAL ACNE MEDICATION SHOULD BE USED AT A TIME UNLESS DIRECTED BY A DOCTOR. FORMULATED AND DISTRIBUTED BY: MALIN+GOETZ, INC., 210 WEST 29TH ST., NEW YORK, NY 10001, TEL +1 212 244 7771, WWW.MALINANDGOETZ.COM. MALIN+GOETZ DOES NOT TEST ON ANIMALS. MADE IN USA.

ACNE TREATMENT DAYTIME

salicylic acid cream

Dra	du	ct	Info	rma	tion
PFO	(III		11110	пша	HOH

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53634-125

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 1 mL

Inactive Ingredients

U			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
ALCOHOL (UNII: 3K9958V90M)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00 Y05A2V)			
LACTIC ACID (UNII: 33X04XA5AT)			
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)			

PPG-26-BUTETH-26 (UNII: 2II1K6TZ4P) HYDROXYETHYL CELLULOSE (140 CPS AT 5%) (UNII: 8136Y38GY5)	
AMMO NIA (UNII: 5138Q19F1X)	
FARNESOL (UNII: EB41QIU6JL)	
GLYCERIN (UNII: PDC6A3C0OX)	
NIACINAMIDE (UNII: 25X5118 RD4)	
PANTHENOL (UNII: WV9CM0O67Z)	
LAVANDULA ANGUSTIFOLIA SUBSP. ANGUSTIFOLIA FLOWER (UNII: 19 AH1RAF4M)	
CAMELLIA OLEIFERA LEAF (UNII: 5077EL0C60)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
ECHINACEA PURPUREA (UNII: QI7G114Y98)	
CYMBOPOGON SCHOENANTHUS TOP (UNII: 9SJI1LW39W)	
HYALURO NATE SO DIUM (UNII: YSE9 PPT4TH)	
LIMO NENE, (+)- (UNII: GFD7C86Q1W)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALPHAHEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
EPILOBIUM ANGUSTIFO LIUM FLO WERING TOP (UNII: 08H094218D)	
HYPNEA MUSCIFORMIS (UNII: W6FF9R1FJV)	
BETAINE (UNII: 3SCV180C9W)	
SACCHAROMYCES LYSATE (UNII: R85W246Z1C)	
SARGASSUM FILIPENDULA (UNII: 55P66J5H7N)	
BUTYLPHENYL METHYLPROPIONAL (UNII: T7540GJV69)	
SORBITOL (UNII: 506T60A25R)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
GLYCYRRHIZA GLABRA (UNII: 2788Z9758H)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
CITRAL (UNII: T7EU0O9VPP)	
COUMARIN (UNII: A4VZ22K1WT)	
ALPHATO COPHERO L ACETATE (UNII: 9E8 X80 D2L0)	
YUCCA SCHIDIGERA ROOT (UNII: E2H9ET15AT)	
VITAMIN A PALMITATE (UNII: 1D1K0 N0 VVC)	
PHENO XYETHANO L (UNII: HIE492ZZ3T)	
CHINESE CINNAMON (UNII: WS4CQ062KM)	
PROLINE (UNII: 9DLQ4CIU6V)	
SANGUISORBA OFFICINALIS ROOT (UNII: 4NYV2HT01X)	
SERINE (UNII: 452VLY9402)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GLYCINE (UNII: TE7660 XO 1C)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
LYSINE (UNII: K3Z4F929H6)	
ALANINE (UNII: OF5P57N2ZX)	
ARGININE (UNII: 94ZLA3W45F)	
LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)	
LEVOMENOL (UNII: 24WE03BX2T)	
ΓHREO NINE (UNII: 2ZD004190S)	
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)	
,	
APPLE (UNII: B423VGH5S9)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53634-125-02	1 in 1 CARTON	0 1/0 3/20 18	
1	NDC:53634-125-01	15 mL in 1 PACKAGE; Type 0: Not a Combination Product		
Marketing Information				
N	larketing Categor	y Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
О	TC monograph final	part333D	0 1/0 3/20 18	

Labeler - Malin and Goetz Inc (138615930)

Establishment				
Name	Address	ID/FEI	Business Operations	
Milbar Laboratories, Inc.		195556790	manufacture (53634-125)	

Revised: 1/2021 Malin and Goetz Inc