SALICYLIC ACID- liquid corn and callus remover liquid LEADER/ Cardinal Health 110, Inc.

Leader Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)

 repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other Information

store between 20 ° to 30 °C (68 ° to 86 °F)

Inactive ingredients

camphor, castro oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-800-200-6313

Principal Display Panel

LEADER

Liquid Corn & Callus Remover Salicylic Acid 17%

Safely Removes Corns and Calluses

Cushions and Protects

3 Cushions

0.33 FL OZ (9.8 mL)

LEADER? Liquid Corn & Callus Remover Salicylic Acid 17%	Drug Facts Purpose Salicylic acid 17% wwwCom and callus remover Uses • of the removal of coms and calluses • of the removal of coms and calluses • elleves pain by removing coms and calluses Warnings For external use only.
Safely Removes Coms and Calluses Cushions and Protects Cushions and Protects Cushions and Protects Cushions and Protects Cushions and Protects Cushions and Protects	Warnings For external use only. Fammable • cap bottle tightly and store at noon temperature away from heat Do not use • on initiated skin • no initiated skin • noi of abottly on polatistic When using this product • avoid initiating vapois • avoid initiation ask a doctor if discomfort persists, see your doctor or podiatrist. Keep out of reach of children. • swalowed, get medical help or contact a Poison Control Center right away. Directions • apply one of op at a time with applicator for sufficiently cover each com/calues; let dry • apply one of op at a time with applicator for sufficiently covere

SALICYLIC ACID					
liquid corn and callus remover	r liquid				
Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:70000-0332	
Route of Administration	TOPICAL				
Active Ingredient/Active	Moiety				
Ingredient Name			Basis of Strength		Strength
SALICYLIC ACID (UNII: 0414PZ4LF	PZ) (SALICYLIC ACID - UNII:	O414PZ4LPZ)	SALICYLIC ACID		17 g in 100 ml
Inactive Ingredients					
	Ingredient Name			S	trength
PYROXYLIN (UNII: KYR8BR2X6O)					
CAMPHOR (NATURAL) (UNII: N20F	IL7Q941)				
CASTOR OIL (UNII: D5340Y2I9G)					

Pa	ackaging			
#	ltem Code	Package Description	Marketing Star Date	: Marketing End Date
1	NDC:70000- 0332-1	1 in 1 CARTON	02/02/2018	
1		9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product		
Μ	larketing	Information		
M	larketing Marketing Category	Information Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - LEADER/ Cardinal Health 110, Inc. (063997360)

Revised: 2/2024

LEADER/ Cardinal Health 110, Inc.