## MAPAP ARTHRITIS PAIN- acetaminophen tablet, film coated, extended release Major Pharmaceuticals

-----

#### Major Pharmaceuticals Mapap® Arthritis Pain Drug Facts

#### **Active ingredient (in each caplet)**

Acetaminophen 650 mg

#### Purpose

Pain reliever/fever reducer

#### Uses

- temporarily relieves minor aches and pains due to:
- minor pain of arthritis
- muscular aches
- backache
- premenstrual and menstrual cramps
- the common cold
- headache
- toothache
- temporarily reduces fever

#### **Warnings**

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

#### Ask a doctor before use if you have

liver disease

#### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

#### Stop use and ask a doctor if

• pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

do not take more than directed (see overdose warning)

adults	<ul> <li>take 2 caplets every 8 hours with water</li> <li>swallow whole – do not crush, chew, split or dissolve</li> <li>do not take more than 6 caplets in 24 hours</li> <li>do not use for more than 10 days unless directed by a doctor</li> </ul>	
under 18 years of age	• ask a doctor	

#### Other information

- store at 20°-25°C (68°-77°F). Avoid excessive heat 40°C (104°F).
- see end panel for lot number and expiration date

#### **Inactive ingredients**

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

#### Questions or comments?

1-800-719-9260

#### **Principal Display Panel**

TEMPORARY, MINOR

Mapap® ARTHRITIS PAIN

Acetaminophen Extended-Release Tablets, 650 mg

# PAIN RELIEVER FEVER REDUCER COMPARE TO active ingredient of TYLENOL® ARTHRITIS PAIN

\*Capsule-shaped tablets

650 mg EACH






\*Capsule-shaped tablets

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever • Fever Reducer



## **Drug Facts**

#### Active ingredient (in each caplet)

Purpose

Acetaminophen 650 mg.....Pain reliever/fever reducer

- temporarily relieves minor aches and pains due to:
  - minor pain of arthritis
  - muscular aches ■ backache
  - premenstrual and menstrual cramps
  - the common cold
     headache
     toothache
- temporarily reduces fever

#### Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin


#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.







### MAPAP ARTHRITIS PAIN

acetaminophen tablet, film coated, extended release

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0904-5769
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINO PHEN (ACETAMINO PHEN)	ACETAMINOPHEN	650 mg	

Inactive Ingredients			
Ingredient Name	Strength		
CARNAUBA WAX			
SILICON DIO XIDE			
CROSCARMELLOSE SODIUM			
HYPROMELLOSES			
MAGNESIUM STEARATE			
MALTO DEXTRIN			
CELLULOSE, MICRO CRYSTALLINE			
POLYETHYLENE GLYCOLS			
POLYSORBATE 80			
POVIDONES			
STEARIC ACID			
TITANIUM DIO XIDE			

Product Characteristics			
Color	WHITE	Score	no score
Shape	CAPSULE (caplet)	Size	19 mm
Flavor		Imprint Code	L544
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:0904-5769-60	1 in 1 CARTON			
1	100 in 1 BOTTLE			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA075077	02/16/2006		

## Labeler - Major Pharmaceuticals (191427277)

Revised: 2/2013 Major Pharmaceuticals