

ZICAM ULTRA COLD REMEDY RAPIDMELTS- zinc acetate anhydrous and zinc gluconate tablet
CHURCH & DWIGHT CO., INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Zicam® Ultra Cold Remedy Rapidmelts®

Drug Facts

Active ingredients (in each tablet)

Zincum aceticum 2x
Zincum gluconicum 1x

Purpose

Reduces duration of the common cold and helps relieve nasal congestion

Uses

- Reduces duration of the common cold and helps relieve nasal congestion

Zicam® ULTRA Cold Remedy was not formulated to be effective for flu or allergies.

Warnings

If you are allergic or sensitive to zinc, consult a doctor before using.

Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **for best results, use at the first sign of a cold and continue to use until symptoms completely subside**
- adults and children 12 years of age and older:
 - take 1 tablet at the onset of symptoms
 - dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 - repeat every 2–3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.
 - to avoid minor stomach upset, do not take on an empty stomach
 - do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or

juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.

- children under 12 years of age: ask a doctor before use

Other information

- store between 15-29°C (59-84°F)

Inactive ingredients

crospovidone, flavor, magnesium stearate, mannitol, monoammonium glycyrrhizinate, sodium starch glycolate, stearic acid, sucralose

Questions? Comments?

call 877-942-2626 toll free

www.zicam.com

**DISTRIBUTED BY CHURCH & DWIGHT CO., INC.
EWING, NJ 08628**

PRINCIPAL DISPLAY PANEL - 18 Tablet Bottle Carton

ZICAM®
COLD REMEDY

SHORTENS COLDS

ULTRA

SUGAR-FREE
DYE-FREE

TAKE AT THE FIRST
THE PRE-COLD®
MEDICINE
SIGN OF A COLD

RAPIDMELTS®

Cherry Flavor

18
Quick Dissolve
TABLETS

HOMEOPATHIC


ZICAM.[®]

COLD REMEDY

SHORTENS COLDS

ULTRA

SUGAR-FREE
DYE-FREE



ZICAM.[®]

COLD REMEDY

ULTRA SHORTENS COLDS



RAPIDMELTS[®]

Cherry Flavor



SHORTENS COLDS

SUGAR-FREE
DYE-FREE

RAPIDMELTS[®]

Cherry Flavor

18 Quick Dissolve
TABLETS



HOMEOPATHIC

SATISFACTION GUARANTEED



Questions? Comments?
call 877-942-2626 toll free
www.zicam.com

KEEP CARTON FOR COMPLETE
WARNINGS AND INFORMATION

DISTRIBUTED BY CHURCH & DWIGHT CO., INC.
EWING, NJ 08628



Take every 2-3 HOURS
until symptoms are gone.

The first sign of a cold—
you have a Pre-Cold.[®]

Take Zicam[®] RapidMelts[®]
now to shorten a cold.

GO FROM PRE-COLD[®]
TO NO COLD FASTER.


GET RID OF YOUR COLD FASTER.[™]

Zicam[®] Cold Remedy products are available
in a wide range of forms and flavors.



70101508
ZCFC-30092-01

B-0236-716-44 ORG



Drug Facts

Active ingredients (in each tablet)
 Zincum aceticum 2x
 Zincum gluconicum 1x,and helps relieve nasal congestion

Uses
 ■ Reduces duration of the common cold and helps relieve nasal congestion
 Zicam® ULTRA Cold Remedy was not formulated to be effective for flu or allergies.

Warnings
 If you are allergic or sensitive to zinc, consult a doctor before using.
 Stop use and ask a doctor if symptoms persist or are accompanied by a fever or new symptoms occur.
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ For best results, use at the first sign of a cold and continue to use until symptoms completely subside
 ■ Adults and children 12 years of age and older:
 ■ take 1 tablet at the onset of symptoms
 ■ dissolve entire tablet in mouth. Do not chew. Do not swallow whole.
 ■ repeat every 2–3 hours, not to exceed 7 tablets in 24 hours. Take until symptoms are gone.
 ■ to avoid minor stomach upset, do not take on an empty stomach
 ■ do not eat or drink for 15 minutes after use. Do not eat or drink citrus fruits or juices for 30 minutes before or after use. Otherwise, drink plenty of fluids.
 ■ children under 12 years of age: ask a doctor before use

Other information
 ■ store between 15-29°C (59-84°F)

Inactive ingredients
 crospovidone, flavor, magnesium stearate, mannitol, monosodium glycyrrhizinate, sodium starch glycolate, stearic acid, sucralose

This product is not required to go through the FDA's New Drug Application approval process.
 SAFETY SEALED. DO NOT USE IF MARKED INNER FOIL SEAL IS DISTURBED OR MISSING.



ZICAM ULTRA COLD REMEDY RAPIDMELTS

zinc acetate anhydrous and zinc gluconate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10237-478
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC ACETATE ANHYDROUS (UNII: H2ZEY72PME) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	2 [hp_X]
ZINC GLUCONATE (UNII: U6WSN5SQ1Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC GLUCONATE	1 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
MANNITOL (UNII: 3OWL53L36A)	
AMMONIUM GLYCYRRHIZATE (UNII: 3VRD35U26C)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	15mm
Flavor	CHERRY	Imprint Code	ZZ
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10237-478-18	1 in 1 CARTON	02/18/2022	
1		18 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		02/18/2022	

Labeler - CHURCH & DWIGHT CO., INC. (001211952)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		833150803	MANUFACTURE(10237-478)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	MANUFACTURE(10237-478) , PACK(10237-478)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	MANUFACTURE(10237-478) , PACK(10237-478)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	MANUFACTURE(10237-478) , PACK(10237-478)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	MANUFACTURE(10237-478) , PACK(10237-478)

Revised: 12/2022

CHURCH & DWIGHT CO., INC.