

# **ANTISEPTIC SKIN CLEANSER- chlorhexidine gluconate solution**

## **McKesson Medical-Surgical**

-----

### **Antiseptic Skin Cleanser**

#### **Active ingredient**

Chlorhexidine gluconate 4% solution

#### **Purpose**

Antiseptic

#### **Uses**

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **patient preoperative skin preparation:** for the preparation of the patient's skin prior to surgery
- **skin wound and general skin cleansing**

#### **Warnings**

**For external use only**

#### **Allergy Alert**

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### **Do not use**

- **if you are allergic to chlorhexidine gluconate or any other ingredients in this product**
- **in contact with meninges**
- **in the genital area**
- **as a preoperative skin preparation of the head or face**

#### **When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if

placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums

- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when the underlying condition makes it necessary to reduce the bacterial population of the skin

**Stop use and ask doctor if** irritation, sensitization or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

### **Patient preoperative skin preparation:**

- apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel
- repeat procedure for an additional 2 minutes and dry with a sterile towel

### **Skin wound and general skin cleaning:**

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### **Other information**

- store at 68-77°F (20-25°C)
- avoid excessive heat above 104°F (40°C)

### **Inactive ingredients**

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

### **Questions?**

General Questions? Call 1-800-777-4908

Technical Support? Call 1-800-587-3721

## Principal Display Panel - McKesson Antiseptic Skin Cleanser 4 fl oz Bottle Label

NDC 68599-5401-2

4%

**McKESSON**

**Antiseptic Skin Cleanser**

**4% CHLORHEXIDINE GLUCONATE SOLUTION**

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**4 fl oz**

(118 mL)

DO NOT REUSE

MFR # **16-CHG4**

<p>NDC 68599-5401-2</p> <p><b>McKESSON</b></p> <p><b>Antiseptic Skin Cleanser</b></p> <p>4% CHLORHEXIDINE GLUCONATE SOLUTION A non-sterile solution that reduces the number of microorganisms on the skin prior to surgery or patient care.</p> <p><b>4 fl oz</b> (118 mL)</p> <p>FOR SINGLE-USE MFR # <b>16-CHG4</b></p>	<p><b>4%</b></p> <p><b>Drug Facts (continued)</b></p> <p><b>Warnings</b> <b>For external use only</b></p> <p><b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none"><li>■ wheezing/difficulty breathing ■ shock</li><li>■ facial swelling ■ hives ■ rash</li></ul> <p>If an allergic reaction occurs, stop use and seek medical help right away.</p>	<p><b>Drug Facts (continued)</b></p> <ul style="list-style-type: none"><li>■ if solution should contact these areas, rinse out promptly and thoroughly with water</li><li>■ wounds which involve more than the superficial layers of the skin should not be routinely treated</li><li>■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider</li></ul> <p><b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Patient preoperative skin preparation:</b></p> <ul style="list-style-type: none"><li>■ apply product liberally to surgical site and swab for at least 2 minutes and dry with a sterile towel</li><li>■ repeat procedure for an additional 2 minutes and dry with a sterile towel</li></ul> <p><b>Skin wound and general skin cleaning:</b></p> <ul style="list-style-type: none"><li>■ thoroughly rinse the area to be cleaned with water</li><li>■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently ■ rinse again thoroughly</li></ul>				
<p><b>Drug Facts</b></p> <table border="1"><thead><tr><th>Active ingredient</th><th>Purpose</th></tr></thead><tbody><tr><td>Chlorhexidine gluconate 4% .....</td><td>Antiseptic</td></tr></tbody></table> <p><b>Uses</b></p> <ul style="list-style-type: none"><li>■ <b>healthcare personnel handwash:</b> helps reduce bacteria that potentially can cause disease</li><li>■ <b>patient preoperative skin preparation:</b> for the preparation of the patient's skin prior to surgery</li><li>■ <b>skin wound and general skin cleansing</b></li></ul>	Active ingredient	Purpose	Chlorhexidine gluconate 4% .....	Antiseptic	<p><b>Do not use</b></p> <ul style="list-style-type: none"><li>■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product</li><li>■ in contact with meninges</li><li>■ in the genital area</li><li>■ as a preoperative skin preparation of the head or face</li></ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"><li>■ keep out of the eyes, ears and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.</li></ul>	<p><b>Directions</b> ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns</p> <p><b>Healthcare personnel handwash:</b></p> <ul style="list-style-type: none"><li>■ wet hands with water ■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds</li><li>■ rinse and dry thoroughly</li></ul>	<p><b>Other information</b></p> <ul style="list-style-type: none"><li>■ store at 20-25°C (68-77°F)</li><li>■ avoid excessive heat above 40°C (104°F)</li></ul> <p><b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol</p> <p>General Questions? call 1-800-777-4908 Technical Support? call 1-800-587-3721</p>
Active ingredient	Purpose						
Chlorhexidine gluconate 4% .....	Antiseptic						

Laundry Precautions: www.xttrium.com

Distributed by  
McKesson Medical-Surgical Inc.  
Richmond, VA 23233  
PVN C0124

4MCK048TLLBLB

0 Made in USA

6 12479 22353

WARNING: Cancer - www.P65Warnings.ca.gov

## Principal Display Panel - McKesson Antiseptic Skin Cleanser 8 fl oz Bottle Label

NDC 68599-5401-3

4%

**McKESSON**

**Antiseptic Skin Cleanser**

**4% CHLORHEXIDINE GLUCONATE SOLUTION**

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**8 fl oz**  
(237 mL)

MFR # **16-CHG8**


NDC 68599-5401-3

**McKESSON**

**Antiseptic Skin Cleanser**

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.



**8 fl oz**  
(237 mL)

MFR # **16-CHG8**

Distributed by  
McKesson Medical-Surgical Inc.  
Richmond, VA 23233  
PVN C0124 Made in USA

**4%**

Drug Facts	
<b>Active ingredient</b> Chlorhexidine gluconate 4% solution	<b>Purpose</b> Antiseptic
<b>Uses</b>	
■ <b>healthcare personnel handwash:</b> helps reduce bacteria that potentially can cause disease	
■ <b>skin wound and general skin cleansing</b>	
<b>Warnings</b>	
<b>For external use only</b>	
<b>Allergy alert:</b> This product may cause a severe allergic reaction. Symptoms may include:	
■ wheezing/difficulty breathing	
■ shock ■ facial swelling	
■ hives ■ rash	
If an allergic reaction occurs, stop use and seek medical help right away.	
<b>Do not use</b>	
■ if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product	
■ in contact with meninges	
■ in the genital area	


Drug Facts (continued)	
<b>When using this product</b>	
■ keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.	
■ if solution should contact these areas, rinse out promptly and thoroughly with water	
■ wounds which involve more than the superficial layers of the skin should not be routinely treated	
■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider	
<b>Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</b>	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	

Drug Facts (continued)	
<b>Healthcare personnel handwash:</b>	
■ wet hands with water	
■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds	
■ rinse and dry thoroughly	
<b>Skin wound and general skin cleaning:</b>	
■ thoroughly rinse the area to be cleaned with water	
■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently	
■ rinse again thoroughly	
<b>Other information</b>	
■ store at 20-25°C (68-77°F)	
■ avoid excessive heat above 40°C (104°F)	
<b>Inactive ingredients</b> cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol	
<b>Questions?</b>	
General Questions? call 1-800-777-4908	
Technical Support? call 1-800-587-3721	

**LAUNDERING/CLEANING INSTRUCTIONS:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine bleach. Rinse completely with water before using chlorine bleach. Rinse completely and use only non-chlorine cleansers.

Keep away from open flames, hot surfaces and sources of ignition. Store in a cool, dry, well-ventilated area. Not made with natural rubber latex.

WARNING: Cancer - www.POVarnings.ca.gov.



4MK08BTLBLB

## Principal Display Panel - McKesson Antiseptic Skin Cleanser 16 fl oz Bottle Label

NDC 68599-5401-4

**4%**

**McKESSON**

**Antiseptic Skin Cleanser**

**4% CHLORHEXIDINE GLUCONATE SOLUTION**

Reduces the number of microorganisms on the skin prior to surgery or patient care.

**16 fl oz**

(473 mL)

MFR # **16-CHG16**

NDC 68599-5401-4

4%

McKESSON

# Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

16 fl oz

(473 mL)

MFR # 16-CHG16

Distributed by  
McKesson Medical-Surgical Inc.  
Richmond, VA 23233  
PVN C0124 Made in USA

## Drug Facts

**Active ingredient** Purpose  
Chlorhexidine gluconate 4% solution ..... Antiseptic

### Uses

- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

### Warnings

For external use only

#### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meningitis
- in the genital area

## Drug Facts (continued)

### When using this product

- keep out of eyes, ears and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor** if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

## Drug Facts (continued)

### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol

### Questions?

General Questions? call 1-800-777-4908  
Technical Support? call 1-800-587-3721

**LAUNDERING/CLEANING INSTRUCTIONS:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine bleach. Rinse completely with water. Do not use with other non-chlorine detergents. Keep away from open flames, hot surfaces and sources of ignition. Store in a cool, dry, well-ventilated area. Not made with natural rubber latex.

**WARNING:** Cancer - www.P65Warnings.ca.gov.



6 1247912235718

4MCK16BTLBLB

## Principal Display Panel - McKesson Antiseptic Skin Cleanser 32 fl oz Bottle Label

NDC 68599-5401-5

4%

McKESSON

Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

32 fl oz

(946 mL)

MFR # 16-CHG32

NDC 68599-5401-5

4%

McKESSON

# Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

32 fl oz

(946 mL)

MFR # 16-CHG32

## Drug Facts

**Active ingredient** Purpose  
Chlorhexidine gluconate 4% solution ..... Antiseptic

### Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** helps reduce bacteria that potentially can cause disease
- **skin wound and general skin cleansing**

### Warnings

For external use only

#### Allergy alert:

This product may cause a severe allergic reaction. Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you or the patient is allergic to chlorhexidine gluconate or any other ingredient in this product
- in contact with meningitis
- in the genital area

### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.
- if solution should contact these areas, rinse out promptly and thoroughly with water
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when advised by a health care provider

**Stop use and ask a doctor** if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

## Drug Facts (continued)

**Directions** ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

### Surgical hand scrub:

- wet hands and forearms with water
- scrub for 3 minutes with about 5 mL of product and a wet brush, paying close attention to the nails, cuticles, and interdigital spaces
- a separate nail cleaner may be used
- rinse thoroughly
- wash for an additional 3 minutes with 5 mL of product and rinse under running water
- dry thoroughly

### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds
- rinse and dry thoroughly

### Skin wound and general skin cleansing:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently
- rinse again thoroughly

### Other information

- store at 68-77°F (20-25°C)
- avoid excessive heat above 104°F (40°C)

**Inactive ingredients** cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, tridecyl alcohol.

### Questions?

General Questions? call 1-800-777-4908  
Technical Support? call 1-800-587-3721

**WARNING:** Cancer - www.P65Warnings.ca.gov.

**LAUNDERING/CLEANING INSTRUCTIONS:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

Keep away from open flames, hot surfaces and sources of ignition. Store in a cool, dry, well-ventilated area. Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.  
Richmond, VA 23233  
PVN B0318 Made in USA



6 1247912235912

4MCK32BTLBLA



Principal Display Panel - McKesson Antiseptic Skin Cleanser 1 gal Bottle Label

NDC 68599-5401-6

McKESSON

Antiseptic Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the skin prior to surgery or patient care.

1 gal  
(3.8 L)

MFR # 16-CHGGL

Drug Facts (continued)

Keep out of reach of children.  
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.  
■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.  
■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.

Healthcare personnel handwash:

■ wet hands with water  
■ dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 15 seconds  
■ rinse and dry thoroughly

Skin wound and general skin cleansing:

■ thoroughly rinse the area to be cleaned with water  
■ apply the minimum amount of product necessary to cover the skin or wound area and wash gently  
■ rinse again thoroughly

Other information

■ store at 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)

Inactive ingredients

cocamide DEA, fragrance, glucono-delta-lactone, hydroxyethylcellulose, isopropyl alcohol, lauramine oxide, PEG-75 lanolin, purified water, triethyl alcohol

Questions or comments?

General Questions? call 1-800-777-4908 Technical Support? call 1-800-587-3721

LAUNDERING/CLEANING INSTRUCTIONS:

Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.  
Keep away from open flames, hot surfaces and sources of ignition. Store in a cool, dry, well-ventilated area. Not made with natural rubber latex.  
WARNING: This product can expose you to coconut oil diethanolamine condensate (cocamide diethanolamine), which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.  
Distributed by:  
McKesson Medical-Surgical Inc.  
Richmond, VA 23233  
PWN CD24 Made in USA AMKX10BTLBLB

6 1 2 4 7 9 1 2 2 3 6 1 5

NDC 68599-5401-6

4%

McKESSON

Antiseptic  
Skin Cleanser

4% CHLORHEXIDINE GLUCONATE SOLUTION

Reduces the number of microorganisms on the  
skin prior to surgery or patient care.

1 gal  
(3.8 L)

MFR # 16-CHGGL

Drug Facts

Active ingredient  
Chlorhexidine gluconate 4% solution

Purpose  
Antiseptic

Uses  
■ healthcare personnel handwash: helps reduce bacteria that potentially can cause disease  
■ skin wound and general skin cleansing

Warnings  
For external use only  
Allergy alert:  
This product may cause a severe allergic reaction. Symptoms may include:  
■ breathing difficulty breathing ■ facial swelling  
■ shock ■ hives  
If an allergic reaction occurs, stop use and seek medical help right away.  
Do not use  
■ if you or the patient are allergic to chlorhexidine gluconate or any other ingredient in this product  
■ in contact with menses  
■ in the genital area  
When using this product  
■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if permitted to enter and remain in the eye or may cause deafness when instilled in the middle ear through perforated eardrums.  
■ if solution should contact these areas, rinse out promptly and thoroughly with water  
■ wounds which involve more than the superficial layers of the skin should not be routinely treated  
■ repeated general skin cleansing of large body areas should not be done except when advised by a health care provider  
Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.

ANTISEPTIC SKIN CLEANSER

chlorhexidine gluconate solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-5401
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)		CHLORHEXIDINE GLUCONATE	4 g in 100 mL
Inactive Ingredients			
Ingredient Name			Strength
COCO DIETHANOLAMIDE (UNII: 92005F972D)			
GLUCONOLACTONE (UNII: WQ29KQ9POT)			
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)			

<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>LAURAMINE OXIDE</b> (UNII: 4F6FC4MI8W)	
<b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRIDECYL ALCOHOL</b> (UNII: 8I9428H868)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-5401-1	48 in 1 CASE	06/01/2017	
1	NDC:68599-5401-2	118 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68599-5401-7	24 in 1 CASE	06/01/2017	
2	NDC:68599-5401-3	237 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:68599-5401-8	12 in 1 CASE	06/01/2017	
3	NDC:68599-5401-4	473 mL in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:68599-5401-9	12 in 1 CASE	06/01/2017	
4	NDC:68599-5401-5	946 mL in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:68599-5401-0	4 in 1 CASE	06/01/2017	
5	NDC:68599-5401-6	3800 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019125	06/01/2017	

**Labeler** - McKesson Medical-Surgical (023904428)

## Establishment

Name	Address	ID/FEI	Business Operations
XTTRIUM LABORATORIES, INC.		007470579	manufacture(68599-5401)

Revised: 2/2024

McKesson Medical-Surgical