# MEDLINE NASAL ANTISEPTIC SWABS- povidone iodine swabstick solution Medline Industries, LP

-----

## 497 Medline Nasal Antiseptic Swabs

## Active ingredient

Povidone-iodine USP 10%

## Purpose

Antiseptic

#### Uses

- • antiseptic skin preparation
- helps reduce bacteria that can potentially cause skin infections

## Warnings

## For external use only

#### Do not use

- • if allergic to iodine
- • in the eyes
- • on children less than 3 years old

# Ask a doctor before use if injuries are

- • deep or puncture wounds
- • serious burns

# Stop use and ask a doctor if

- redness, irritation, swelling or pain persists or increases
- • infection occurs

# Keep out of reach of children.

In case of accidental ingestion, seek professional assistance or consult a poison control center immediately.

**Avoid excessive heat.** Store at room temperature.

#### **Directions**

#### **NASAL APPLICATION:**

• Use a tissue to clean the inside of



both nostrils, including the inside tip of nostril. Discard.



 Insert swab comfortably into one nostril and rotate for 30 seconds, covering all surfaces. Discard swabstick.



• Using a 2nd swab, repeat step 2 with the other nostril.



 Repeat the application in both nostrils, using the 3rd and 4th swabs.



 Do not blow nose. If solution drips, gently wipe with a tissue.

#### Other information

- • 1% titratable iodine
- not made with natural rubber latex
- for hospital or professional use only

## Inactive ingredients

disodium phosphate, glycerin, hydroxyethylcellulose, nonoxynol-10, simethicone, water

# **Manufacturing Information**

Manufactured by:

Medline Industries, LP

Three Lakes Drive, Northfield IL 60093 USA

Made in USA

1-800-MEDLINE (633-5463)

**REF: MDS1982** 

V1 RG22APL

# Package Label




POVIDONE-IODINE USP 10%

+ Presaturated

Non-sterile.
Single use only.
This product is not made with natural rubber latex.





4-INCH SATURATED SWABSTICK

RIGHT

# **Drug Facts**

# **Active ingredient**

Purpose

Povidone-iodine USP 10%.....

Antiseptic

### Uses

- antiseptic skin preparation
- helps reduce bacteria that can potentially cause skin infections

# Warnings

For external use only

#### Do not use

- if allergic to iodine
- in the eves
- on children less than 3 years old

#### Ask a doctor before use if injuries are

- deep or puncture wounds
- serious burns

#### Stop use and ask a doctor if

- redness, irritation, swelling or pain persists or increases
- infection occurs

Keep out of reach of children. In case of accidental ingestion, seek professional assistance or consult a poison control center immediately.

Avoid excessive heat. Store at room temperature.



#### www.medline.com

©2022 Medline Industries, LP Made in the USA by: Medline Industries, LP, Three Lakes Drive, Northfield, IL 60093 USA. 1-800-MEDLINE V1 RG22APL

REF MDS1982





# Drug Facts (continued)

### Directions

#### NASAL APPLICATION:



Use a tissue to clean the inside of both nostrils, including the inside tip of nostril. Discard.



 Insert right swab comfortably into right nostril and rotate for 30 seconds, covering all surfaces.
 Discard swabstick



Using left swab, repeat step 2 with left nostril.



 Repeat the application in both nostrils, using the new left and right swabs.



Do not blow nose. If solution drips, gently wipe with a tissue.

# Other information

- 1% titratable iodine
- not made with natural rubber latex
- for hospital or professional use only

# Inactive ingredients

disodium phosphate, glycerin, hydroxyethylcellulose, nonoxynol-10, simethicone, water

Protect From Freezing, Avoid Excessive Heat. Temperature limits: 15°C-30°C

## **MEDLINE NASAL ANTISEPTIC SWABS**

povidone iodine swabstick solution

### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:53329-497

**Route of Administration** TOPICAL

## **Active Ingredient/Active Moiety**

1	7 10 11 10 11 19 10 10 11 10 11 10 10 19		
	Ingredient Name	<b>Basis of Strength</b>	Strength
	POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients				
Ingredient Name	Strength			
DIMETHICONE (UNII: 92RU3N3Y1O)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)				
HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%) (UNII: S38J6RZ N16)				
NONOXYNOL-10 (UNII: K7O76887AP)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:53329-497- 42	2 in 1 BOX	01/15/2018			
1	NDC:53329-497- 26	10 mL in 1 PACKET; Type 0: Not a Combination Product				
2	NDC:53329-497- 66	250 in 1 CASE	01/15/2018			
2	NDC:53329-497- 26	10 mL in 1 PACKET; Type 0: Not a Combination Product				
3	NDC:53329-497- 26	10 mL in 1 PACKET; Type 0: Not a Combination Product	01/15/2018			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	505G(a)(3)	01/15/2018			

# Labeler - Medline Industries, LP (025460908)

# Registrant - Medline Industries, LP (025460908)

Revised: 11/2023 Medline Industries, LP