# WESTERN FAMILY TARTAR CONTROL - sodium fluoride paste, dentifrice Western Family Foods, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Western Family Tartar Control Fluoride Toothpaste

# **Active Ingredient**

Sodium Fluoride 0.243% (0.15% w/v fluoride ion)...Anticavity toothpaste

Helps protect against cavities.

As with all fluoride toothpastes, **keep out of reach of children under 6 years of age**. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

**Adults and children 2 years and older**Brush teeth throughly, preferably after each meal, or at least twice a day, or as

directed by your dentist. Do not swallow.

**Children under** To minimize swallowing, use a pea-sized

**6 years of age** amount and supervise brushing until

good habits are established.

**Children under 2 years** Ask a dentist or physician.

## **Inactive Ingredients:**

Sorbitol, Hydrated Silica, Water, PEG-6, Sodium Lauryl Sulfate, Cellulose Gum, Flavor, Sodium Benzoate, Titanium Dioxide, Sodium Phosphate, Tetrasodium Pyrophosphate, Sodium Saccharin, FDC Blue 1

### **Principal Display Panel**



Proudly Distributed by Western Family Foods, Inc., P.O. Box 4057 Portland, OR 97208 U.S.A. Copyright 2007 Marca Registrada



\*This product is not manufactured or distributed by Proctor & Gamble, owners of the registered trademark Crest®

### An Anticavity Fluoride Dentifrice

Drug Facts

ACTIVE INGREDIENT PURPOSE
Sodium fluoride 0.243% (0.15% w/v fluoride ion)...Anticavity toothpaste

USE: Helps protect against cavities.

WARNINGS: As with all fluoride toothpastes, keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

# 06267-B-TT Drug Facts (continued)

DIRECTIONS

Adults and children 2 years and older each meal, or at least twice a day, or as directed by your dentist. Do not swallow.

Children under 6 years of age To minimize swallowing, use a pea-sized amount and supervise brushing until good habits are established.

Ask a dentist or physician.

INACTIVE INGREDIENTS: Sorbitol, Hydrated Silica, Water, PEG-6, Sodium Lauryi Sulfate, Cellulose Gum, Flavor, Sodium Benzoate, Titanium Dioxide, Sodium Phosphate, Tetrasodium Pyrophosphate, Sodium Saccharin, FD&C Blue-1.

#### WESTERN FAMILY TARTAR CONTROL

sodium fluoride paste, dentifrice

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55312-163

Route of Administration DENTAL

### **Active Ingredient/Active Moiety**

Ingredient NameBasis of StrengthStrengthSodium Fluoride (UNII: 8 ZYQ1474W7) (Fluoride Ion - UNII:Q80 VPU408O)Sodium Fluoride2.43 mg in 1 g

### **Inactive Ingredients**

Ingredient Name

SORBITOL (UNII: 506T60A25R)

SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)

WATER (UNII: 059QF0KO0R)

POLYETHYLENE GLYCOL 300 (UNII: 5655G9 Y8 AQ)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
SODIUM PYROPHO SPHATE (UNII: O352864B8Z)	
SODIUM PYROPHO SPHATE (UNII: O352864B8Z)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor	MINT (Mint Paste)	Imprint Code		
Contains				

l	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1 NDC:55312-163-07	232.4 g in 1 TUBE				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
OTC monograph final	part355	11/24/2008				

# Labeler - Western Family Foods, Inc (192166072)

Revised: 3/2011 Western Family Foods, Inc