SALICYLIC ACID- liquid corn and callus remover liquid Premier Brands of America Inc.

Premier Brands Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- $\bullet\,$ if product gets into the eye, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• wash the affected area and dry thoroughly

- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

- store between 20° 25°C (68°F 77°F)
- close tightly to prevent solidification
- store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel

Premier

LIQUID

CORN & CALLUS

REMOVER

Salicylic Acid

Safely removes corn & calluses Soft foam cushions & protects

3 CUSHIONS

0.33 FL OZ (9.8 mL)





Premier

Drug Facts

Active ingredient Salicylic acid 17% w/w....

Purpose

.Corn and callus remover

PORTANT:

ဂ

LOSE

CAP

TIGHTLY

AFTER

USE

■ for the removal of corns and calluses
 ■ relieves pain by removing corns and calluses

Warnings For external use only.

Fiammable

keep away from fire or flame

cap bottle tightly and store at room temperature away from heat

Do not use

on irritated skin

on any area that is infected or reddened

if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product
a avoid contact with eyes
avoid inhaling vapors
if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor if discomfort persists, see your doctor or podiatrist

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away

- Directions

 wash the affected area and dry thoroughly
 apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
 use cushion with hole centered over corn or callus to relieve pressure
 (additional cushions may be purchased separately)
 repeat this procedure once or twice daily as needed for up to 14 days
 (until corn/callus is removed)

Other information

- store between 20°-25°C (68°-77°F)
 close tightly to prevent solidification
 store in a cool place

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-866-964-0939

Wipe top of bottle clean after each use

Distributed by:

©2019 Premier Brands of America Inc.

White Plains, New York 10601

www.premier-brands.com Questions? Call 1-866-964-0939

MADE IN USA WITH U.S. AND IMPORTED PARTS

41-030PB-02



NDC 56104-026-09

LIQUID CORN & CALLUS **REMOVER**

Salicylic Acid

Safely removes corns & calluses

CLOSE CAPTIGHTLY **AFTER USE**

0.33 FL OZ (9.8 mL)

that is infected or reddened. When using this product avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors. Keep out of reach of children. If swallowed, get Use cushions with hole centered over corn or callus to Do not use this product on irritated skin, on any area thoroughly. Apply one drop at a time with applicator to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed) *Other information*: Store at 20° – 25° C (68° – 77° F). Close tightly to prevent solidification. Store in a cool place. *Inactive ingredients*: camphor castor oil, ethanol, ethyl ether, nitrocellulose medical help or contact a Poison Control Center right away. Directions: Wash affected area and dry sufficiently cover each corn/callus. Let dry.

MADE IN USA WITH U.S. AND IMPORTED PARTS ©2018 Premier Brands of America Inc. Mount Vernon, New York 10550 MADE www.premier-brands.com

Keep packaging for complete drug facts informatior

50-030PB-01

removing corns and calluses. *Warnings*: For external use only. Flammable: Keep away from fire or flame. Cap bottle tightly and store at room temperature away from heat. Do not use this product if you are diabetic or have poor blood circulation, except under

Purpose: Corn and callus remover Uses: For the removal of corns and calluses. Relieves pain by the advice and supervision of a doctor or podiatrist.

liquid corn and callus remover liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:56104-026

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) SALICYLIC ACID 0.17 mg in 9.8 mL

Inactive Ingredients

ı	Ingredient Name	Strenath
ш	mgreatent name	ou ong u

PYROXYLIN (UNII: KYR8BR2X6O)

CAMPHOR (NATURAL) (UNII: N20HL7Q941)

CASTOR OIL (UNII: D5340Y2I9G)

Packaging

1	gg			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:56104-026-09	9.8 mL in 1 PACKAGE; Type 0: Not a Combination Product	01/19/2018	

Marketing Information

i la keeing matien			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	01/19/2018	

Labeler - Premier Brands of America Inc. (117557458)

Revised: 2/2024 Premier Brands of America Inc.